

Issued May 2018

2017

Healthcare-Associated Infections in North Carolina

Reporting Period:
January 1 – December 31, 2017

Product of:
N.C. Surveillance for Healthcare-Associated and Resistant Pathogens
Patient Safety (SHARPPS) Program
N.C. Communicable Disease Branch

N.C. SHARPPS Program



Introduction

The prevention of healthcare-associated infections is a public health priority in North Carolina and is a collaborative effort among the healthcare and public health communities. This Healthcare-Associated Infections report is an important product of this collaboration. Included in this report is information about infections occurring in North Carolina short-term acute care hospitals, long-term acute care hospitals, and inpatient rehabilitation facilities from January 1 through December 31, 2017. Data included in this report are preliminary and therefore subject to change.

This report focuses on six important types of healthcare-associated infections that may occur while patients are hospitalized: central line-associated bloodstream infections (CLABSI), catheter-associated urinary tract infections (CAUTI), and surgical site infections (SSI), specifically those following abdominal hysterectomies or colon surgeries, MRSA laboratory-identified infections (MRSA LabID), *Clostridium difficile* laboratory-identified infections (*C. difficile* or CDI LabID) and Ventilator Associated Events (VAE). These infections account for a large proportion of infections and deaths attributed to healthcare, but they do not represent the full spectrum of healthcare-associated infections.

This report was prepared by the North Carolina Surveillance for Healthcare-Associated and Resistant Pathogens Patient Safety (SHARPPS) Program located in the Communicable Disease Branch of the Epidemiology Section of the North Carolina Division of Public Health. The NC SHARPPS Program works to eliminate preventable infections in health care settings by:

1. Conducting statewide surveillance for selected healthcare-associated infections;
2. Providing useful, unbiased information to health care providers and consumers;
3. Promoting and coordinating prevention efforts; and
4. Responding to outbreaks in health care settings.

We hope that the information in this report will be useful to healthcare consumers. Data are intended to provide an understanding of the burden of healthcare-associated infections in North Carolina and an opportunity to evaluate infection rates across the state. Prevention tips are also provided so readers can take steps to minimize their risk of acquiring a healthcare-associated infection (Appendix C). We welcome your feedback to improve the usefulness of future reports (nchai@dhhs.nc.gov).

For more information on Healthcare-Associated Infections and the NC SHARPPS Program, please visit <http://epi.publichealth.nc.gov/cd/diseases/hai.html>.

Acknowledgements

The North Carolina SHARPPS Program would like to acknowledge and thank hospital infection preventionists across the state, who work tirelessly to protect patients from infection. These preventionists provided the data used to create this report and worked with their hospital colleagues to identify and reconcile any potential problems with the data. This acknowledgement and gratitude extends to the hospital. While reporting of healthcare-associated infections is required, their support for healthcare-associated infections reporting and efforts to assure accurate reporting of infections is appreciated. The recent successes in fighting healthcare-associated infections would not have been possible without the continuing efforts, dedication and collaboration of hospitals and hospital infection preventionists.

The SHARPPS Program would also like to recognize the contributions of the Healthcare-Associated Infections Advisory Group members listed in Appendix D. In particular, the program is grateful to the Subgroup on Reporting and Surveillance for their thoughtful feedback on the presentation and content of these quarterly reports.

Finally, the program would like to acknowledge our partners, who have been important leaders and strong supporters of surveillance and prevention programs for healthcare-associated infections in North Carolina. These include the North Carolina Hospital Association, the North Carolina Statewide Program for Infection Control and Epidemiology, the North Carolina Chapter of the Association for Professionals in Infection Control and Epidemiology, Alliant Quality, and the Adult Care Licensure and Nursing Home Licensure and Certification sections of the North Carolina Division of Health Service Regulation.

Table of Contents

Introduction.....	i
Acknowledgements	ii
I. Surveillance for Healthcare-Associated Infections in North Carolina	1
II. Hospital-Specific Summary Reports	2

APPENDICES:

APPENDIX A. Definitions	
APPENDIX B. Acronyms	
APPENDIX C. Healthcare-Associated Infections Prevention Tips	
APPENDIX D. NC SHARPPS Advisory Group	
APPENDIX E. Healthcare Facility Groupings, 2017 National Healthcare Safety Network Annual Hospital Survey	

I. Surveillance for Healthcare-Associated Infections in North Carolina

Healthcare-associated infections (HAIs) are infections caused by a variety of organisms – including bacteria, viruses and fungi – while receiving medical care. As part of the effort to reduce such types of infections, hospitals report specific types of HAIs to the NC Division of Public Health (DPH) as required by law (General Statute 130A-150). Since 2012, they have been reporting central line-associated bloodstream infections (CLABSI), catheter-associated urinary tract infections (CAUTI), and surgical site infections (SSI) occurring after inpatient abdominal hysterectomies or colon surgeries. Beginning in January 2013, short-term acute care hospitals began reporting of laboratory-confirmed (LabID) bloodstream infections caused by methicillin-resistant *Staphylococcus aureus* (MRSA) and infections caused by *Clostridium difficile* (*C. diff*). In January 2016, Ventilator Associated Events (VAE) became reportable in Long-term Acute Care Hospitals.

By North Carolina law, hospital reporting requirements are based on the reporting requirements established by the Centers for Medicare and Medicaid Services (CMS). HAI information is entered into the CDC web-based surveillance system called the National Healthcare Safety Network (NHSN). N.C. SHARPPS works with hospitals on a monthly basis to ensure their data are accurate and timely. All data in NHSN are entered and modified by hospitals; N.C. SHARPPS cannot enter or change data in NHSN.

To learn more about CLABSIs, CAUTIs, SSIs, MRSA, *Clostridium difficile* and other HAIs, please visit the N.C. SHARPPS website at <http://epi.publichealth.nc.gov/cd/diseases/hai.html>. In addition to information about specific infections, there is a link to the “Facts and Figures” webpage (<http://epi.publichealth.nc.gov/cd/hai/figures.html>), which includes current and previous reports. The Healthcare-Associated Infection in North Carolina - Reference Report issued in October 2012 and revised in July 2016, contains background information on HAIs, HAI surveillance in North Carolina, and detailed information on statistics commonly used to describe and summarize HAIs. Subsequent reports, published quarterly, cover timely state-level and facility-specific data on the incidence of healthcare associated infections in hospitals across the state, as well as information on the creation and progress of various initiatives to reduce HAIs.

According to NC Administrative Code rules (10A North Carolina Administrative Code 41A .0106), North Carolina hospitals are required to report the healthcare-associated infections listed in the CMS-IPPS Rule.¹ A list of these conditions and the starting dates for reporting are included in Table 1.

Table 1: Reporting of Healthcare-Associated Infections from Healthcare Facilities¹

HAI	Facility Type & Location	Reporting Start Date
CLABSI	Short-term acute care hospitals	
	Adult, pediatric, & neo-natal ICUs	January 2012
	Adult & pediatric medical, surgical and medical surgical wards	January 2015
	Long-term acute care hospitals	
	Adult, pediatric ICUs & wards	October 2012
CAUTI	Short-term acute care hospitals	
	Adult, pediatric ICUs	January 2012
	Adult, pediatric Medical, surgical and medical surgical wards	January 2015
	Inpatient rehabilitation facilities	
	Adult & Pediatric IRF Wards	October 2012
	Long-term acute care hospitals	
	Adult, pediatric ICUs & wards	October 2012
MRSA bacteremia	Short-term acute care hospitals including specialty hospitals	January 2013
	Inpatient rehabilitation facilities	January 2015
	Long-term acute care hospitals	January 2015
C. difficile	Short-term acute care hospitals including specialty hospitals	January 2013
	Inpatient rehabilitation facilities	January 2015
	Long-term acute care hospitals	January 2015
SSI	Short-term acute care hospitals:	January 2012
	Inpatient colon surgeries and abdominal hysterectomy procedures	
VAE	Long-term acute care hospitals	January 2016
	Adult LTAC ICUs & wards	

*includes SSIs following abdominal hysterectomies and colon surgeries

II. Hospital-Specific Summary Reports

A. Explanation of the Hospital-Specific Summary Reports

Each hospital-specific summary report contains up to eight sections: 1) general hospital information, 2) central line-associated bloodstream infections (CLABSI), 3) catheter associated urinary tract infections (CAUTI), 4) surgical site infections (SSI) after abdominal hysterectomies and colon surgeries, 5) MRSA laboratory-identified events (MRSA LabID), 6) *C. difficile* laboratory-identified events (CDI LabID) 7) Ventilator Associated Events (VAE) and 8) commentary from the hospital. These sections are described below.

These reports cover the calendar year of 2017 and data were downloaded from NHSN on April 19, 2018; any changes made to the data after this date are not reflected in this report.

Before reviewing this report, a few clarifications about the data need to be made:

- I. **The data within this report are preliminary.** Although efforts were made by hospitals and N.C. SHARPPS to ensure that the data were accurate and complete, the data are self-reported and have not been formally “double checked”, or validated. Until data validation is completed, numbers should be interpreted with caution.
- II. **There may be differences in reporting practices among hospitals.** Hospitals with more infection control personnel and resources may be able to identify and report more infections compared to a hospital with fewer infection control resources.
- III. **There may be differences between results published by N.C. SHARPPS and results published elsewhere** (i.e., CMS, Centers for Medicare and Medicaid Services). Results may differ due to using data from different time periods, different facility types, different patient populations, and/or different methods of analysis.
- IV. **N.C. SHARPPS chose not to present some data** for individual hospital units, procedures or hospitals that did not meet a threshold (minimum value) for the reporting period. The minimum threshold numbers are based on CDC recommendations for reporting healthcare-associated infection data:
 - Central line-associated bloodstream infections: 50 central line days;
 - Catheter-associated urinary tract infections: 50 catheter days; and
 - Surgical site infections: 20 surgeries.
- V. **The North Carolina SHARPPS Program does not calculate an SIR when the number of predicted infections is less than 1.** In these situations, the “How Does this Facility Compare to the National Experience” text says “No conclusion.” This does not mean that hospitals failed to report data, or that hospitals did not report all necessary data; it only means that the number of patients, devices (central lines or urinary catheters), and/or procedures that were seen during this time period did not meet the established threshold (minimum value) for calculating an SIR. This minimum threshold is based on CDC recommendations. In other words, there is not enough information to make a reliable conclusion about the hospital’s or the state’s performance on this measure.
- VI. **Laboratory-Identified Events (LabID):** Methicillin-resistant *Staphylococcus aureus* (MRSA) bacteremia (blood infection) and *Clostridium difficile* infections (CDI) LabID events rely on laboratory data. Patients did not have to be ill to have a positive result, and a positive result can be determined without requiring clinical information about the patient. This allows for a much less labor-intensive means to track CDI and MRSA infections. Only those LabID events that are acquired in the hospital are displayed in this report. The sensitivity of various testing types may vary, particularly for CDI, so hospitals that use more sensitive tests might report more LabID events than hospitals that use less sensitive tests. NHSN makes risk adjustments to account for these differences when calculating SIRs for LabID CDI events.
- VII. **Changes in surveillance definitions impact the number of observed and predicted events:** In 2015, there were a number of notable changes to surveillance definitions and reporting requirements that should be considered when looking at this report. First, in acute care hospitals, CLABSI and CAUTI reporting was expanded to include the reporting of observed CLABSI and CAUTI infections in adult and pediatric medical, surgical, and medical/surgical wards locations in addition to ongoing ICU reporting. Secondly, the CAUTI surveillance definition was restricted to include only urine cultures with a colony count of at least 100,000 colony forming units per milliliter (CFU/ml) for at least one type of bacteria and to exclude pathogen results with only yeast, mold, dimorphic fungi or parasites.

General Hospital Information

This section contains general information about the hospital and includes a map of where the hospital (red star icon) is located in North Carolina. Data in this section are from the NSHN 2017 Annual Hospital Survey. If a 2017 survey had not been completed by the date of report, data from the NHSN 2016 Annual Hospital Survey were used.

1. HAI Information

A list of reporting hospitals by facility category can be found in Appendix E.

a) Below is a list of all variables shown in the data tables and figures:

- **Title:** The title of the table gives you information about the infection type, time period, facility unit(s)/group(s) included in the table.
- **Procedure Type:** This is the specific type of surgery for which the surgical site infection (SSI) data are presented (e.g., abdominal hysterectomy, colon surgery).
- **Unit/Unit Type:** This is the specific unit/type of unit in the hospital from which the data was collected. There may be more than one reporting unit for a given facility HAI (specifically for CLABSI and CAUTI), such as multiple intensive care units. The hospital-specific report tables will summarize the year-to-date total across all reporting units in the hospital.
- **Observed Infections (or Observed Events):** This is the number of infections (or events, for LabID measures) that was reported by the facility.
- **Predicted Infections (or Predicted Events):** This is a calculated value that reflects the number of infections (or events, for LabID measures) that we have “predicted” to occur in this facility, based on the national experience.
- **“How Does the Facility Compare to the National Experience?”** Colors and symbols are used to help you quickly understand and interpret the hospital’s data. This is the “take-home message” about healthcare-associated infections in this facility.

★ Indicates that North Carolina had fewer infections than were predicted (better than the national experience)

= Indicates that North Carolina had about the same number of infections as were predicted (same as the national experience)

✘ Indicates that North Carolina had more infections than were predicted (worse than the national experience)

No Conclusion: Indicates that North Carolina reported data, but there was not enough information to make a reliable comparison to the national experience (# of predicted infections was less than 1).

- **Facility Group-** Hospitals are grouped with similarly-sized facilities and inpatient rehabilitation facilities and long term acute care hospitals are grouped together. This allows readers to compare a facility’s SIR to the SIR of similarly-sized facilities within North Carolina.
- **Note-** Footnotes are included in the report in order to bring important data caveats to the reader’s attention.

Table 2a. – Example of Hospital-Specific Report Table




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	31	46	Better
Adult/Ped Wards	15	20	Same
All reporting units	46	65	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

b) SIR - Represented in the bars in each graph.

- SIR = number of *observed* infections / number of *predicted* infections based on the national baseline experience
- SIR is calculated for each HAI at each facility
- The SIR is considered a “best guess” or estimate of observed infections compared to those predicted during January 1, 2017 – December 31, 2017

c) 95% confidence intervals for the SIR – Represented by the skinny red lines in each figure.

These lines represent a lower and a higher limit around the SIR; together these limits create an interval. It means we are 95% confident the SIR estimate falls within this interval. Wider bars indicate less confidence in the SIR estimate.

How to understand the 95% confidence intervals:

- If the value of 1.0 is included between the lower and upper limit, there is NO significant difference between the number of observed and predicted infections.
- If the value of 1.0 is NOT included between the lower and upper limit, there IS a significant difference between the number of observed and predicted infections.

d) NHSN Baseline (i.e., national experience) – Represented by the solid red line in each figure.

- The NHSN baseline is the number of predicted infections based on the national experience
- The NHSN baseline year is 2015 for all HAIs.

2. Commentary from Hospital

This section includes hospital comments on their HAI data and current infection control activities. Hospitals can provide a link to their hospital website to provide lengthier comments.

Statistics

For a detailed explanation of statistics included in the HAI reports, see the NC DHHS HAI in NC report which was revised June 2016 (<http://epi.publichealth.nc.gov/cd/hai/figures.html>). Explanations on concepts such as statistical significance and computation of measures including rates and standardized infection ratios (SIRs) are provided.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Alamance Regional Medical Center, Burlington, Alamance County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	11,687
Patient Days in 2017:	49,552
Total Number of Beds:	238
Number of ICU Beds:	32
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.42

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	2.6	Same
Adult/Ped Wards	0	1.6	Same
All reporting units	2	4.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	16	30	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Alamance Regional Medical Center, Burlington, Alamance County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	1.9	Same
Adult/Ped Wards	0	1.9	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	1	3.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Alamance Regional Medical Center, Burlington, Alamance County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	11,687
Patient Days in 2017:	49,552
Total Number of Beds:	238
Number of ICU Beds:	32
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.42

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	2.6	Same
Adult/Ped Wards	0	1.6	Same
All reporting units	2	4.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	16	30	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Alamance Regional Medical Center, Burlington, Alamance County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	1.9	Same
Adult/Ped Wards	0	1.9	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	1	3.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Annie Penn Hospital, Reidsville, Rockingham County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	3,236
Patient Days in 2017:	14,004
Total Number of Beds:	53
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.89

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Annie Penn Hospital, Reidsville, Rockingham County**

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Annie Penn Hospital, Reidsville, Rockingham County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	3,236
Patient Days in 2017:	14,004
Total Number of Beds:	53
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.89

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Annie Penn Hospital, Reidsville, Rockingham County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
ARHS-Watauga Medical Center, Boone, Watauga County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	4,529
Patient Days in 2017:	12,859
Total Number of Beds:	117
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.85

[*FTE = Full-time equivalent]



Commentary From Facility:

This is current up to date data through Q3 2016. Data was verified through the analysis summary as of November 2016

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	3	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
ARHS-Watauga Medical Center, Boone, Watauga County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
ARHS-Watauga Medical Center, Boone, Watauga County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	4,529
Patient Days in 2017:	12,859
Total Number of Beds:	117
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.85

[*FTE = Full-time equivalent]



Commentary From Facility:

This is current up to date data through Q3 2016. Data was verified through the analysis summary as of November 2016

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	3	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
ARHS-Watauga Medical Center, Boone, Watauga County**

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Asheville Specialty Hospital, Asheville, Buncombe County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 334
 Patient Days in 2017: 8,677
 Total Number of Beds: 34
 FTE* Infection Preventionists: 0.20
 Number of FTEs* per 100 beds: 0.59

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	2	2.2	Same
All reporting units	2	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	11	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Asheville Specialty Hospital, Asheville, Buncombe County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	6	5.1	Same
All reporting units	6	5.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Asheville Specialty Hospital, Asheville, Buncombe County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 334
 Patient Days in 2017: 8,677
 Total Number of Beds: 34
 FTE* Infection Preventionists: 0.20
 Number of FTEs* per 100 beds: 0.59

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	2	2.2	Same
All reporting units	2	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	11	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Asheville Specialty Hospital, Asheville, Buncombe County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	6	5.1	Same
All reporting units	6	5.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Betsy Johnson Regional, Dunn, Harnett County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	4,335
Patient Days in 2017:	19,156
Total Number of Beds:	101
Number of ICU Beds:	6
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	1.49

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	2	1.6	Same
All reporting units	3	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Betsy Johnson Regional, Dunn, Harnett County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Betsy Johnson Regional, Dunn, Harnett County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	4,335
Patient Days in 2017:	19,156
Total Number of Beds:	101
Number of ICU Beds:	6
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	1.49

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	2	1.6	Same
All reporting units	3	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Betsy Johnson Regional, Dunn, Harnett County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Broughton Hospital, Morganton, Burke County

2017 Hospital Survey Information

Hospital Type:	Specialty Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	415
Patient Days in 2017:	100,056
Total Number of Beds:	297
Number of ICU Beds:	0
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	0.67

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CAUTI during this time period

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	16	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Broughton Hospital, Morganton, Burke County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CLABSI during this time period

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Broughton Hospital, Morganton, Burke County

2017 Hospital Survey Information

Hospital Type:	Specialty Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	415
Patient Days in 2017:	100,056
Total Number of Beds:	297
Number of ICU Beds:	0
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	0.67

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CAUTI during this time period

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	16	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Broughton Hospital, Morganton, Burke County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CLABSI during this time period

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Bryant T. Aldridge Rehabilitation Center, Rocky Mount, Nash County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	491
Patient Days in 2017:	6,531
Total Number of Beds:	23
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	4.35

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	2.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Bryant T. Aldridge Rehabilitation Center, Rocky Mount, Nash County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Bryant T. Aldridge Rehabilitation Center, Rocky Mount, Nash County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	491
Patient Days in 2017:	6,531
Total Number of Beds:	23
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	4.35

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	2.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Bryant T. Aldridge Rehabilitation Center, Rocky Mount, Nash County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Caldwell Memorial Hospital, Lenoir, Caldwell County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	4,059
Patient Days in 2017:	18,804
Total Number of Beds:	85
Number of ICU Beds:	12
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.18

*FTE = Full-time equivalent



Commentary From Facility:

In Oct 2016, Caldwell Memorial Hospital joined the Reducing C. Difficile Infections Pilot Project: A Joint Commission Center for Transforming Healthcare and North Carolina Hospital Association Collaborative. The 12 month program is aimed at reducing the frequency of CDI through early identification, antibiotic stewardship, and effective environmental hygiene practices. The program focuses on the factors that create these barriers and helps to develop targeted solutions designed to reduce/eliminate C-diff infections.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.0	Same
Adult/Ped Wards	0	2.0	Same
All reporting units	0	3.0	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	14	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Caldwell Memorial Hospital, Lenoir, Caldwell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	1.3	Same
All reporting units	0	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Caldwell Memorial Hospital, Lenoir, Caldwell County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	4,059
Patient Days in 2017:	18,804
Total Number of Beds:	85
Number of ICU Beds:	12
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.18

*FTE = Full-time equivalent



Commentary From Facility:

In Oct 2016, Caldwell Memorial Hospital joined the Reducing C. Difficile Infections Pilot Project: A Joint Commission Center for Transforming Healthcare and North Carolina Hospital Association Collaborative. The 12 month program is aimed at reducing the frequency of CDI through early identification, antibiotic stewardship, and effective environmental hygiene practices. The program focuses on the factors that create these barriers and helps to develop targeted solutions designed to reduce/eliminate C-diff infections.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.0	Same
Adult/Ped Wards	0	2.0	Same
All reporting units	0	3.0	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	14	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Caldwell Memorial Hospital, Lenoir, Caldwell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	1.3	Same
All reporting units	0	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Health System, Fayetteville, Cumberland County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	33,100
Patient Days in 2017:	167,920
Total Number of Beds:	775
Number of ICU Beds:	69
FTE* Infection Preventionists:	4.00
Number of FTEs* per 100 beds:	0.52

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	6	8.1	Same
Adult/Ped Wards	5	5.7	Same
All reporting units	11	14	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	58	110	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Health System, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	5	7.8	Same
Adult/Ped Wards	4	3.0	Same
Neonatal Units	1	Less than 1.0	No Conclusion
All reporting units	10	11	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	7.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Health System, Fayetteville, Cumberland County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	33,100
Patient Days in 2017:	167,920
Total Number of Beds:	775
Number of ICU Beds:	69
FTE* Infection Preventionists:	4.00
Number of FTEs* per 100 beds:	0.52

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	6	8.1	Same
Adult/Ped Wards	5	5.7	Same
All reporting units	11	14	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	58	110	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Health System, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	5	7.8	Same
Adult/Ped Wards	4	3.0	Same
Neonatal Units	1	Less than 1.0	No Conclusion
All reporting units	10	11	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	7.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Hoke Hospital, Raeford, Hoke County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	1,161
Patient Days in 2017:	2,870
Total Number of Beds:	29
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	1.72

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Hoke Hospital, Raeford, Hoke County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Hoke Hospital, Raeford, Hoke County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	1,161
Patient Days in 2017:	2,870
Total Number of Beds:	29
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	1.72

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Hoke Hospital, Raeford, Hoke County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Rehabilitation Center, Fayetteville, Cumberland County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	1,269
Patient Days in 2017:	16,482
Total Number of Beds:	78
FTE* Infection Preventionists:	0.25
Number of FTEs* per 100 beds:	0.32

*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	2	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	8.3	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Rehabilitation Center, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Rehabilitation Center, Fayetteville, Cumberland County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	1,269
Patient Days in 2017:	16,482
Total Number of Beds:	78
FTE* Infection Preventionists:	0.25
Number of FTEs* per 100 beds:	0.32

*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	2	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	8.3	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cape Fear Valley Rehabilitation Center, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarePartners Health Services, Asheville, Buncombe County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	1,325
Patient Days in 2017:	18,626
Total Number of Beds:	80
FTE* Infection Preventionists:	0.63
Number of FTEs* per 100 beds:	0.78

[*FTE = Full-time equivalent]



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to avert further issues.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	10	2.4	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	7.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarePartners Health Services, Asheville, Buncombe County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarePartners Health Services, Asheville, Buncombe County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	1,325
Patient Days in 2017:	18,626
Total Number of Beds:	80
FTE* Infection Preventionists:	0.63
Number of FTEs* per 100 beds:	0.78

[*FTE = Full-time equivalent]



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to avert further issues.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	10	2.4	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	7.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarePartners Health Services, Asheville, Buncombe County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarolinaEast Medical Center, New Bern, Craven County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	14,074
Patient Days in 2017:	65,046
Total Number of Beds:	350
Number of ICU Beds:	33
FTE* Infection Preventionists:	3.00
Number of FTEs* per 100 beds:	0.86

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	2.7	Same
Adult/Ped Wards	6	2.6	Same
All reporting units	8	5.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	33	36	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarolinaEast Medical Center, New Bern, Craven County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	2.2	Same
Adult/Ped Wards	1	3.4	Same
All reporting units	1	5.7	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarolinaEast Medical Center, New Bern, Craven County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	14,074
Patient Days in 2017:	65,046
Total Number of Beds:	350
Number of ICU Beds:	33
FTE* Infection Preventionists:	3.00
Number of FTEs* per 100 beds:	0.86

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	2.7	Same
Adult/Ped Wards	6	2.6	Same
All reporting units	8	5.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	33	36	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
CarolinaEast Medical Center, New Bern, Craven County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	2.2	Same
Adult/Ped Wards	1	3.4	Same
All reporting units	1	5.7	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas ContinueCare Hospital At Kings Mountain, Kings Mountain, Cleveland County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 133
 Patient Days in 2017: 4,311
 Total Number of Beds: 28
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 1.79

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	2	3.7	Same
All reporting units	2	3.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	4.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas ContinueCare Hospital At Kings Mountain, Kings Mountain, Cleveland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	2	3.9	Same
All reporting units	2	3.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas ContinueCare Hospital At Kings Mountain, Kings Mountain, Cleveland County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 133
 Patient Days in 2017: 4,311
 Total Number of Beds: 28
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 1.79

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	2	3.7	Same
All reporting units	2	3.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	4.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas ContinueCare Hospital At Kings Mountain, Kings Mountain, Cleveland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	2	3.9	Same
All reporting units	2	3.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Anson, Wadesboro, Anson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	186
Patient Days in 2017:	425
Total Number of Beds:	15
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.20
Number of FTEs* per 100 beds:	1.33

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Anson, Wadesboro, Anson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Anson, Wadesboro, Anson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	186
Patient Days in 2017:	425
Total Number of Beds:	15
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.20
Number of FTEs* per 100 beds:	1.33

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Anson, Wadesboro, Anson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Blue Ridge, Morganton, Burke County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	7,803
Patient Days in 2017:	30,819
Total Number of Beds:	139
Number of ICU Beds:	16
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.72

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	1.2	Same
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	3	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	21	32	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Blue Ridge, Morganton, Burke County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	3	Less than 1.0	No Conclusion
All reporting units	4	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Blue Ridge, Morganton, Burke County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	7,803
Patient Days in 2017:	30,819
Total Number of Beds:	139
Number of ICU Beds:	16
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.72

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	1.2	Same
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	3	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	21	32	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Blue Ridge, Morganton, Burke County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	3	Less than 1.0	No Conclusion
All reporting units	4	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Cleveland, Shelby, Cleveland County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	5,115
Patient Days in 2017:	36,924
Total Number of Beds:	241
Number of ICU Beds:	18
FTE* Infection Preventionists:	1.25
Number of FTEs* per 100 beds:	0.52

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	4	3.2	Same
Adult/Ped Wards	1	2.2	Same
All reporting units	5	5.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	18	28	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Cleveland, Shelby, Cleveland County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	2.3	Same
Adult/Ped Wards	1	1.6	Same
All reporting units	1	3.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	2.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Cleveland, Shelby, Cleveland County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	5,115
Patient Days in 2017:	36,924
Total Number of Beds:	241
Number of ICU Beds:	18
FTE* Infection Preventionists:	1.25
Number of FTEs* per 100 beds:	0.52

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	4	3.2	Same
Adult/Ped Wards	1	2.2	Same
All reporting units	5	5.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	18	28	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Cleveland, Shelby, Cleveland County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	2.3	Same
Adult/Ped Wards	1	1.6	Same
All reporting units	1	3.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	2.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Lincoln, Lincolnton, Lincoln County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	7,494
Patient Days in 2017:	17,470
Total Number of Beds:	101
Number of ICU Beds:	10
FTE* Infection Preventionists:	0.75
Number of FTEs* per 100 beds:	0.74

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	1.1	Same
Adult/Ped Wards	2	Less than 1.0	No Conclusion
All reporting units	3	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	9	8.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Lincoln, Lincolnton, Lincoln County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.1	Same
All reporting units	1	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Lincoln, Lincolnton, Lincoln County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	7,494
Patient Days in 2017:	17,470
Total Number of Beds:	101
Number of ICU Beds:	10
FTE* Infection Preventionists:	0.75
Number of FTEs* per 100 beds:	0.74

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	1.1	Same
Adult/Ped Wards	2	Less than 1.0	No Conclusion
All reporting units	3	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	9	8.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System Lincoln, Lincolnton, Lincoln County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.1	Same
All reporting units	1	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System - Northeast, Concord, Cabarrus County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	32,571
Patient Days in 2017:	114,663
Total Number of Beds:	457
Number of ICU Beds:	69
FTE* Infection Preventionists:	3.00
Number of FTEs* per 100 beds:	0.66

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	7.4	Better
Adult/Ped Wards	5	6.5	Same
All reporting units	7	14	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	6.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	46	66	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System - Northeast, Concord, Cabarrus County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	4.0	Same
Adult/Ped Wards	2	4.8	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	5	9.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System - Northeast, Concord, Cabarrus County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	32,571
Patient Days in 2017:	114,663
Total Number of Beds:	457
Number of ICU Beds:	69
FTE* Infection Preventionists:	3.00
Number of FTEs* per 100 beds:	0.66

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	7.4	Better
Adult/Ped Wards	5	6.5	Same
All reporting units	7	14	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	6.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	46	66	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Healthcare System - Northeast, Concord, Cabarrus County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	4.0	Same
Adult/Ped Wards	2	4.8	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	5	9.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	7.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	50,942
Patient Days in 2017:	286,210
Total Number of Beds:	898
Number of ICU Beds:	222
FTE* Infection Preventionists:	9.00
Number of FTEs* per 100 beds:	1.00

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	38	44	Same
Adult/Ped Wards	7	9.4	Same
All reporting units	45	54	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	14	25	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	154	230	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	22	23	Same
Adult/Ped Wards	11	11	Same
Neonatal Units	4	11	Better
All reporting units	37	45	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	5.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	24	21	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	50,942
Patient Days in 2017:	286,210
Total Number of Beds:	898
Number of ICU Beds:	222
FTE* Infection Preventionists:	9.00
Number of FTEs* per 100 beds:	1.00

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	38	44	Same
Adult/Ped Wards	7	9.4	Same
All reporting units	45	54	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	14	25	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	154	230	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	22	23	Same
Adult/Ped Wards	11	11	Same
Neonatal Units	4	11	Better
All reporting units	37	45	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	5.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	24	21	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Mercy, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	11,741
Patient Days in 2017:	44,765
Total Number of Beds:	213
Number of ICU Beds:	20
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.47

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	2.0	Same
Adult/Ped Wards	1	1.4	Same
All reporting units	4	3.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	11	30	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Mercy, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	1.1	Same
Adult/Ped Wards	1	2.4	Same
All reporting units	3	3.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Mercy, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	11,741
Patient Days in 2017:	44,765
Total Number of Beds:	213
Number of ICU Beds:	20
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.47

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	2.0	Same
Adult/Ped Wards	1	1.4	Same
All reporting units	4	3.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	11	30	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Mercy, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	1.1	Same
Adult/Ped Wards	1	2.4	Same
All reporting units	3	3.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Pineville, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	20,487
Patient Days in 2017:	62,220
Total Number of Beds:	206
Number of ICU Beds:	40
FTE* Infection Preventionists:	1.75
Number of FTEs* per 100 beds:	0.85

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	3.9	Same
Adult/Ped Wards	5	5.2	Same
All reporting units	6	9.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	3.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	23	44	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Pineville, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	5	2.9	Same
Adult/Ped Wards	2	3.0	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	7	6.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	3.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Union, Monroe, Union County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	11,696
Patient Days in 2017:	32,680
Total Number of Beds:	182
Number of ICU Beds:	14
FTE* Infection Preventionists:	1.80
Number of FTEs* per 100 beds:	0.99

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.7	Same
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	2.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	17	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-Union, Monroe, Union County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	1.3	Same
Adult/Ped Wards	2	Less than 1.0	No Conclusion
All reporting units	4	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	3.1	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-University, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	11,385
Patient Days in 2017:	27,674
Total Number of Beds:	100
Number of ICU Beds:	15
FTE* Infection Preventionists:	0.75
Number of FTEs* per 100 beds:	0.75

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Medical Center-University, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	0	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Rehabilitation, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	1,263
Patient Days in 2017:	21,423
Total Number of Beds:	70
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.43

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Rehabilitation, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Rehabilitation Mount Holly, Belmont, Gaston County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	764
Patient Days in 2017:	10,564
Total Number of Beds:	40
FTE* Infection Preventionists:	0.20
Number of FTEs* per 100 beds:	0.50

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	4.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Rehabilitation Mount Holly, Belmont, Gaston County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Rehabilitation North East, Concord, Cabarrus County

2017 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility
 Admissions in 2017: 742
 Patient Days in 2017: 10,378
 Total Number of Beds: 40
 FTE* Infection Preventionists: 0.20
 Number of FTEs* per 100 beds: 0.50

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	4.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Rehabilitation North East, Concord, Cabarrus County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Specialty Hospital, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 371
 Patient Days in 2017: 9,661
 Total Number of Beds: 40
 FTE* Infection Preventionists: 0.75
 Number of FTEs* per 100 beds: 1.88

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	7	6.1	Same
All reporting units	7	6.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	8.6	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carolinas Specialty Hospital, Charlotte, Mecklenburg County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	7	4.9	Same
All reporting units	7	4.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carteret General Hospital, Morehead City, Carteret County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	6,467
Patient Days in 2017:	29,874
Total Number of Beds:	72
Number of ICU Beds:	0
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	2.08

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	3	Less than 1.0	No Conclusion
All reporting units	3	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	31	8.5	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Carteret General Hospital, Morehead City, Carteret County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	1.4	Same
All reporting units	1	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	2.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Catawba Valley Medical Center, Hickory, Catawba County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	13,442
Patient Days in 2017:	55,411
Total Number of Beds:	190
Number of ICU Beds:	36
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	1.05

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	2.3	Same
Adult/Ped Wards	0	2.1	Same
All reporting units	0	4.4	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	29	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Catawba Valley Medical Center, Hickory, Catawba County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.3	Same
Adult/Ped Wards	0	1.3	Same
Neonatal Units	2	Less than 1.0	No Conclusion
All reporting units	2	3.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Central Carolina Hospital, Sanford, Lee County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	4,919
Patient Days in 2017:	18,748
Total Number of Beds:	116
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.86

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	3	1.4	Same
All reporting units	3	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	6.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Central Carolina Hospital, Sanford, Lee County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Central Regional Hospital, Butner, Granville County

2017 Hospital Survey Information

Hospital Type:	Specialty Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	1,046
Patient Days in 2017:	133,887
Total Number of Beds:	405
Number of ICU Beds:	0
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	0.49

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CAUTI during this time period

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	8.8	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Central Regional Hospital, Butner, Granville County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CLABSI during this time period

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cherokee Indian Hospital, Cherokee, Swain County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	869
Patient Days in 2017:	3,926
Total Number of Beds:	18
Number of ICU Beds:	0
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	8.33

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cherokee Indian Hospital, Cherokee, Swain County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cherry Hospital, Goldsboro, Wayne County

2017 Hospital Survey Information

Hospital Type:	Specialty Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	881
Patient Days in 2017:	77,035
Total Number of Beds:	243
Number of ICU Beds:	0
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	0.82

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CAUTI during this time period

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	12	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Cherry Hospital, Goldsboro, Wayne County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CLABSI during this time period

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Chs Pineville Rehabilitation, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Inpatient Rehabilitation Facility
Admissions in 2017:	642
Patient Days in 2017:	9,129
Total Number of Beds:	40
FTE* Infection Preventionists:	0.20
Number of FTEs* per 100 beds:	0.50

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	3.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Chs Pineville Rehabilitation, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: CLABSIs, or SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Columbus Regional Healthcare System, Whiteville, Columbus County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	3,978
Patient Days in 2017:	18,183
Total Number of Beds:	70
Number of ICU Beds:	9
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.43

[*FTE = Full-time equivalent]



Commentary From Facility:

The prevention and reduction of healthcare associated infections is a top priority at Columbus Regional Healthcare System. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	6.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Columbus Regional Healthcare System, Whiteville, Columbus County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Davis Regional Medical Center, Statesville, Iredell County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,777
Patient Days in 2017:	19,165
Total Number of Beds:	131
Number of ICU Beds:	8
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	0.38

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	6.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Davis Regional Medical Center, Statesville, Iredell County**

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Dlp - Harris Regional Hospital, Sylva, Jackson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,134
Patient Days in 2017:	12,825
Total Number of Beds:	86
Number of ICU Beds:	9
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.16

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	4.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Dlp - Harris Regional Hospital, Sylva, Jackson County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Duke Raleigh Hospital, Raleigh, Wake County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	15,199
Patient Days in 2017:	51,449
Total Number of Beds:	177
Number of ICU Beds:	15
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	1.13

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	6	1.8	Worse
Adult/Ped Wards	4	2.1	Same
All reporting units	10	3.9	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	29	31	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Duke Raleigh Hospital, Raleigh, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.1	Same
Adult/Ped Wards	2	2.5	Same
All reporting units	2	3.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Duke Regional Hospital, Durham, Durham County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	18,815
Patient Days in 2017:	83,026
Total Number of Beds:	214
Number of ICU Beds:	28
FTE* Infection Preventionists:	2.25
Number of FTEs* per 100 beds:	1.05

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	4	4.2	Same
Adult/Ped Wards	4	4.2	Same
All reporting units	8	8.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	6.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	78	53	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Duke Regional Hospital, Durham, Durham County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	3.0	Same
Adult/Ped Wards	1	4.7	Same
All reporting units	3	7.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Duke University Hospital, Durham, Durham County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	46,154
Patient Days in 2017:	346,280
Total Number of Beds:	952
Number of ICU Beds:	252
FTE* Infection Preventionists:	8.00
Number of FTEs* per 100 beds:	0.84

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	34	47	Same
Adult/Ped Wards	23	18	Same
All reporting units	57	64	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	28	38	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	320	316	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Duke University Hospital, Durham, Durham County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	55	39	Worse
Adult/Ped Wards	23	27	Same
Neonatal Units	4	12	Better
All reporting units	82	78	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	4.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	12	17	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
FirstHealth Moore Regional Hospital, Pinehurst, Moore County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	24,346
Patient Days in 2017:	106,731
Total Number of Beds:	376
Number of ICU Beds:	63
FTE* Infection Preventionists:	2.50
Number of FTEs* per 100 beds:	0.66

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	9	7.4	Same
Adult/Ped Wards	12	9.7	Same
All reporting units	21	17	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	4.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	59	64	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
FirstHealth Moore Regional Hospital, Pinehurst, Moore County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	4	5.4	Same
Adult/Ped Wards	6	6.1	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	10	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	3.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Firsthealth Moore Regional Hospital - Hoke Campus, Raeford, Hoke County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	719
Patient Days in 2017:	1,693
Total Number of Beds:	8
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.10
Number of FTEs* per 100 beds:	1.25

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Note from N.C. Division of Public Health: Data are unavailable for this time period.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Firsthealth Moore Regional Hospital - Hoke Campus, Raeford, Hoke County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Firsthealth Moore Regional Hospital - Richmond Campus, Rockingham, Richmond County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,059
Patient Days in 2017:	9,315
Total Number of Beds:	79
Number of ICU Beds:	12
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	0.63

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	7.8	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Firsthealth Moore Regional Hospital - Richmond Campus, Rockingham, Richmond County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Frye Regional Medical Center, Hickory, Catawba County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	8,349
Patient Days in 2017:	35,875
Total Number of Beds:	170
Number of ICU Beds:	30
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	0.88

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	4.1	Same
Adult/Ped Wards	3	1.3	Same
All reporting units	5	5.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	37	38	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Frye Regional Medical Center, Hickory, Catawba County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	2.3	Same
Adult/Ped Wards	1	1.2	Same
All reporting units	2	3.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Gaston Memorial Hospital, Gastonia, Gaston County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	23,364
Patient Days in 2017:	112,716
Total Number of Beds:	435
Number of ICU Beds:	43
FTE* Infection Preventionists:	4.00
Number of FTEs* per 100 beds:	0.92

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	9.8	Better
Adult/Ped Wards	2	4.6	Same
All reporting units	5	14	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	7.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	20	74	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Gaston Memorial Hospital, Gastonia, Gaston County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	5.9	Better
Adult/Ped Wards	1	2.7	Same
Neonatal Units	1	Less than 1.0	No Conclusion
All reporting units	2	8.9	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	5.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Granville Medical Center, Oxford, Granville County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,910
Patient Days in 2017:	7,798
Total Number of Beds:	62
Number of ICU Beds:	6
FTE* Infection Preventionists:	0.75
Number of FTEs* per 100 beds:	1.21

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	4.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Granville Medical Center, Oxford, Granville County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Halifax Regional Medical Center, Roanoke Rapids, Halifax County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	6,100
Patient Days in 2017:	26,742
Total Number of Beds:	90
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.11

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	Less than 1.0	No Conclusion
Adult/Ped Wards	2	1.5	Same
All reporting units	4	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	17	16	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Halifax Regional Medical Center, Roanoke Rapids, Halifax County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Haywood Regional Medical Center, Clyde, Haywood County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	5,990
Patient Days in 2017:	24,307
Total Number of Beds:	100
Number of ICU Beds:	12
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	0.50

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	12	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Haywood Regional Medical Center, Clyde, Haywood County**

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
High Point Regional Health System, High Point, Guilford County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	18,436
Patient Days in 2017:	79,147
Total Number of Beds:	300
Number of ICU Beds:	28
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	0.67

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	5	3.9	Same
Adult/Ped Wards	4	4.2	Same
All reporting units	9	8.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	4.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	47	63	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
High Point Regional Health System, High Point, Guilford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	2.2	Same
Adult/Ped Wards	2	2.3	Same
All reporting units	5	4.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	4.3	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Highsmith Rainey Specialty Hospital, Fayetteville, Cumberland County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 358
 Patient Days in 2017: 19,620
 Total Number of Beds: 66
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.76

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting ICUs	0	1.6	Same
Reporting Wards	1	5.6	Better
All reporting units	1	7.3	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	12	17	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Highsmith Rainey Specialty Hospital, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting ICUs	1	3.5	Same
Reporting Wards	7	14	Better
All reporting units	8	17	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Hugh Chatham Memorial Hospital, Elkin, Surry County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,621
Patient Days in 2017:	12,206
Total Number of Beds:	81
Number of ICU Beds:	8
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	0.62

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	4.6	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Hugh Chatham Memorial Hospital, Elkin, Surry County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Iredell Memorial Hospital, Statesville, Iredell County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	10,547
Patient Days in 2017:	38,236
Total Number of Beds:	199
Number of ICU Beds:	16
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.50

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.9	Same
Adult/Ped Wards	0	1.6	Same
All reporting units	0	3.5	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	45	29	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Iredell Memorial Hospital, Statesville, Iredell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	1.2	Same
Adult/Ped Wards	1	1.4	Same
All reporting units	2	2.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Johnston Health, Smithfield, Johnston County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	7,007
Patient Days in 2017:	24,868
Total Number of Beds:	172
Number of ICU Beds:	16
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	0.87

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.6	Same
All reporting units	2	2.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	23	28	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Johnston Health, Smithfield, Johnston County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	1.3	Same
All reporting units	1	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Johnston Health Clayton, Clayton, Johnston County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	3,793
Patient Days in 2017:	11,192
Total Number of Beds:	50
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	1.00

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	3.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Johnston Health Clayton, Clayton, Johnston County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Kindred Hospital-Greensboro, Greensboro, Guilford County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 512
 Patient Days in 2017: 17,251
 Total Number of Beds: 101
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.99

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	15	15	Same
All reporting units	15	15	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	2.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	19	20	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Kindred Hospital-Greensboro, Greensboro, Guilford County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	15	13	Same
All reporting units	15	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Kings Mountain Hospital, Kings Mountain, Cleveland County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	3,375
Patient Days in 2017:	13,891
Total Number of Beds:	72
Number of ICU Beds:	6
FTE* Infection Preventionists:	0.20
Number of FTEs* per 100 beds:	0.28

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	5.4	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Kings Mountain Hospital, Kings Mountain, Cleveland County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Lake Norman Regional Medical Center, Mooresville, Iredell County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	4,785
Patient Days in 2017:	34,739
Total Number of Beds:	123
Number of ICU Beds:	12
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.81

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.1	Same
All reporting units	1	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	7.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Lake Norman Regional Medical Center, Mooresville, Iredell County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Lenoir Memorial Hospital, Kinston, Lenoir County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	6,032
Patient Days in 2017:	26,009
Total Number of Beds:	167
Number of ICU Beds:	14
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.60

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	Less than 1.0	No Conclusion
Adult/Ped Wards	3	1.3	Same
All reporting units	6	2.3	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	14	22	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Lenoir Memorial Hospital, Kinston, Lenoir County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	5	1.7	Worse
All reporting units	6	2.3	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Lifecare Hospitals Of North Carolina, Rocky Mount, Nash County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 536
 Patient Days in 2017: 15,285
 Total Number of Beds: 50
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 2.00

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	3	12	Better
All reporting units	3	12	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	12	15	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Lifecare Hospitals Of North Carolina, Rocky Mount, Nash County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	4	14	Better
All reporting units	4	14	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Maria Parham Medical Center, Henderson, Vance County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	5,471
Patient Days in 2017:	21,046
Total Number of Beds:	101
Number of ICU Beds:	8
FTE* Infection Preventionists:	0.75
Number of FTEs* per 100 beds:	0.74

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	15	11	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Maria Parham Medical Center, Henderson, Vance County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Martin General Hospital, Williamston, Martin County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	1,227
Patient Days in 2017:	3,939
Total Number of Beds:	49
Number of ICU Beds:	6
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	2.04

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Martin General Hospital, Williamston, Martin County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
McDowell Hospital, Marion, McDowell County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	3,067
Patient Days in 2017:	9,241
Total Number of Beds:	34
Number of ICU Beds:	9
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	1.47

[*FTE = Full-time equivalent]



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to avert further issues.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	2	Less than 1.0	No Conclusion
All reporting units	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	4.5	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
McDowell Hospital, Marion, McDowell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Mission Hospital, Asheville, Buncombe County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	56,056
Patient Days in 2017:	236,677
Total Number of Beds:	791
Number of ICU Beds:	131
FTE* Infection Preventionists:	7.80
Number of FTEs* per 100 beds:	0.99

*FTE = Full-time equivalent



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to avert further issues.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	16	28	Better
Adult/Ped Wards	16	12	Same
All reporting units	32	40	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	17	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	182	163	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Mission Hospital, Asheville, Buncombe County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	11	16	Same
Adult/Ped Wards	16	12	Same
Neonatal Units	2	2.3	Same
All reporting units	29	30	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	5.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	18	14	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Moses Cone Hospital, Greensboro, Guilford County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	25,031
Patient Days in 2017:	128,823
Total Number of Beds:	443
Number of ICU Beds:	66
FTE* Infection Preventionists:	2.50
Number of FTEs* per 100 beds:	0.56

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	20	22	Same
Adult/Ped Wards	6	4.9	Same
All reporting units	26	27	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	12	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	51	83	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Moses Cone Hospital, Greensboro, Guilford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	11	13	Same
Adult/Ped Wards	0	5.3	Better
All reporting units	11	18	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	4.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Murphy Medical Center, Murphy, Cherokee County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	1,863
Patient Days in 2017:	6,096
Total Number of Beds:	32
Number of ICU Beds:	32
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	3.13

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	3.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Murphy Medical Center, Murphy, Cherokee County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Nash Health Care Systems, Rocky Mount, Nash County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	11,137
Patient Days in 2017:	47,238
Total Number of Beds:	155
Number of ICU Beds:	12
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.65

[*FTE = Full-time equivalent]



Commentary From Facility:

NHCS is actively implementing plans to review and improve processes in the prevention of MRSA bacteremia. NHCS has a Lean project and action plan to further develop on-going strategies to reduce the risks of C. diff transmission

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	2.1	Same
Adult/Ped Wards	2	2.6	Same
All reporting units	4	4.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	2.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	49	32	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Nash Health Care Systems, Rocky Mount, Nash County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	1.7	Same
Adult/Ped Wards	1	2.4	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	4	4.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
New Hanover Regional Medical Center, Wilmington, New Hanover County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	41,823
Patient Days in 2017:	211,566
Total Number of Beds:	711
Number of ICU Beds:	105
FTE* Infection Preventionists:	4.00
Number of FTEs* per 100 beds:	0.56

*FTE = Full-time equivalent



Commentary From Facility:

At New Hanover Regional Medical Center we take patient safety and quality care extremely seriously. We implement the latest science-based protocols to prevent hospital-acquired infection. We study and adopt best practices, evidence-based medicine and recommendations from national agencies to deliver the best possible outcomes for our patients. We encourage patients and their families to take an active role in helping prevent infections. Our team of infection preventionists works with all staff to ensure they are focused on delivering the highest quality of care possible. We are proud of our success and our ongoing quest to keep preventable infections to an absolute minimum.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	12	17	Same
Adult/Ped Wards	5	8.9	Same
All reporting units	17	26	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	18	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	146	148	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
New Hanover Regional Medical Center, Wilmington, New Hanover County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	6	10	Same
Adult/Ped Wards	4	9.5	Same
Neonatal Units	3	3.2	Same
All reporting units	13	23	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	6.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	15	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
North Carolina Specialty Hospital, Durham, Durham County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	2,114
Patient Days in 2017:	4,110
Total Number of Beds:	18
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.70
Number of FTEs* per 100 beds:	3.89

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
North Carolina Specialty Hospital, Durham, Durham County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Northern Hospital Of Surry County, Mount Airy, Surry County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	4,291
Patient Days in 2017:	13,482
Total Number of Beds:	100
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.00

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	2	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Northern Hospital Of Surry County, Mount Airy, Surry County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Brunswick Medical Center, Bolivia, Brunswick County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	7,725
Patient Days in 2017:	19,753
Total Number of Beds:	74
Number of ICU Beds:	5
FTE* Infection Preventionists:	1.20
Number of FTEs* per 100 beds:	1.62

[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	9.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Brunswick Medical Center, Bolivia, Brunswick County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	3	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Charlotte Orthopedic Hospital, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Specialty Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	3,239
Patient Days in 2017:	7,448
Total Number of Beds:	48
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	1.04

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Charlotte Orthopedic Hospital, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Forsyth Medical Center, Winston Salem, Forsyth County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	51,093
Patient Days in 2017:	248,702
Total Number of Beds:	879
Number of ICU Beds:	136
FTE* Infection Preventionists:	4.50
Number of FTEs* per 100 beds:	0.51

*FTE = Full-time equivalent



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	21	17	Same
Adult/Ped Wards	6	4.7	Same
All reporting units	27	22	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	14	17	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	161	199	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Forsyth Medical Center, Winston Salem, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	27	11	Worse
Adult/Ped Wards	15	6.2	Worse
Neonatal Units	9	4.2	Worse
All reporting units	51	22	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	3.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	7.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Huntersville Medical Center, Huntersville, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	12,374
Patient Days in 2017:	30,485
Total Number of Beds:	91
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.10
Number of FTEs* per 100 beds:	1.21

*FTE = Full-time equivalent



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	2	1.9	Same
All reporting units	2	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	1.2	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	16	15	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Huntersville Medical Center, Huntersville, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	2	1.5	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	2	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Kernersville Medical Center, Kernersville, Forsyth County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	4,193
Patient Days in 2017:	11,831
Total Number of Beds:	50
Number of ICU Beds:	4
FTE* Infection Preventionists:	0.55
Number of FTEs* per 100 beds:	1.10

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	6.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Kernersville Medical Center, Kernersville, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Matthews Medical Center, Matthews, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	14,704
Patient Days in 2017:	46,853
Total Number of Beds:	146
Number of ICU Beds:	18
FTE* Infection Preventionists:	1.30
Number of FTEs* per 100 beds:	0.89

[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.1	Same
Adult/Ped Wards	1	2.1	Same
All reporting units	1	3.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	13	30	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Matthews Medical Center, Matthews, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	3	1.9	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	3	2.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	2.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Medical Park Hospital, Winston Salem, Forsyth County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	2,844
Patient Days in 2017:	5,249
Total Number of Beds:	22
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	2.27

[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	3	1.1	Same
All reporting units	3	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Medical Park Hospital, Winston Salem, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	8.7	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Presbyterian Medical Center, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	35,791
Patient Days in 2017:	167,562
Total Number of Beds:	699
Number of ICU Beds:	93
FTE* Infection Preventionists:	5.00
Number of FTEs* per 100 beds:	0.72

*FTE = Full-time equivalent



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	17	9.6	Worse
Adult/Ped Wards	1	2.6	Same
All reporting units	18	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	8.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	72	110	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Presbyterian Medical Center, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	8	6.0	Same
Adult/Ped Wards	1	2.4	Same
Neonatal Units	2	5.9	Same
All reporting units	11	14	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	5.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	9.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Presbyterian Medical Center, Charlotte, Mecklenburg County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	35,791
Patient Days in 2017:	167,562
Total Number of Beds:	699
Number of ICU Beds:	93
FTE* Infection Preventionists:	5.00
Number of FTEs* per 100 beds:	0.72

*FTE = Full-time equivalent



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	17	9.6	Worse
Adult/Ped Wards	1	2.6	Same
All reporting units	18	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	8.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	72	110	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Presbyterian Medical Center, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	8	6.0	Same
Adult/Ped Wards	1	2.4	Same
Neonatal Units	2	5.9	Same
All reporting units	11	14	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	5.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	9.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Rowan Medical Center, Salisbury, Rowan County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	14,143
Patient Days in 2017:	54,317
Total Number of Beds:	268
Number of ICU Beds:	20
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	0.56

[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	2.9	Same
Adult/Ped Wards	6	1.6	Worse
All reporting units	8	4.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	25	30	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Rowan Medical Center, Salisbury, Rowan County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	4	1.9	Same
Adult/Ped Wards	1	1.8	Same
All reporting units	5	3.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Thomasville Medical Center, Thomasville, Davidson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	5,845
Patient Days in 2017:	28,049
Total Number of Beds:	149
Number of ICU Beds:	11
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.67

[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under "Quality & safety" on NovantHealth.org.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	2	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	8.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Novant Health Thomasville Medical Center, Thomasville, Davidson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	2	Less than 1.0	No Conclusion
All reporting units	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Onslow Memorial Hospital, Jacksonville, Onslow County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	7,820
Patient Days in 2017:	30,796
Total Number of Beds:	162
Number of ICU Beds:	30
FTE* Infection Preventionists:	1.50
Number of FTEs* per 100 beds:	0.93

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.3	Same
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	23	18	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Onslow Memorial Hospital, Jacksonville, Onslow County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Pardee Hospital, Hendersonville, Henderson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	8,182
Patient Days in 2017:	33,874
Total Number of Beds:	138
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.72

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	1.5	Same
Adult/Ped Wards	1	2.3	Same
All reporting units	3	3.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	14	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Pardee Hospital, Hendersonville, Henderson County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	Less than 1.0	No Conclusion
Adult/Ped Wards	2	1.1	Same
All reporting units	4	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Park Ridge Health, Hendersonville, Henderson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,964
Patient Days in 2017:	17,907
Total Number of Beds:	98
Number of ICU Beds:	6
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	0.51

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	3.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Park Ridge Health, Hendersonville, Henderson County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Person Memorial Hospital, Roxboro, Person County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	1,066
Patient Days in 2017:	3,112
Total Number of Beds:	38
Number of ICU Beds:	6
FTE* Infection Preventionists:	0.38
Number of FTEs* per 100 beds:	0.99

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Person Memorial Hospital, Roxboro, Person County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Randolph Hospital Db a Randolph Health, Asheboro, Randolph County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	6,583
Patient Days in 2017:	20,166
Total Number of Beds:	85
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.18

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	13	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Randolph Hospital Db a Randolph Health, Asheboro, Randolph County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Rex Healthcare, Raleigh, Wake County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	26,723
Patient Days in 2017:	136,855
Total Number of Beds:	665
Number of ICU Beds:	54
FTE* Infection Preventionists:	4.50
Number of FTEs* per 100 beds:	0.68

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	5	13	Better
Adult/Ped Wards	13	21	Same
All reporting units	18	34	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	15	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	92	119	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Rex Healthcare, Raleigh, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	7.4	Better
Adult/Ped Wards	4	9.2	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	5	17	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	3.8	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	11	17	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Rutherford Regional Medical Center, Rutherfordton, Rutherford County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,439
Patient Days in 2017:	14,591
Total Number of Beds:	125
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.80

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	Less than 1.0	No Conclusion
Adult/Ped Wards	4	1.2	Worse
All reporting units	7	2.0	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	7.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Rutherford Regional Medical Center, Rutherfordton, Rutherford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Sampson Regional Medical Center, Clinton, Sampson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	3,920
Patient Days in 2017:	10,962
Total Number of Beds:	116
Number of ICU Beds:	8
FTE* Infection Preventionists:	0.75
Number of FTEs* per 100 beds:	0.65

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.3	Same
All reporting units	2	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	3.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Sampson Regional Medical Center, Clinton, Sampson County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Sandhills Regional Medical Center, Hamlet, Richmond County

2016 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	1,559
Patient Days in 2017:	6,678
Total Number of Beds:	64
Number of ICU Beds:	6
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.56

[*FTE = Full-time equivalent]



Commentary From Facility:

This facility is closed as of October 31, 2017. Data presented in this report reflect data available through this date.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Sandhills Regional Medical Center, Hamlet, Richmond County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Scotland Memorial Hospital, Laurinburg, Scotland County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	6,491
Patient Days in 2017:	23,726
Total Number of Beds:	104
Number of ICU Beds:	0
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.96

*FTE = Full-time equivalent



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	9	6.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Scotland Memorial Hospital, Laurinburg, Scotland County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Select Specialty Hospital-Durham, Durham, Durham County

2017 Hospital Survey Information

Hospital Type:	Long-term Acute Care Hospital
Admissions in 2017:	293
Patient Days in 2017:	8,951
Total Number of Beds:	30
FTE* Infection Preventionists:	0.40
Number of FTEs* per 100 beds:	1.33

*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	8	5.2	Same
All reporting units	8	5.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	9.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Select Specialty Hospital-Durham, Durham, Durham County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	4	4.4	Same
All reporting units	4	4.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Select Specialty Hospital-Greensboro, Greensboro, Guilford County

2017 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Admissions in 2017: 327
 Patient Days in 2017: 8,111
 Total Number of Beds: 30
 FTE* Infection Preventionists: 0.45
 Number of FTEs* per 100 beds: 1.50

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	2	3.5	Same
All reporting units	2	3.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	8.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Select Specialty Hospital-Greensboro, Greensboro, Guilford County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Reporting Wards	4	3.4	Same
All reporting units	4	3.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE data will be included in future reports

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Sentara Albemarle Medical Center, Elizabeth City, Pasquotank County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	5,847
Patient Days in 2017:	21,012
Total Number of Beds:	97
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.03

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	13	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Sentara Albemarle Medical Center, Elizabeth City, Pasquotank County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Southeastern Regional Medical Center, Lumberton, Robeson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	15,970
Patient Days in 2017:	74,050
Total Number of Beds:	246
Number of ICU Beds:	32
FTE* Infection Preventionists:	2.00
Number of FTEs* per 100 beds:	0.81

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	5	3.2	Same
Adult/Ped Wards	11	9.5	Same
All reporting units	16	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	4.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	40	50	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Southeastern Regional Medical Center, Lumberton, Robeson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.6	Same
Adult/Ped Wards	3	3.2	Same
All reporting units	3	4.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Stanly Regional Medical Center, Albemarle, Stanly County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	5,958
Patient Days in 2017:	16,916
Total Number of Beds:	109
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.92

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	2	Less than 1.0	No Conclusion
All reporting units	2	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	6.8	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Stanly Regional Medical Center, Albemarle, Stanly County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	2	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
UNC Health Care, Chapel Hill, Orange County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	43,367
Patient Days in 2017:	297,245
Total Number of Beds:	914
Number of ICU Beds:	201
FTE* Infection Preventionists:	7.50
Number of FTEs* per 100 beds:	0.82

[*FTE = Full-time equivalent]



Commentary From Facility:

UNC Health Care is pleased that rates of all reported healthcare-associated infections are statistically similar or better than similarly-sized hospitals despite care in a tertiary referral hospital for highly vulnerable populations (e.g., organ transplant, HIV infected, cancer, severely burned, and very premature infants). NC residents should be aware that the reported information is NOT entirely adjusted for the severity of illness of the hospital's patients. UNC Health Care supports the need for the data presented in this report to be validated (i.e., demonstration by independent monitors that the submitted data is correct).

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	31	46	Better
Adult/Ped Wards	15	20	Same
All reporting units	46	65	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	31	28	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	117	188	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
UNC Health Care, Chapel Hill, Orange County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	58	33	Worse
Adult/Ped Wards	31	25	Same
Neonatal Units	11	6.4	Same
All reporting units	100	64	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	6.6	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	12	21	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Unc Rockingham Health, Eden, Rockingham County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	6,393
Patient Days in 2017:	15,069
Total Number of Beds:	108
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.93

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.7	Same
All reporting units	1	2.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	7.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Unc Rockingham Health, Eden, Rockingham County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Beaufort Hospital, Washington, Beaufort County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Undergraduate
Admissions in 2017:	3,829
Patient Days in 2017:	17,220
Total Number of Beds:	88
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.14

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	9.1	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Beaufort Hospital, Washington, Beaufort County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Duplin Hospital, Kenansville, Duplin County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,833
Patient Days in 2017:	19,392
Total Number of Beds:	80
Number of ICU Beds:	9
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	1.25

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	6.6	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Duplin Hospital, Kenansville, Duplin County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Edgecombe Hospital, Tarboro, Edgecombe County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	5,042
Patient Days in 2017:	16,686
Total Number of Beds:	117
Number of ICU Beds:	8
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.85

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	1.7	Same
Adult/Ped Wards	0	1.9	Same
All reporting units	2	3.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	7	7.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Edgecombe Hospital, Tarboro, Edgecombe County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.8	Same
Adult/Ped Wards	0	2.3	Same
All reporting units	0	4.2	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Medical Center, Greenville, Pitt County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	71,767
Patient Days in 2017:	248,946
Total Number of Beds:	909
Number of ICU Beds:	164
FTE* Infection Preventionists:	8.00
Number of FTEs* per 100 beds:	0.88

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	33	21	Worse
Adult/Ped Wards	17	7.2	Worse
All reporting units	50	28	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	17	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	128	183	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Medical Center, Greenville, Pitt County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	6	18	Better
Adult/Ped Wards	12	13	Same
Neonatal Units	6	3.3	Same
All reporting units	24	34	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	31	13	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Roanoke Chowan Hospital, Ahoskie, Hertford County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	4,984
Patient Days in 2017:	22,851
Total Number of Beds:	114
Number of ICU Beds:	10
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.88

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	3	Less than 1.0	No Conclusion
All reporting units	4	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	5	9.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Vidant Roanoke Chowan Hospital, Ahoskie, Hertford County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest Baptist Health-Davie Medical Center, Advance, Davie County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	1,030
Patient Days in 2017:	1,812
Total Number of Beds:	50
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.20
Number of FTEs* per 100 beds:	0.40

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest Baptist Health-Davie Medical Center, Advance, Davie County

Central Line-Associated Bloodstream Infections (CLABSI)

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest Baptist Health-Lexington Medical Center, Lexington, Davidson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	3,977
Patient Days in 2017:	9,822
Total Number of Beds:	58
Number of ICU Beds:	8
FTE* Infection Preventionists:	0.70
Number of FTEs* per 100 beds:	1.21

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest Baptist Health-Lexington Medical Center, Lexington, Davidson County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest Baptist Health Wilkes Medical Center, North Wilkesboro, Wilkes County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	3,644
Patient Days in 2017:	12,261
Total Number of Beds:	130
Number of ICU Beds:	8
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	0.38

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	2	1.5	Same
All reporting units	3	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	3.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest Baptist Health Wilkes Medical Center, North Wilkesboro, Wilkes County

Central Line-Associated Bloodstream Infections (CLABSI)

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest University Baptist Medical Center, Winston-Salem, Forsyth County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	42,354
Patient Days in 2017:	273,555
Total Number of Beds:	885
Number of ICU Beds:	176
FTE* Infection Preventionists:	8.00
Number of FTEs* per 100 beds:	0.90

*FTE = Full-time equivalent



Commentary From Facility:

Wake Forest Baptist Health continually strives to provide a safe environment for patients, their families and our community. In response to the CDI LabID and MRSA LabID, Wake Forest Baptist Health is reinforcing appropriate infection prevention (e.g., proper hand hygiene, environmental cleaning) and identification methods, and has launched pilot programs in high risk patients (e.g. medical ICU) and identification methods to address these items. In response to the surgical site infections (SSI) after colon surgeries, a colon surgery bundle was expanded and is currently in place to ensure infection prevention best practices are being performed during all procedure steps.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	19	47	Better
Adult/Ped Wards	13	19	Same
All reporting units	32	66	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	32	25	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	63	161	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wake Forest University Baptist Medical Center, Winston-Salem, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	35	18	Worse
Adult/Ped Wards	33	15	Worse
Neonatal Units	7	8.3	Same
All reporting units	75	41	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	17	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
WakeMed, Raleigh, Wake County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	32,782
Patient Days in 2017:	189,086
Total Number of Beds:	716
Number of ICU Beds:	122
FTE* Infection Preventionists:	8.00
Number of FTEs* per 100 beds:	1.12

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	39	26	Worse
Adult/Ped Wards	15	9.3	Same
All reporting units	54	36	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	10	15	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	90	109	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
WakeMed, Raleigh, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	13	15	Same
Adult/Ped Wards	9	8.6	Same
Neonatal Units	4	3.6	Same
All reporting units	26	27	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	8	6.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)


Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
WakeMed Cary Hospital, Cary, Wake County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	13,405
Patient Days in 2017:	49,655
Total Number of Beds:	180
Number of ICU Beds:	20
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.56

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	3	1.5	Same
Adult/Ped Wards	3	2.8	Same
All reporting units	6	4.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	4	1.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	37	28	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
WakeMed Cary Hospital, Cary, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.4	Same
All reporting units	3	2.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	3	5.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wakemed North Family Health & Women's Hospital, Raleigh, Wake County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	2,021
Patient Days in 2017:	6,096
Total Number of Beds:	44
Number of ICU Beds:	6
FTE* Infection Preventionists:	0.25
Number of FTEs* per 100 beds:	0.57

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wakemed North Family Health & Women's Hospital, Raleigh, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wayne Memorial Hospital, Goldsboro, Wayne County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Admissions in 2017:	12,186
Patient Days in 2017:	52,163
Total Number of Beds:	242
Number of ICU Beds:	16
FTE* Infection Preventionists:	2.13
Number of FTEs* per 100 beds:	0.88

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	3.8	Better
Adult/Ped Wards	1	6.5	Better
All reporting units	1	10	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	6	2.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	29	29	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

**North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wayne Memorial Hospital, Goldsboro, Wayne County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	5	3.6	Same
Adult/Ped Wards	9	4.0	Worse
All reporting units	14	7.6	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: SIR not calculated if <50 central line days or <1 predicted infection.
Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	2.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Infections from deep incisional and/or organ space.
Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wesley Long Hospital, Greensboro, Guilford County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Major
Admissions in 2017:	9,270
Patient Days in 2017:	39,260
Total Number of Beds:	150
Number of ICU Beds:	20
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.67

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	2	2.4	Same
Adult/Ped Wards	0	1.3	Same
All reporting units	2	3.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	2	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	14	25	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wesley Long Hospital, Greensboro, Guilford County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	1.7	Same
Adult/Ped Wards	0	1.9	Same
All reporting units	1	3.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	5.6	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wilson Medical Center, Wilson, Wilson County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2017:	7,961
Patient Days in 2017:	28,521
Total Number of Beds:	145
Number of ICU Beds:	14
FTE* Infection Preventionists:	1.75
Number of FTEs* per 100 beds:	1.21

[*FTE = Full-time equivalent]



Commentary From Facility:
 No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	1.3	Same
Adult/Ped Wards	3	1.7	Same
All reporting units	3	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 catheter days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	20	18	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Wilson Medical Center, Wilson, Wilson County

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	1	1.2	Same
Adult/Ped Wards	1	1.4	Same
All reporting units	2	2.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: SIR not calculated if <50 central line days or <1 predicted infection.
 Note: Red line represents the NHSN baseline experience, 2015.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
 Note: Infections from deep incisional and/or organ space.
 Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Women's Hospital, Greensboro, Guilford County

2017 Hospital Survey Information

Hospital Type:	Acute Care Hospital - Women's
Medical Affiliation:	Major
Admissions in 2017:	13,108
Patient Days in 2017:	54,037
Total Number of Beds:	134
Number of ICU Beds:	40
FTE* Infection Preventionists:	0.50
Number of FTEs* per 100 beds:	0.37

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2017.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Clostridium difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2017

Unit Type	Observed Events	Predicted Events	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	11	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – December 31, 2017
Women's Hospital, Greensboro, Guilford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2017

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
Neonatal Units	1	2.3	Same
All reporting units	1	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

Figure 4: SIRs and 95% confidence intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	1	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Surgical Site Infections (SSI) after Colon Surgeries

Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2017.

Unit Type	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.




Figure 6: SIRs and 95% Confidence Intervals, Jan-Dec 2017.

Ventilator-Associated Events (VAE)

Note from N.C. Division of Public Health: VAE are not reportable at this facility type

APPENDICES

APPENDIX A. Definitions

<u>Term</u>	<u>Definition</u>
Aggregate data	Sum or total data. For example, aggregate N.C. HAI data refers to the sum, or total, of HAI data for all hospitals in N.C.
ASA Class	Anesthesiologist's pre-operative assessment of the patient's physical condition, using the American Society of Anesthesiologists' (ASA) Classification of Physical Status. <ol style="list-style-type: none">1. Normally healthy patient2. Patient with mild systemic disease3. Patient with severe systemic disease that is not incapacitating4. Patient with an incapacitating systemic disease, constant threat to life5. Patient not expected to survive for 24 hours with or without the operation
Beds	The number of staffed beds in a facility or patient care location. This may be different from the number of licensed beds.
Catheter days	A daily count of the number of patients with an indwelling urinary catheter. For example, one patient with an indwelling catheter in place for two days or two patients with indwelling catheters in place for one day each would both result in two catheter days. This number is used when presenting rates of catheter-associated urinary tract infections.
Catheter-associated urinary tract infection	Urinary tract infection (UTI) that occurs in a patient who had an indwelling urinary catheter in place within the 48-hour period before the onset of the UTI.
Central line	A catheter (tube) that doctors place in a large vein in the neck, chest, or groin ending in a large vein near the heart. It is used to give medication or fluids or to collect blood for medical tests. Also known as a central venous catheter.
Central line-associated bloodstream infection	A bloodstream infection (BSI) that occurs in a patient who had a central line within the 48-hour period before the onset of the BSI and is not related to an infection at another site.
Central line days	A daily count of the number of patients with a central line. For example, one patient with a central line in place for two days or two patients with central lines in place for one day each would both result in two central line days. This number is used when presenting rates of central line-associated bloodstream infections.
Device days	A daily count of the number of patients with a specific device (e.g., central line, umbilical catheter, or urinary catheter) in the patient care location. For example, one patient with a device in place for two days or two patients with devices in place for one day each would both result in two device days. This number is used when presenting rates of infections associated with the use of devices.
Full-time equivalent	The equivalent of one person working full time for one year: 8 hour per day at 5 days per week for 52 weeks per year = 2080 hours per year
Hand hygiene	<p>A general term that applies to routine hand washing, antiseptic hand wash, antiseptic hand rub, or surgical hand antisepsis.</p> <p><i>Routine hand washing</i> is the use of clean water and non-antimicrobial soap to remove germs, soil and other debris from the hands.</p> <p><i>Antiseptic hand washing</i> is the use of water and antimicrobial soap to remove or kill germs on the hands.</p> <p><i>Antiseptic hand rub</i> is the use of alcohol-based hand rubs to remove or destroy germs from the hands. Antiseptic hand rubs are less effective when hands are visibly dirty.</p> <p><i>Surgical hand antisepsis</i> is the use of water and antimicrobial soap to remove or kill germs and</p>

<u>Term</u>	<u>Definition</u>
	takes 2-6 minutes to complete as both hands and forearms are cleaned. Water and non-antimicrobial soap can also be used but must be followed with an alcohol-based surgical hand scrub.
Healthcare-associated infections	Healthcare-associated infections (HAI) are infections caused by a wide variety of common and unusual bacteria, fungi, and viruses during the course of receiving medical care.
Intensive care unit	A nursing care area that provides intensive observation, diagnosis, and therapeutic procedures for adults and/or children who are critically ill. Also referred to as critical care unit.
Medical affiliation	Affiliation with a medical school. There are four categories: <i>Major teaching</i> – Hospital is an important part of the teaching program of a medical school and the majority of medical students rotate through multiple clinical services. <i>Graduate</i> – Hospital used by the medical school for graduate training programs only (i.e., residency and/or fellowships). <i>Limited</i> – Hospital used in the medical school’s teaching program to a limited extent. <i>No</i> – Hospital not affiliated with a medical school.
Patient days	A daily count of the number of patients in the patient care location during a specified time period.
Rate	Describes the speed with which disease or events occur. The number of diseases or events per unit of time.
Standardized infection ratio	A ratio of observed to expected (or predicted) numbers of events that is adjusted for selected risk factors.
Surgical site infection	Infection that occurs after surgery, in the part of the body where the surgery took place.
Umbilical catheter	Long, thin plastic tubes that travel from the stump of a newborn baby’s umbilical cord into the large vessels near the heart
Urinary catheter	A drainage tube that is inserted into the urinary bladder through the urethra, is left in place, and is connected to a closed collection system.
Validity (data)	The extent to which reported cases of a disease or event correspond accurately to cases of a disease event that actually occurred.

APPENDIX B. Acronyms

ACL	Adult Care Licensure
APIC-NC	Association for Professionals in Infection Control and Epidemiology, N.C. Chapter
ASA	American Society of Anesthesiologists
BSI	Bloodstream infection
CAUTI	Catheter-associated urinary tract infection
CCME	Carolinas Center for Medical Excellence
CCU	Critical care unit
CDB	Communicable Disease Branch
CDC	Centers for Disease Control and Prevention
<i>C. diff</i>	<i>Clostridium difficile</i>
CDI	<i>Clostridium difficile</i> infection
CI	Confidence interval
CMS	Centers for Medicare and Medicaid Services
CLABSI	Central line-associated bloodstream infections
CRE	Carbapenem-resistant Enterobacteriaceae
DHHS	Department of Health and Human Services
DHSR	Division of Health Services Regulation
DPH	Division of Public Health
ED	Emergency department
HAI	Healthcare-associated Infections
ICU	Intensive care unit
IPs	Infection preventionists
MRSA	Methicillin resistant <i>Staphylococcus aureus</i>
NCHA	North Carolina Hospital Association
N.C. SPICE	North Carolina Statewide Program for Infection Control and Epidemiology
NCQC	North Carolina Quality Center
NHLC	Nursing Home Licensure and Certification
NHSN	National Healthcare Safety Network
NICU	Neonatal intensive (critical) care unit
QIO	Quality improvement organization
SIR	Standardized infection ratio
SSI	Surgical site infection
VAE	Ventilator Associated Event
VRE	Vancomycin-resistant <i>Enterococcus</i>

APPENDIX C. Healthcare-Associated Infections Prevention Tips

Appendix C1. Catheter (Central Line)-Associated Bloodstream Infections

FAQs

(frequently asked questions)

about
“Catheter-Associated
Bloodstream Infections”
(also known as “Central Line-Associated Bloodstream Infections”)

What is a catheter-associated bloodstream infection?

A “central line” or “central catheter” is a tube that is placed into a patient’s large vein, usually in the neck, chest, arm, or groin. The catheter is often used to draw blood, or give fluids or medications. It may be left in place for several weeks. A bloodstream infection can occur when bacteria or other germs travel down a “central line” and enter the blood. If you develop a catheter-associated bloodstream infection you may become ill with fevers and chills or the skin around the catheter may become sore and red.

Can a catheter-related bloodstream infection be treated?

A catheter-associated bloodstream infection is serious, but often can be successfully treated with antibiotics. The catheter might need to be removed if you develop an infection.

What are some of the things that hospitals are doing to prevent catheter-associated bloodstream infections?

To prevent catheter-associated bloodstream infections doctors and nurses will:

- Choose a vein where the catheter can be safely inserted and where the risk for infection is small.
- Clean their hands with soap and water or an alcohol-based hand rub before putting in the catheter.
- Wear a mask, cap, sterile gown, and sterile gloves when putting in the catheter to keep it sterile. The patient will be covered with a sterile sheet.
- Clean the patient’s skin with an antiseptic cleanser before putting in the catheter.
- Clean their hands, wear gloves, and clean the catheter opening with an antiseptic solution before using the catheter to draw blood or give medications. Healthcare providers also clean their hands and wear gloves when changing the bandage that covers the area where the catheter enters the skin.
- Decide every day if the patient still needs to have the catheter. The catheter will be removed as soon as it is no longer needed.
- Carefully handle medications and fluids that are given through the catheter.

What can I do to help prevent a catheter-associated bloodstream infection?

- Ask your doctors and nurses to explain why you need the catheter and how long you will have it.

- Ask your doctors and nurses if they will be using all of the prevention methods discussed above.
- Make sure that all doctors and nurses caring for you clean their hands with soap and water or an alcohol-based hand rub before and after caring for you.

If you do not see your providers clean their hands, please ask them to do so.

- If the bandage comes off or becomes wet or dirty, tell your nurse or doctor immediately.
- Inform your nurse or doctor if the area around your catheter is sore or red.
- Do not let family and friends who visit touch the catheter or the tubing.
- Make sure family and friends clean their hands with soap and water or an alcohol-based hand rub before and after visiting you.

What do I need to do when I go home from the hospital?

Some patients are sent home from the hospital with a catheter in order to continue their treatment. If you go home with a catheter, your doctors and nurses will explain everything you need to know about taking care of your catheter.

- Make sure you understand how to care for the catheter before leaving the hospital. For example, ask for instructions on showering or bathing with the catheter and how to change the catheter dressing.
- Make sure you know who to contact if you have questions or problems after you get home.
- Make sure you wash your hands with soap and water or an alcohol-based hand rub before handling your catheter.
- Watch for the signs and symptoms of catheter-associated bloodstream infection, such as soreness or redness at the catheter site or fever, and call your healthcare provider immediately if any occur.

If you have additional questions, please ask your doctor or nurse.

Co-sponsored by:



The Society for Healthcare Epidemiology of America



Spreading knowledge
Preventing infection™



CENTERS FOR DISEASE
CONTROL AND PREVENTION



Appendix C2. Catheter-Associated Urinary Tract Infections

FAQs

(frequently asked questions)

about “Catheter-Associated Urinary Tract Infection”

What is “catheter-associated urinary tract infection”?

A urinary tract infection (also called “UTI”) is an infection in the urinary system, which includes the bladder (which stores the urine) and the kidneys (which filter the blood to make urine). Germs (for example, bacteria or yeasts) do not normally live in these areas; but if germs are introduced, an infection can occur.

If you have a urinary catheter, germs can travel along the catheter and cause an infection in your bladder or your kidney; in that case it is called a catheter-associated urinary tract infection (or “CA-UTI”).

What is a urinary catheter?

A urinary catheter is a thin tube placed in the bladder to drain urine. Urine drains through the tube into a bag that collects the urine. A urinary catheter may be used:

- If you are not able to urinate on your own
- To measure the amount of urine that you make, for example, during intensive care
- During and after some types of surgery
- During some tests of the kidneys and bladder

People with urinary catheters have a much higher chance of getting a urinary tract infection than people who don’t have a catheter.

How do I get a catheter-associated urinary tract infection (CA-UTI)?

If germs enter the urinary tract, they may cause an infection. Many of the germs that cause a catheter-associated urinary tract infection are common germs found in your intestines that do not usually cause an infection there. Germs can enter the urinary tract when the catheter is being put in or while the catheter remains in the bladder.

What are the symptoms of a urinary tract infection?

Some of the common symptoms of a urinary tract infection are:

- Burning or pain in the lower abdomen (that is, below the stomach)
- Fever
- Bloody urine may be a sign of infection, but is also caused by other problems
- Burning during urination or an increase in the frequency of urination after the catheter is removed.

Sometimes people with catheter-associated urinary tract infections do not have these symptoms of infection.

Can catheter-associated urinary tract infections be treated?

Yes, most catheter-associated urinary tract infections can be treated with antibiotics and removal or change of the catheter. Your doctor will determine which antibiotic is best for you.

What are some of the things that hospitals are doing to prevent catheter-associated urinary tract infections?

To prevent urinary tract infections, doctors and nurses take the following actions.

Catheter insertion

- o Catheters are put in only when necessary and they are removed as soon as possible.
- o Only properly trained persons insert catheters using sterile (“clean”) technique.
- o The skin in the area where the catheter will be inserted is cleaned before inserting the catheter.
- o Other methods to drain the urine are sometimes used, such as
- External catheters in men (these look like condoms and are placed over the penis rather than into the penis)
- Putting a temporary catheter in to drain the urine and removing it right away. This is called intermittent urethral catheterization.

Catheter care

- o Healthcare providers clean their hands by washing them with soap and water or using an alcohol-based hand rub before and after touching your catheter.

If you do not see your providers clean their hands, please ask them to do so.

- o Avoid disconnecting the catheter and drain tube. This helps to prevent germs from getting into the catheter tube.
- o The catheter is secured to the leg to prevent pulling on the catheter.
- o Avoid twisting or kinking the catheter.
- o Keep the bag lower than the bladder to prevent urine from backflowing to the bladder.
- o Empty the bag regularly. The drainage spout should not touch anything while emptying the bag.

What can I do to help prevent catheter-associated urinary tract infections if I have a catheter?

- Always clean your hands before and after doing catheter care.
- Always keep your urine bag below the level of your bladder.
- Do not tug or pull on the tubing.
- Do not twist or kink the catheter tubing.
- Ask your healthcare provider each day if you still need the catheter.

What do I need to do when I go home from the hospital?

- If you will be going home with a catheter, your doctor or nurse should explain everything you need to know about taking care of the catheter. Make sure you understand how to care for it before you leave the hospital.
- If you develop any of the symptoms of a urinary tract infection, such as burning or pain in the lower abdomen, fever, or an increase in the frequency of urination, contact your doctor or nurse immediately.
- Before you go home, make sure you know who to contact if you have questions or problems after you get home.

If you have questions, please ask your doctor or nurse.

Co-sponsored by:



Appendix C3. Surgical Site Infections

FAQs

(frequently asked questions)

about “Surgical Site Infections”

What is a Surgical Site Infection (SSI)?

A surgical site infection is an infection that occurs after surgery in the part of the body where the surgery took place. Most patients who have surgery do not develop an infection. However, infections develop in about 1 to 3 out of every 100 patients who have surgery.

Some of the common symptoms of a surgical site infection are:

- Redness and pain around the area where you had surgery
- Drainage of cloudy fluid from your surgical wound
- Fever

Can SSIs be treated?

Yes. Most surgical site infections can be treated with antibiotics. The antibiotic given to you depends on the bacteria (germs) causing the infection. Sometimes patients with SSIs also need another surgery to treat the infection.

What are some of the things that hospitals are doing to prevent SSIs?

To prevent SSIs, doctors, nurses, and other healthcare providers:

- Clean their hands and arms up to their elbows with an antiseptic agent just before the surgery.
- Clean their hands with soap and water or an alcohol-based hand rub before and after caring for each patient.
- May remove some of your hair immediately before your surgery using electric clippers if the hair is in the same area where the procedure will occur. They should not shave you with a razor.
- Wear special hair covers, masks, gowns, and gloves during surgery to keep the surgery area clean.
- Give you antibiotics before your surgery starts. In most cases, you should get antibiotics within 60 minutes before the surgery starts and the antibiotics should be stopped within 24 hours after surgery.
- Clean the skin at the site of your surgery with a special soap that kills germs.

What can I do to help prevent SSIs?

Before your surgery:

- Tell your doctor about other medical problems you may have. Health problems such as allergies, diabetes, and obesity could affect your surgery and your treatment.

- Quit smoking. Patients who smoke get more infections. Talk to your doctor about how you can quit before your surgery.
- Do not shave near where you will have surgery. Shaving with a razor can irritate your skin and make it easier to develop an infection.

At the time of your surgery:

- Speak up if someone tries to shave you with a razor before surgery. Ask why you need to be shaved and talk with your surgeon if you have any concerns.
- Ask if you will get antibiotics before surgery.

After your surgery:

- Make sure that your healthcare providers clean their hands before examining you, either with soap and water or an alcohol-based hand rub.

If you do not see your providers clean their hands, please ask them to do so.

- Family and friends who visit you should not touch the surgical wound or dressings.
- Family and friends should clean their hands with soap and water or an alcohol-based hand rub before and after visiting you. If you do not see them clean their hands, ask them to clean their hands.

What do I need to do when I go home from the hospital?

- Before you go home, your doctor or nurse should explain everything you need to know about taking care of your wound. Make sure you understand how to care for your wound before you leave the hospital.
- Always clean your hands before and after caring for your wound.
- Before you go home, make sure you know who to contact if you have questions or problems after you get home.
- If you have any symptoms of an infection, such as redness and pain at the surgery site, drainage, or fever, call your doctor immediately.

If you have additional questions, please ask your doctor or nurse.

Co-sponsored by:



Appendix C4. Methicillin-Resistant *Staphylococcus aureus* LabID Events

FAQs

(frequently asked questions)

about
“MRSA”
(Methicillin-Resistant *Staphylococcus aureus*)

What is MRSA?

Staphylococcus aureus (pronounced staff-ill-oh-KOK-us AW-ree-us), or “*Staph*” is a very common germ that about 1 out of every 3 people have on their skin or in their nose. This germ does not cause any problems for most people who have it on their skin. But sometimes it can cause serious infections such as skin or wound infections, pneumonia, or infections of the blood.

Antibiotics are given to kill *Staph* germs when they cause infections. Some *Staph* are resistant, meaning they cannot be killed by some antibiotics. “Methicillin-resistant *Staphylococcus aureus*” or “MRSA” is a type of *Staph* that is resistant to some of the antibiotics that are often used to treat *Staph* infections.

Who is most likely to get an MRSA infection?

In the hospital, people who are more likely to get an MRSA infection are people who:

- have other health conditions making them sick
- have been in the hospital or a nursing home
- have been treated with antibiotics.

People who are healthy and who have not been in the hospital or a nursing home can also get MRSA infections. These infections usually involve the skin. More information about this type of MRSA infection, known as “community-associated MRSA” infection, is available from the Centers for Disease Control and Prevention (CDC). <http://www.cdc.gov/mrsa>

How do I get an MRSA infection?

People who have MRSA germs on their skin or who are infected with MRSA may be able to spread the germ to other people. MRSA can be passed on to bed linens, bed rails, bathroom fixtures, and medical equipment. It can spread to other people on contaminated equipment and on the hands of doctors, nurses, other healthcare providers and visitors.

Can MRSA infections be treated?

Yes, there are antibiotics that can kill MRSA germs. Some patients with MRSA abscesses may need surgery to drain the infection. Your healthcare provider will determine which treatments are best for you.

What are some of the things that hospitals are doing to prevent MRSA infections?

To prevent MRSA infections, doctors, nurses, and other healthcare providers:

- **Clean their hands** with soap and water or an alcohol-based hand rub before and after caring for every patient.
- Carefully **clean hospital rooms and medical equipment**.
- Use **Contact Precautions** when caring for patients with MRSA. Contact Precautions mean:
 - o Whenever possible, patients with MRSA will have a single room or will share a room only with someone else who also has MRSA.
 - o Healthcare providers will put on gloves and wear a gown over their clothing while taking care of patients with MRSA.

- o Visitors may also be asked to wear a gown and gloves.
 - o When leaving the room, hospital providers and visitors remove their gown and gloves and clean their hands.
 - o Patients on Contact Precautions are asked to stay in their hospital rooms as much as possible. They should not go to common areas, such as the gift shop or cafeteria. They may go to other areas of the hospital for treatments and tests.
- **May test** some patients to see if they have MRSA on their skin. This test involves rubbing a cotton-tipped swab in the patient’s nostrils or on the skin.

What can I do to help prevent MRSA infections?

In the hospital

- Make sure that all doctors, nurses, and other healthcare providers clean their hands with soap and water or an alcohol-based hand rub before and after caring for you.

If you do not see your providers clean their hands, please ask them to do so.

When you go home

- If you have wounds or an intravascular device (such as a catheter or dialysis port) make sure that you know how to take care of them.

Can my friends and family get MRSA when they visit me?

The chance of getting MRSA while visiting a person who has MRSA is very low. To decrease the chance of getting MRSA your family and friends should:

- Clean their hands before they enter your room and when they leave.
- Ask a healthcare provider if they need to wear protective gowns and gloves when they visit you.

What do I need to do when I go home from the hospital?

To prevent another MRSA infection and to prevent spreading MRSA to others:

- Keep taking any antibiotics prescribed by your doctor. Don’t take half-doses or stop before you complete your prescribed course.
- Clean your hands often, especially before and after changing your wound dressing or bandage.
- People who live with you should clean their hands often as well.
- Keep any wounds clean and change bandages as instructed until healed.
- Avoid sharing personal items such as towels or razors.
- Wash and dry your clothes and bed linens in the warmest temperatures recommended on the labels.
- Tell your healthcare providers that you have MRSA. This includes home health nurses and aides, therapists, and personnel in doctors’ offices.
- Your doctor may have more instructions for you.

If you have questions, please ask your doctor or nurse.

Co-sponsored by:



FAQs

(frequently asked questions)

about “*Clostridium Difficile*”

What is *Clostridium difficile* infection?

Clostridium difficile [pronounced KLO-STRID-ee-um dif-uh-SEEL], also known as “*C. diff*” [See-dif], is a germ that can cause diarrhea. Most cases of *C. diff* infection occur in patients taking antibiotics. The most common symptoms of a *C. diff* infection include:

- Watery diarrhea
- Fever
- Loss of appetite
- Nausea
- Belly pain and tenderness

Who is most likely to get *C. diff* infection?

The elderly and people with certain medical problems have the greatest chance of getting *C. diff*. *C. diff* spores can live outside the human body for a very long time and may be found on things in the environment such as bed linens, bed rails, bathroom fixtures, and medical equipment. *C. diff* infection can spread from person-to-person on contaminated equipment and on the hands of doctors, nurses, other healthcare providers and visitors.

Can *C. diff* infection be treated?

Yes, there are antibiotics that can be used to treat *C. diff*. In some severe cases, a person might have to have surgery to remove the infected part of the intestines. This surgery is needed in only 1 or 2 out of every 100 persons with *C. diff*.

What are some of the things that hospitals are doing to prevent *C. diff* infections?

To prevent *C. diff* infections, doctors, nurses, and other healthcare providers:

- Clean their hands with soap and water or an alcohol-based hand rub before and after caring for every patient. This can prevent *C. diff* and other germs from being passed from one patient to another on their hands.
- Carefully clean hospital rooms and medical equipment that have been used for patients with *C. diff*.
- Use Contact Precautions to prevent *C. diff* from spreading to other patients. Contact Precautions mean:
 - Whenever possible, patients with *C. diff* will have a single room or share a room only with someone else who also has *C. diff*.
 - Healthcare providers will put on gloves and wear a gown over their clothing while taking care of patients with *C. diff*.
 - Visitors may also be asked to wear a gown and gloves.
 - When leaving the room, hospital providers and visitors remove their gown and gloves and clean their hands.

- Patients on Contact Precautions are asked to stay in their hospital rooms as much as possible. They should not go to common areas, such as the gift shop or cafeteria. They can go to other areas of the hospital for treatments and tests.

- Only give patients antibiotics when it is necessary.

What can I do to help prevent *C. diff* infections?

- Make sure that all doctors, nurses, and other healthcare providers clean their hands with soap and water or an alcohol-based hand rub before and after caring for you.

If you do not see your providers clean their hands, please ask them to do so.

- Only take antibiotics as prescribed by your doctor.
- Be sure to clean your own hands often, especially after using the bathroom and before eating.

Can my friends and family get *C. diff* when they visit me?

C. diff infection usually does not occur in persons who are not taking antibiotics. Visitors are not likely to get *C. diff*. Still, to make it safer for visitors, they should:

- Clean their hands before they enter your room and as they leave your room
- Ask the nurse if they need to wear protective gowns and gloves when they visit you.

What do I need to do when I go home from the hospital?

Once you are back at home, you can return to your normal routine. Often, the diarrhea will be better or completely gone before you go home. This makes giving *C. diff* to other people much less likely. There are a few things you should do, however, to lower the chances of developing *C. diff* infection again or of spreading it to others.

- If you are given a prescription to treat *C. diff*, take the medicine exactly as prescribed by your doctor and pharmacist. Do not take half-doses or stop before you run out.
- Wash your hands often, especially after going to the bathroom and before preparing food.
- People who live with you should wash their hands often as well.
- If you develop more diarrhea after you get home, tell your doctor immediately.
- Your doctor may give you additional instructions.

If you have questions, please ask your doctor or nurse.

Co-sponsored by:



Appendix D. Healthcare-Associated Infections (HAI) Advisory Group

Sheryl A. Bedno, MD, DrPH, FACPM, LTC, MC

Chief, Preventive Medicine
Womack Army Medical Center

Gerald Capraro, Ph. D., D(ABMM)

Director, Clinical Microbiology Laboratory
Carolinas HealthCare System

Savannah Carrico, MPH

Epidemiologist, SHARPPS Program
N.C. Division of Public Health

Kathy Cochran, RN, CIC

Infection Preventionist
Vidant Health

Evelyn Cook, RN, CIC

Associate Director, N.C. Statewide Program in Infection
Control and Epidemiology (UNC School of Medicine)

Cindy Deporter, MSSW

State Survey Agency Director (DHSR)
Acting Assistant Section Chief Acute and Home Care

Chris DeRienzo, MD, MPP

Chief Patient Safety Officer
Vice President, Mission Health System

Jessica Dixon, MHA, BSN, RN, CIC, FAPIC

Infection Prevention Specialist
WakeMed Health & Hospitals

Heather Dubendris, MSPH

Epidemiologist, SHARPPS Program
N.C. Division of Public Health

Evelyn Foust, MPH, CPM

Communicable Disease Branch Head
N.C. Division of Public Health

Representative Verla Insko (Orange County)

N.C. House of Representatives

Shelby Lassiter, BSN, RN, CPHQ

Clinical Content Development Lead
Health Research and Educational Trust
American Hospital Association

James W. Lewis, MD, MPH

Medical Consultant, SHARPPS Program
N.C. Division of Public Health

Sarah Lewis, MD

Duke Infection Control Outreach Network (DICON)

Rachel Long, MT, MAE, CIC, FAPIC, FEPI

Member at Large

Jennifer MacFarquhar, MPH, BSN, RN, CIC

(Chair), Director, SHARPPS Program
N.C. Division of Public Health

Jean-Marie Maillard, MD, MSc

Head, Medical Consultation Unit
N.C. Division of Public Health

Adrienne Mims, MD MPH FAAFP, AGSF

Vice President, Chief Medical Officer, Medicare Quality
Improvement, Alliant Quality, QIN-QIO for Georgia and
North Carolina

Zack Moore, MD, MPH

NC State Epidemiologist
N.C. Division of Public Health

John Morrow, MD

N.C. Association of Local Health Directors
Pitt County Health Department

Katie Passaretti, MD

Hospital Epidemiologist
Atrium Healthcare

Sylvia I. Pegg, RN, BSN, CIC

Infection Preventionist
Wake Forest Baptist Medical Center

Sally Penick

Infection Preventionist
Cherokee Indian Hospital

David Priest, MD, MPH

Medical Director, Infection Prevention and Antimicrobial
Stewardship, Novant Health

Kristin Pridgen, MPH, CHES

Health Educator, SHARPPS Program
N.C. Division of Public Health

William Ray, MPH

Program Manager, Healthcare Preparedness Program
Office of Emergency Medical Services

William A. Rutala, PhD, MPH

Director, N.C. Statewide Program in Infection Control and
Epidemiology (UNC School of Medicine)

Emily Sickbert-Bennett, PhD, MS, CIC

Director, Hospital Epidemiology
UNC Hospitals

Philip Sloane, MD, MPH

Department of Family Medicine
University of North Carolina at Chapel Hill

Becky Smith, MD

Duke University Health System

Karen Southard, RN, MHA

Vice President of Quality and Clinical Performance
Improvement, North Carolina Healthcare Association

Katie Steider, MPH, CPH

Epidemiologist, SHARPPS Program
N.C. Division of Public Health

Appendix E. Healthcare Facility Groupings, 2017 National Healthcare Safety Network Annual Hospital Survey (unless otherwise indicated)

Appendix E1 Healthcare Facility Group: Short-term Acute Care Hospitals

Hospital Group	Hospital Name	Number of Beds
1-99 beds	FirstHealth Moore Regional Hospital - Hoke Campus	8
	Carolinas Healthcare System Anson	15
	Cherokee Indian Hospital	18
	North Carolina Specialty Hospital	18
	Novant Health Medical Park Hospital	22
	Cape Fear Valley Hoke Hospital	29
	Murphy Medical Center	32
	McDowell Hospital	34
	Person Memorial Hospital	38
	WakeMed North Family Health & Women's Hospital	44
	Novant Health Charlotte Orthopedic Hospital	48
	Martin General Hospital	49
	Wake Forest Baptist Health-Davie Medical Center	50
	Johnston Health Clayton	50
	Novant Health Kernersville Medical Center	50
	Annie Penn Hospital	53
	Granville Medical Center	62
	Sandhills Regional Medical Center	64*
	Columbus Regional Healthcare System	70
	Carteret General Hospital	72
	Kings Mountain Hospital	72
	Novant Health Brunswick Medical Center	74
	FirstHealth Moore Regional Hospital - Richmond Campus	79
	Vidant Duplin Hospital	80
	Hugh Chatham Memorial Hospital	81
	Randolph Hospital DBA Randolph Health	85
	Caldwell Memorial Hospital	85
	Wake Forest Baptist Health-Lexington Medical Center	85
	DLP - Harris Regional Hospital	86
	Vidant Beaufort Hospital	88
	Halifax Regional Medical Center	90
	Novant Health Huntersville Medical Center	91
	Sentara Albemarle Medical Center	97
Park Ridge Health	98	
100-199 beds	Carolinas Medical Center- University	100
	Haywood Regional Medical Center	100
	Northern Hospital of Surry County	100
	Maria Parham Medical Center	101
	Carolinas HealthCare System Lincoln	101
	Betsy Johnson Regional	101
	Scotland Memorial Hospital	104
	UNC Rockingham Health	108
	Stanly Regional Medical Center	109
	Vidant Roanoke Chowan Hospital	114
	Sampson Regional Medical Center	116
	Central Carolina Hospital	116
	ARHS-Watauga Medical Center	117
	Vidant Edgecombe Hospital	117
	Lake Norman Regional Medical Center	123
	Rutherford Regional Medical Center	125
	Wake Forest Baptist Health Wilkes Medical Center	130
Women's Hospital	134	

Hospital Group	Hospital Name	Number of Beds	
100-199 beds cont	Pardee Hospital	138	
	Carolinas Healthcare System Blue Ridge	139	
	Davis Regional Medical Center	144	
	Wilson Medical Center	145	
	Novant Health Matthews Medical Center	146	
	Novant Health Thomasville Medical Center	149	
	Wesley Long Hospital	150	
	Nash Health Care Systems	155	
	Onslow Memorial Hospital	162	
	Lenoir Memorial Hospital, Inc	167	
	Frye Regional Medical Center	170	
	Johnston Health	172	
	Duke Raleigh Hospital	177	
	WakeMed Cary Hospital	180	
	Carolinas Medical Center - Union	182	
	Catawba Valley Medical Center	190	
	Iredell Memorial Hospital	199	
	200-399 beds	Carolinas Medical Center- Pineville	206
		Carolinas Medical Center- Mercy	213
Duke Regional Hospital		214	
Alamance Regional Medical Center		238	
Carolinas Healthcare System Cleveland		241	
Wayne Memorial Hospital		242	
Cherry Hospital		243	
Southeastern Regional Medical Center		246	
Novant Health Rowan Medical Center		268	
Broughton Hospital		297	
High Point Regional Health System		300	
CarolinaEast Medical Center		350	
FirstHealth Moore Regional Hospital		376	
400+ beds	Central Regional Hospital	405	
	Gaston Memorial Hospital	435	
	Moses Cone Hospital	443	
	Carolinas Healthcare System - NorthEast	457	
	Rex Healthcare	665	
	Novant Health Presbyterian Medical Center	699	
	New Hanover Regional Medical Center	711	
	WakeMed	716	
	Cape Fear Valley Health System	775	
	Mission Hospital	791	
	Novant Health Forsyth Medical Center	879	
Primary Medical School Affiliation	Carolinas Medical Center	898	
	Wake Forest University Baptist Medical Center	885	
	Vidant Medical Center	909	
	UNC Health Care	914	
	Duke University Hospital	952	

*Data from 2016 National Healthcare Safety Network Annual Hospital Survey (most recent survey entered).

Appendix E2 Healthcare Facility Group: Long-term Acute Care Hospitals

Hospital Name

Select Specialty Hospital-Winston Salem
Select Specialty Hospital, Greensboro
Select Specialty Hospital, Durham
Carolinas Specialty Hospital
LifeCare Hospitals of North Carolina
Kindred Hospital Greensboro
Carolinas ContinueCARE Hospital at Kings Mountain
Highsmith Rainey Specialty Hospital
Asheville Specialty Hospital

Appendix E3 Healthcare Facility Group: Inpatient Rehabilitation Facilities

Facility Name

Carolinas Rehabilitation
CarePartners Health Services
Carolinas Rehabilitation Mount Holly
Carolinas Rehabilitation North East
Bryant T. Aldridge Rehabilitation Center
