2019

Issued July 2020

Healthcare-Associated Infections in North Carolina

Reporting Period:

January 1, 2019—December 31, 2019

Product of:

NC Surveillance for Healthcare-Associated and Resistant Pathogens Patient Safety (SHARPPS) Program

Communicable Disease Branch

Division of Public Health

NC Department of Health and Human Services





NC Department of Health and Human Services • Division of Public Health • Communicable Disease

Branch • Medical Consultation Unit • Surveillance for Healthcare Associated and Resistant Pathogens

Patient Safety (SHARPPS) Program • www.ncdhhs.gov/ • NCDHHS is an equal opportunity employer and provider. • 06/2020

Introduction

The prevention of healthcare-associated infections is a public health priority in North Carolina and is a collaborative effort among the healthcare and public health communities. This Healthcare-Associated Infections report is an important product of this collaboration. Included in this report is information about infections occurring in North Carolina short-term acute care hospitals, long-term acute care hospitals, and inpatient rehabilitation facilities from January 1 through December 31, 2019. Data included in this report are preliminary and therefore subject to change.

This report focuses on six important types of healthcare-associated infections that may occur while patients are hospitalized: central line-associated bloodstream infections (CLABSI), catheter-associated urinary tract infections (CAUTI), and surgical site infections (SSI), specifically those following abdominal hysterectomies or colon surgeries, MRSA laboratory-identified infections (MRSA LabID), Clostridioides difficile laboratory-identified infections (C. difficile or CDI LabID) and Ventilator Associated Events (VAE). These infections account for a large proportion of infections and deaths attributed to healthcare, but they do not represent the full spectrum of healthcare-associated infections.

This report was prepared by the North Carolina Surveillance for Healthcare-Associated and Resistant Pathogens Patient Safety (SHARPPS) Program located in the Communicable Disease Branch of the Epidemiology Section of the North Carolina Division of Public Health. The NC SHARPPS Program works to eliminate preventable infections in healthcare settings by:

- 1. Conducting statewide surveillance for selected healthcare-associated infections;
- 2. Providing useful, unbiased information to healthcare providers and consumers;
- 3. Promoting and coordinating prevention efforts; and
- 4. Responding to outbreaks in healthcare settings.

We hope that the information in this report will be useful to healthcare providers and consumers. Data are intended to provide an understanding of the burden of healthcare-associated infections in North Carolina and an opportunity to evaluate infection rates across the state. Prevention tips are also provided so readers can take steps to minimize their risk of acquiring a healthcare-associated infection (Appendix C). We welcome your feedback to improve the usefulness of future reports (nchai@dhhs.nc.gov).

For more information on healthcare-associated infections and the NC SHARPPS Program, please visit http://epi.publichealth.nc.gov/cd/diseases/hai.html.

Acknowledgements

The NC SHARPPS Program would like to acknowledge and thank hospital infection preventionists across the state, who work tirelessly to protect patients from infection. These preventionists provided the data used to create this report and worked with their hospital colleagues to identify and reconcile any potential problems with the data. This acknowledgement and gratitude extends to the hospital. While reporting of healthcare-associated infections is required, their support for healthcare-associated infections reporting and efforts to assure accurate reporting of infections is appreciated. The recent successes in fighting healthcare-associated infections would not have been possible without the continuing efforts, dedication and collaboration of hospitals and hospital infection preventionists.

The NC SHARPPS Program would also like to recognize the contributions of the Healthcare-Associated Infections Advisory Group members listed in Appendix D.

Finally, the program would like to acknowledge our partners, who have been important leaders and strong supporters of surveillance and prevention programs for healthcare-associated infections in North Carolina. These include the North Carolina Healthcare Association, the North Carolina Statewide Program for Infection Control and Epidemiology, the North Carolina Chapter of the Association for Professionals in Infection Control and Epidemiology, Alliant Quality, and the Adult Care Licensure and Nursing Home Licensure and Certification sections of the North Carolina Division of Health Service Regulation.

Table of Contents

Intr	oduction	
Ack	nowledgements	
I.	Surveillance for Healthcare-Associated Infections in North Carolina	1
II.	Hospital-Specific Summary Reports	2

APPENDICES:

APPENDIX A. Definitions APPENDIX B. Acronyms

APPENDIX C. Healthcare-Associated Infections Prevention Tips

APPENDIX D. NC SHARPPS Advisory Group

APPENDIX E. Healthcare Facility Groupings, 2018 National Healthcare Safety Network Annual Hospital Survey

I. Surveillance for Healthcare-Associated Infections in North Carolina

Healthcare-associated infections (HAIs) are infections caused by a variety of organisms – including bacteria, viruses and fungi – while receiving medical care. As part of the effort to reduce such types of infections, hospitals report specific types of HAIs to the NC Division of Public Health (DPH) as required by law (General Statute 130A-150). Since 2012, they have been reporting central line-associated bloodstream infections (CLABSI), catheter-associated urinary tract infections (CAUTI), and surgical site infections (SSI) occurring after inpatient abdominal hysterectomies or colon surgeries. Beginning in January 2013, short-term acute care hospitals began reporting laboratory-confirmed (LabID) bloodstream infections caused by methicillin-resistant *Staphylococcus aureus* (MRSA) and infections caused by *Clostridioides difficile* (*C. diff*). In January 2016, Ventilator Associated Events (VAE) became reportable in long-term acute care hospitals. MRSA is no longer reportable in Long Term Acute Care Hospitals or Inpatient Rehabilitation Facilities as of Q3 2018.

By North Carolina law, hospital reporting requirements are based on the reporting requirements established by the Centers for Medicare and Medicaid Services (CMS). HAI information is entered into the CDC web-based surveillance system called the National Healthcare Safety Network (NHSN). The NC SHARPPS Program works with hospitals on a monthly basis to ensure their data are accurate and timely. All data in NHSN are entered and modified by hospitals; the NC SHARPPS Program cannot enter or change data in NHSN.

To learn more about CLABSIs, CAUTIS, SSIs, MRSA, *C. difficile* and other HAIs, please visit the NC SHARPPS Program website at http://epi.publichealth.nc.gov/cd/diseases/hai.html. In addition to information about specific infections, there is a link to the "Facts and Figures" webpage (http://epi.publichealth.nc.gov/cd/hai/figures.html), which includes current and previous reports. The Healthcare-Associated Infections in North Carolina - Reference Document issued in October 2012 and revised in October 2019, contains background information on HAIs, HAI surveillance in North Carolina, and detailed information on statistics commonly used to describe and summarize HAIs. Subsequent reports, published quarterly, cover timely state-level and facility-specific data on the incidence of HAIs in hospitals across the state, as well as information on the creation and progress of various initiatives to reduce HAIs.

According to NC Administrative Code rules (10A North Carolina Administrative Code 41A .0106), North Carolina hospitals are required to report the HAIs listed in the CMS Inpatient Prospective Payment System Rule. A list of these conditions and the starting dates for reporting are included in Table 1.

II. Hospital-Specific Summary Reports

A. Explanation of the Hospital-Specific Summary Reports

Each hospital-specific summary report contains up to eight sections: 1) general hospital information, 2) central line-associated bloodstream infections (CLABSI), 3) catheter-associated urinary tract infections (CAUTI), 4) surgical site infections (SSI) after abdominal hysterectomies and colon surgeries, 5) MRSA laboratory-identified events (MRSA LabID), 6) *C. difficile* laboratory-identified events (CDI LabID), 7) Ventilator Associated Events (VAE) and 8) commentary from the hospital. These sections are described below.

These reports cover January 1 through December 31, 2019 and data were downloaded from NHSN on February 12, 2020 unless otherwise indicated; any changes made to the data after the provided date are not reflected in this report.

Before reviewing this report, a few clarifications about the data need to be made:

- I. The data within this report are <u>preliminary</u>. Although efforts were made by hospitals and the NC SHARPPS Program to ensure that the data were accurate and complete, the data are self-reported and have not been formally "double checked" or validated. Until data validation is completed, numbers should be interpreted with caution.
- II. There may be differences in reporting practices among hospitals. Hospitals with more infection control personnel and resources may be able to identify and report more infections compared to a hospital with fewer infection control resources.
- III. There may be differences between results published by the NC SHARPPS Program and results published elsewhere (i.e., CMS). Results may differ due to using data from different time periods, different facility types, different patient populations, and/or different methods of analysis.
- IV. The NC SHARPPS Program chose not to present some data for individual hospital units, procedures or hospitals that did not meet a threshold (minimum value) for the reporting period. The minimum threshold numbers are based on CDC recommendations for reporting healthcare-associated infection data:
 - Central line-associated bloodstream infections: 50 central line days;
 - Catheter-associated urinary tract infections: 50 catheter days; and
 - Surgical site infections: 20 surgeries.
- V. The NC SHARPPS Program does not calculate an SIR when the number of predicted infections is less than 1. In these situations, the "How Does this Facility Compare to the National Experience" text says "No conclusion." This does not mean that hospitals failed to report data, or that hospitals did not report all necessary data; it only means that the number of patients, devices (central lines or urinary catheters), and/or procedures that were seen during this time period did not meet the established threshold (minimum value) for calculating an SIR. This minimum threshold is based on CDC recommendations. In other words, there is not enough information to make a reliable conclusion about the hospital's or the state's performance on this measure.
- VI. Laboratory-Identified Events (LabID): Methicillin-resistant *Staphylococcus aureus* (MRSA) bacteremia (blood infection) and *C. difficile* infections (CDI) LabID events rely on laboratory data. Patients did not have to be ill to have a positive result, and a positive result can be determined without requiring clinical information about the patient. This allows for a much less labor-intensive means to track CDI and MRSA infections. Only those LabID events that are acquired in the hospital are displayed in this report. The sensitivity of various testing types may vary, particularly for CDI, so hospitals that use more sensitive tests might report more LabID events than hospitals that use less sensitive tests. NHSN makes risk adjustments to account for these differences when calculating SIRs for LabID CDI events.
- VII. Changes in surveillance definitions impact the number of observed and predicted events: In 2015, there were a number of notable changes to surveillance definitions and reporting requirements that should be considered when looking at this report. First, in acute care hospitals, CLABSI and CAUTI reporting was expanded to include the reporting of observed CLABSI and CAUTI infections in adult and pediatric medical, surgical, and medical/surgical wards locations in addition to ongoing ICU reporting. Secondly, the CAUTI surveillance definition was restricted to include only urine cultures with a colony count of at least 100,000 colony forming units per milliliter (CFU/mI) for at least one type of bacteria and to exclude pathogen results with only yeast, mold, dimorphic fungi or parasites.

1. General Hospital Information

This section contains general information about the hospital and includes a map of where the hospital (red star icon) is located in North Carolina. Data in this section are from the NSHN 2018 Annual Hospital Survey. If a 2018 survey had not been completed by the date of report, data from the NHSN 2017 Annual Hospital Survey were used.

2. HAI Information


A list of reporting hospitals by facility category can be found in Appendix E.

a) Below is a list of all variables shown in the data tables and figures:

- **Title:** The title of the table gives you information about the infection type, time period, facility unit(s)/group(s) included in the table
- **Procedure Type:** This is the specific type of surgery for which the surgical site infection (SSI) data are presented (e.g., abdominal hysterectomy, colon surgery).
- Unit/Unit Type: This is the specific unit/type of unit in the hospital from which the data was collected. There may be more than one reporting unit for a given facility HAI (specifically for CLABSI and CAUTI), such as multiple intensive care units. The hospital-specific report tables will summarize the year-to-date total across all reporting units in the hospital.
- Observed Infections (or Observed Events): This is the number of infections (or events, for LabID measures) that was reported by the facility.
- **Predicted Infections (or Predicted Events):** This is a calculated value that reflects the number of infections (or events, for LabID measures) that we have "predicted" to occur in this facility, based on the national experience.
- "How Does the Facility Compare to the National Experience?" Colors and symbols are used to help you quickly understand and interpret the hospital's data. This is the "take-home message" about healthcare-associated infections in this facility.
 - ★ Indicates the facility had fewer infections than were predicted (better than the national experience) = Indicates the facility had about the same number of infections as were predicted (same as the national experience)
 - ➤ Indicates the facility had more infections than were predicted (worse than the national experience)

 No Conclusion: Indicates that the facility reported data, but there was not enough information to make a reliable comparison to the national experience (# of predicted infections was less than 1).
- Facility Group: Hospitals are grouped with similarly-sized facilities and inpatient rehabilitation facilities and long term acute care hospitals are grouped together. This allows readers to compare a facility's SIR to the SIR of similarly-sized facilities within North Carolina.
- Note: Footnotes are included in the report in order to bring important data caveats to the reader's attention.

Figure 1. Example of Hospital-Specific Report Table and Figure



- b) SIR Represented by the bars in each graph.
 - SIR = number of observed infections / number of predicted infections based on the national baseline experience
 - SIR is calculated for each HAI at each facility
 - The SIR is considered a "best guess" or estimate of observed infections compared to those predicted during January 1, 2019 September 30, 2019
- c) 95% confidence intervals for the SIR Represented by the skinny, vertical red lines in each figure.

These lines represent a lower and a higher limit around the SIR; together these limits create an interval. It means we are statistically 95% confident the SIR estimate falls within this interval. Wider bars indicate less confidence in the SIR estimate.

How to understand the 95% confidence intervals:

- If the value of <u>1.0 is included</u> between the lower and upper limit, there is NO statistical significant difference between the number of observed and predicted infections.
- If the value of <u>1.0 is NOT included</u> between the lower and upper limit, there IS a statistical significant difference between the number of observed and predicted infections.
- d) NHSN Baseline (i.e., national experience) Represented by the solid, horizontal red line in each figure.
 - The NHSN baseline is the number of predicted infections based on the national experience
 - The NHSN baseline year is 2015 for all HAIs.

3. Commentary from Hospital

This section includes hospital comments on their HAI data and current infection control activities. Hospitals can provide a link to their hospital website to provide lengthier comments.

Statistics

For a detailed explanation of statistics included in the HAI reports, see the Healthcare-Associated Infections in North Carolina - Reference Document which was revised October 2019 (http://epi.publichealth.nc.gov/cd/hai/figures.html). Explanations on concepts such as statistical significance and computation of measures including rates and standardized infection ratios (SIRs) are provided.

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Alamance Regional Medical Center, Burlington, Alamance County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 11,222 49,291 Patient Days in 2018: 238 Total Number of Beds: Number of ICU Beds: 32 FTE* Infection Preventionists: 1.60 Number of FTEs* per 100 beds: 0.67

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Adult/Ped ICUs	1	3.2	Same			
Adult/Ped Wards	1	1.7	Same			
All reporting units	2	4.9	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	1	2.5	Same			

 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted}.$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	9	20	Better			
Facility-wide inpatient	1	Less than 1.0	No Conclusion			
Facility-wide inpatient	2	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.


Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

igstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Alamance Regional Medical Center, Burlington, Alamance County

Central Line-Associated Bloodstream Infections (CLABSI)



able 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	1	2.2	Same	
Adult/Ped Wards	0	2.1	Same	
Neonatal Units	0	Less than 1.0	No Conclusion	
All reporting units	1	4.3	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	1	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	4	2.4	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Advent Health Hendersonville, Hendersonville, Henderson County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 3,976 Patient Days in 2018: 16.683 Total Number of Beds: 103 Number of ICU Beds: 6 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.97

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 1 Adult/Ped Wards Less than 1.0 No Conclusion O All reporting units 1 1.5 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	1	3.3	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Advent Health Hendersonville, Henderson County

Advent rectal rectal software, rectal software, rectal soft cour

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predict	ed CLABSI Infections by I	CO and Ward Type, Jan-	How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
How Does This Facili							
		Observed	Predicted	Compare to the National			
	Unit Type	Infections	Infections	Experience?			
	Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	1	1.1	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Annie Penn Hospital, Reidsville, Rockingham County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 3,074 Patient Days in 2018: 13.806 Total Number of Beds: 53 Number of ICU Beds: 8 FTE* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 0.94


[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison





Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness



able 3. Number of Observed and Fredict	cu ez 15, sun zee zez		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	4.8	Better
Facility-wide inpatient	0	Less than 1.0	No Conclusion
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

igstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Annie Penn Hospital, Reidsville, Rockingham County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

1	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
				How Does This Facility		
-		Observed	Predicted	Compare to the National		
-	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
How Does This Facility				
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	1.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 ARHS-Watauga Medical Center, Boone, Watauga County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 4,969 Patient Days in 2018: 14.560 Total Number of Beds: 117 Number of ICU Beds: 10 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.85


[*FTE = Full-time equivalent]



Commentary From Facility:

This is current up to date data through Q3 2016. Data was verified through the analysis summary as of November 2016





How Does This Facility Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 1 Adult/Ped Wards No Conclusion Less than 1.0 All reporting units Less than 1.0 No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2: Namber of Observed and Fredicted Willow Events, July Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

 ${\bf Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted.}$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	17	10	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 ARHS-Watauga Medical Center, Boone, Watauga County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




	Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Asheville Specialty Hospital, Asheville, Buncombe County

2018 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital

Admissions in 2018: 334
Patient Days in 2018: 9,032
Total Number of Beds: 34
FTE* Infection Preventionists: 0.80
Number of FTEs* per 100 beds: 2.35


[*FTE = Full-time equivalent]



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to avert further issues. Starting with Q4 2018, LTACs are no longer required to report LabID MRSA bacteremia and VAE to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)



				How Does This Facility
1		Observed	Predicted	Compare to the National
1	Unit Type	Infections	Infections	Experience?
	Reporting ICUs	1	Less than 1.0	No Conclusion
	Reporting Wards	2	1.1	Same
	All reporting units	3	2.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predict	ted CDIs, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	9	9.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Asheville Specialty Hospital, Asheville, Buncombe County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Reporting ICUs	1	1.1	Same
Reporting Wards	2	1.7	Same
All reporting units	3	2.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Atrium Health Cabarrus, Concord, Cabarrus County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 25,507 112,607 Patient Days in 2018: Total Number of Beds: 457 Number of ICU Beds: 69 FTF* Infection Preventionists: 3 00 Number of FTEs* per 100 beds: 0.66

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 3 7.2 Same Adult/Ped Wards 6.7 Better 2 All reporting units Better 5 14

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Fredrices Hillory 2011 Dec 2025					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	7	8.8	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
				How Does This Facility
		Observed	Predicted	Compare to the National
	Unit Type	Events	Events	Experience?
	Facility-wide inpatient	32	76	Better

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Atrium Health Cabarrus, Concord, Cabarrus County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	6	4.3	Same
Adult/Ped Wards	10	5.6	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	16	11	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	5	3.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	10	9.0	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Atrium Health Lincoln, Lincolnton, Lincoln County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 5,036 Patient Days in 2018: 20.090 Total Number of Beds: 101 Number of ICU Beds: 10 FTF* Infection Preventionists: 0.53 Number of FTEs* per 100 beds: 0.52

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 1.0 Same Adult/Ped Wards No Conclusion Less than 1.0 0 All reporting units 0 1.8 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Frederica Hillor (2 territy) san Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	1.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	3	12	Better	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Atrium Health Lincoln, Lincolnton, Lincoln County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	1.0	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Atrium Health Stanly, Albemarle, Stanly County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 3,759 Patient Days in 2018: 12.427 Total Number of Beds: 109 Number of ICU Beds: 10 FTE* Infection Preventionists: 0.53 Number of FTEs* per 100 beds: 0.48

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1: Humber of Observed and Fredicte			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

and in turnout of observed and reduced finds tirents, said bed in the best best bed in the best best best best best best best bes					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019 How Does This Facility				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	2	7.7	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Atrium Health Stanly, Albemarle, Stanly County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	2	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	2	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Atrium Health University City, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 8,394 Patient Days in 2018: 30.465 Total Number of Beds: 100 Number of ICU Beds: 15 FTF* Infection Preventionists: n 98 Number of FTEs* per 100 beds: 0.98

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections Experience? **Unit Type** Infections Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards O Less than 1.0 No Conclusion All reporting units Same 0 1.4

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

able 2. Number of Observed and Fredicted Wilds Events, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	1	1.4	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019 How Does This Facility				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	4	14	Better	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Atrium Health University City, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	1	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
Neonatal Units	0	Less than 1.0	No Conclusion	
All reporting units	1	1.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019. **How Does This Facility** Observed **Predicted Compare to the National Unit Type** Infections Infections Experience? **Facility-wide inpatient** 0 Same 1.1

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
		How Does This Facility			
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	2	1.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **Betsy Johnson Hospital, Dunn, Harnett County**

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 3,862 Patient Days in 2018: 15,270 Total Number of Beds: 72 Number of ICU Beds: 6 FTF* Infection Preventionists: 1.50 Number of FTEs* per 100 beds: 2.08

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards 1.0 Worse 6 All reporting units Worse 1.5

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	6	6.7	Same			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Betsy Johnson Hospital, Dunn, Harnett County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **Broughton Hospital, Morganton, Burke County**

No comments provided.

2018 Hospital Survey Information

Hospital Type: Specialty Acute Care Hospital

Medical Affiliation: No Admissions in 2018: 327 Patient Days in 2018: 97.710 Total Number of Beds: 297 Number of ICU Beds: 0 FTE* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 0.67

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CAUTI during this time period

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	0	1.4	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	15	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Broughton Hospital, Morganton, Burke County

Central Line-Associ	iated Bloodstream II	nfections (CLABSI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CLABSI during this time period

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Bryant T. Aldridge Rehabilitation Center, Rocky Mount, Nash County

2018 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility

Admissions in 2018: 571
Patient Days in 2018: 6,349
Total Number of Beds: 23
FTE* Infection Preventionists: 0.20
Number of FTEs* per 100 beds: 0.87

[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, IRFs are no longer required to report LabID MRSA bacteremia to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	2.4	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Bryant T. Aldridge Rehabilitation Center, Rocky Mount, Nash County

Central Line-Associated Bloodstream Infections (CLABSI)
Note from N.C. Division of Public Health: CLABSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Abdominal Hysterectomies
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Colon Surgeries
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Ventilator-Associated Events (VAE)
Note from N.C. Division of Public Health: VAEs are not reportable at this facility type after 2018Q3

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Caldwell Memorial Hospital, Lenoir, Caldwell County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 4,257 Patient Days in 2018: 19.997 Total Number of Beds: 97 Number of ICU Beds: 12 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.03

[*FTE = Full-time equivalent]



Commentary From Facility:

In Oct 2016, Caldwell Memorial Hospital joined the Reducing C. Difficile Infections Pilot Project: A Joint Commission Center for Transforming Healthcare and North Carolina Hospital Association Collaborative. The 12 month program is aimed at reducing the frequency of CDI through early identification, antibiotic stewardship, and effective environmental hygiene practices. The program focuses on the factors that create these barriers and helps to develop targeted solutions designed to reduce/eliminate C-diff

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Adult/Ped ICUs	2	1.6	Same		
Adult/Ped Wards	3	2.0	Same		
All reporting units	5	3.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

Table 21 Hamber of Observed and Fredetca Hillori Events Juli Dec 2023					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	3	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	9	15	Same		


Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Caldwell Memorial Hospital, Lenoir, Caldwell County

Central Line-Associated Bloodstream Infections (CLABSI)



Та	Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Adult/Ped ICUs	0	1.2	Same	
L	Adult/Ped Wards	2	1.9	Same	
Г	All reporting units	2	3.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	1.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Cape Fear Valley Health System, Fayetteville, Cumberland County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 36,234 Patient Days in 2018: 210.141 Total Number of Beds: 775 Number of ICU Beds: 69 FTE* Infection Preventionists: 4 00 Number of FTEs* per 100 beds: 0.52

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Facility Grp. **Facility** NC ACHs 5 SIR 0.75 0.660.56

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

	Observed	Predicted	How Does This Facility Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	2	7.1	Better
Adult/Ped Wards	5	5.5	Same
All reporting units	7	13	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2: Number of Observed and Fredeted Milos Events, July Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	9	13	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Events	Events	Experience?	
	Facility-wide inpatient	73	101	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Cape Fear Valley Health System, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	7	8.6	Same
Adult/Ped Wards	5	4.7	Same
Neonatal Units	1	Less than 1.0	No Conclusion
All reporting units	13	14	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

ı						
	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	3	2.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	2	7.8	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Cape Fear Valley Hoke Hospital, Raeford, Hoke County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 2,693 Patient Days in 2018: 4.325 29 Total Number of Beds: Number of ICU Beds: 4 FTF* Infection Preventionists: 0.38 Number of FTEs* per 100 beds: 1.29

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards Less than 1.0 No Conclusion 0 All reporting units Less than 1.0 No Conclusion 0


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID) Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness. Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

How Does This Facility Observed **Predicted Compare to the National Unit Type Events Events** Experience? **Facility-wide inpatient** Less than 1.0 No Conclusion 0

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Events	Events	Experience?	
	Facility-wide inpatient	0	1.1	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Cape Fear Valley Hoke Hospital, Raeford, Hoke County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Adult/Ped ICUs	0	Less than 1.0	No Conclusion		
Adult/Ped Wards	0	Less than 1.0	No Conclusion		
All reporting units	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Cape Fear Valley Rehabilitation Center, Fayetteville, Cumberland County

2018 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility

Admissions in 2018: 1,197
Patient Days in 2018: 17,183
Total Number of Beds: 78
FTE* Infection Preventionists: 0.25
Number of FTEs* per 100 beds: 0.32


[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, IRFs are no longer required to report LabID MRSA bacteremia to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)



Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	3	6.2	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Cape Fear Valley Rehabilitation Center, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)
Note from N.C. Division of Public Health: CLABSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Abdominal Hysterectomies
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Note from N.C. Division of Public Health. 331s are not reportable at this facility type
Surgical Site Infections (SSI) after Colon Surgeries
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Ventilator-Associated Events (VAE)
Note from N.C. Division of Public Health: VAEs are not reportable at this facility type after 2018Q3

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

CarePartners Health Services, Asheville, Buncombe County

2018 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility

Admissions in 2018: 1,478 Patient Days in 2018: 20,293 Total Number of Beds: 80 FTE* Infection Preventionists: 0.63 Number of FTEs* per 100 beds: 0.78

[*FTE = Full-time equivalent]



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to avert further issues. Starting with Q4 2018, IRFs are no longer required to report LabID MRSA bacteremia to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Fredicted infections by ICO and Ward Type, Jan-Dec 2015.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
All reporting units	6	2.0	Worse		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	3	6.2	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 CarePartners Health Services, Asheville, Buncombe County

Central Line-Associated Bloodstream Infections (CLABSI)
Note from N.C. Division of Public Health: CLABSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Abdominal Hysterectomies
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Colon Surgeries
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Ventilator-Associated Events (VAE)
Note from N.C. Division of Public Health: VAEs are not reportable at this facility type after 2018Q3

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 CarolinaEast Medical Center, New Bern, Craven County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 29,943 Patient Days in 2018: 69,765 Total Number of Beds: 350 Number of ICU Beds: 33 FTE* Infection Preventionists: 3.00 Number of FTEs* per 100 beds: 0.86

[*FTE = Full-time equivalent]



Predicted


Infections

2.5

2.5

Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided



0.75

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Observed

Infections

2

4

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted Winsa Events, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	3.3	Better		


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience



How Does This Facility

Compare to the National

Experience?

Same

Same

Same

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 5. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	13	41	Better		
Facility-wide inpatient	1	1.1	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 CarolinaEast Medical Center, New Bern, Craven County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Adult/Ped ICUs	0	2.2	Same		
Adult/Ped Wards	0	3.5	Better		
All reporting units	0	5.7	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

T	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
				How Does This Facility			
		Observed	Predicted	Compare to the National			
	Unit Type	Infections	Infections	Experience?			
	Facility-wide inpatient	0	1.4	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	2	2.7	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Carolinas Healthcare System Anson, Wadesboro, Anson County

2018 Hospital Survey Information Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 343 Patient Days in 2018: 768 Total Number of Beds: 15 Number of ICU Beds: 0

0.13

0.83

[*FTE = Full-time equivalent]

FTF* Infection Preventionists:

Number of FTEs* per 100 beds:






Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped Wards Less than 1.0 No Conclusion No Conclusion 0 Less than 1.0 All reporting units

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predict	ed CDIs, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Carolinas Healthcare System Anson, Wadesboro, Anson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Carolinas Healthcare System Blue Ridge, Morganton, Burke County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 6,899 Patient Days in 2018: 34.516 Total Number of Beds: 151 Number of ICU Beds: 16 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.66

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 0 1.8 Same Adult/Ped Wards 1.2 Same 2 All reporting units 3.0 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	1	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	25	37	Better

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Healthcare System Blue Ridge, Morganton, Burke County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	2	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	4	2.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Healthcare System Cleveland, Shelby, Cleveland County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 9,502 42.582 Patient Days in 2018: Total Number of Beds: 241 Number of ICU Beds: 18 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.41

[*FTE = Full-time equivalent]





No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 5 3.1 Same Adult/Ped Wards 2 2.3 Same All reporting units Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Frederica Hillor (2 territy) san Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	2	2.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Fable 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	9	24	Better	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Healthcare System Cleveland, Shelby, Cleveland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	2.0	Same
Adult/Ped Wards	1	1.8	Same
All reporting units	1	3.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Ta	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	4	1.5	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Medical Center, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 50,381 Patient Days in 2018: 287.484 Total Number of Beds: 898 Number of ICU Beds: 222 FTF* Infection Preventionists: 9 00 Number of FTEs* per 100 beds: 1.00

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections Experience? **Unit Type** Infections Adult/Ped ICUs Better 17 41 Adult/Ped Wards 9 9.0 Same All reporting units Better 26 50

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	15	27	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	109	216	Better			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Medical Center, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	26	23	Same	
Adult/Ped Wards	19	11	Worse	
Neonatal Units	5	10	Same	
All reporting units	50	44	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

-	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
- [Facility-wide inpatient	2	4.5	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	12	20	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Medical Center-Mercy, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 12,190 Patient Days in 2018: 48.146 Total Number of Beds: 213 Number of ICU Beds: 20 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.47

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 1.7 Same Adult/Ped Wards O 1.3 Same All reporting units Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Fredicted History Events, July 200 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	2	2.4	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	18	31	Better		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Carolinas Medical Center-Mercy, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicte	able 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	2	1.0	Same	
Adult/Ped Wards	2	1.6	Same	
All reporting units	4	2.7	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	2	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
		How Does This Facility			
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	1.4	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Medical Center-Pineville, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 18,862 Patient Days in 2018: 71.127 Total Number of Beds: 206 Number of ICU Beds: 40 FTE* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 0.97

[*FTE = Full-time equivalent]





No comments provided

Facility Grp. **Facility** NC ACHs 5 3 SIR 1.30 0.87 0.75

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Adult/Ped ICUs	3	3.1	Same		
Adult/Ped Wards	7	4.6	Same		
All reporting units	10	7.7	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Fredrices Hillory 2011 Dec 2025					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	5	3.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	22	44	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Medical Center-Pineville, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	2.3	Same
Adult/Ped Wards	3	2.5	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	4	5.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	1.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicte	ed SSI Infections (colon s	urgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	5	4.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Carolinas Medical Center-Union, Monroe, Union County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 7,836 34.085 Patient Days in 2018: Total Number of Beds: 182 Number of ICU Beds: 14 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.55

[*FTE = Full-time equivalent]



Predicted


Infections

1.4

1.0

Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided



Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Observed

Infections

0

0

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Frederica Hillori Events/ Juli Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	1	1.7	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

0.00

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



How Does This Facility

Compare to the National

Experience?

Same

Same

Same

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Events	Events	Experience?	
	Facility-wide inpatient	6	20	Better	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Medical Center-Union, Monroe, Union County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	1.2	Same
Adult/Ped Wards	1	1.0	Same
All reporting units	2	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Unit Type Infections Infections Experience? **Facility-wide inpatient** 0 Less than 1.0 No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
	How Does This Facility				
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	3	3.0	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Rehabilitation, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility

Admissions in 2018: 1,192 Patient Days in 2018: 22,012 Total Number of Beds: 70 FTE* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 0.71

Facility

[*FTE = Full-time equivalent]

5

SIR



Commentary From Facility:

Starting with Q4 2018, IRFs are no longer required to report LabID MRSA bacteremia to CMS. Data presented in this report are accurate as of the date data were downloaded.




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.

How Does This Facility Observed **Predicted** Compare to the National **Unit Type** Infections Infections **Experience?** All reporting units Less than 1.0 No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	5	12	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Rehabilitation, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI) Note from N.C. Division of Public Health: CLABSIs are not reportable at this facility type Surgical Site Infections (SSI) after Abdominal Hysterectomies Note from N.C. Division of Public Health: SSIs are not reportable at this facility type **Surgical Site Infections (SSI) after Colon Surgeries** Note from N.C. Division of Public Health: SSIs are not reportable at this facility type **Ventilator-Associated Events (VAE)** Note from N.C. Division of Public Health: VAEs are not reportable at this facility type after 2018Q3

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Carolinas Rehabilitation Mount Holly, Belmont, Gaston County

2018 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility

Admissions in 2018: 785 Patient Days in 2018: 10,835 Total Number of Beds: 40 FTE* Infection Preventionists: 0.10 Number of FTEs* per 100 beds: 0.25

[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, IRFs are no longer required to report LabID MRSA bacteremia to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

rable 1. Number of Observed and Predicted Infections by ICO and Ward Type, Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison


Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



Tabl	le 3. Number of Observed and Predict	ed CDIs, Jan-Dec 2019		
				How Does This Facility
		Observed	Predicted	Compare to the National
	Unit Type	Events	Events	Experience?
	Facility-wide inpatient	4	4.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Carolinas Rehabilitation Mount Holly, Belmont, Gaston County **Central Line-Associated Bloodstream Infections (CLABSI)** Note from N.C. Division of Public Health: CLABSIs are not reportable at this facility type Surgical Site Infections (SSI) after Abdominal Hysterectomies Note from N.C. Division of Public Health: SSIs are not reportable at this facility type Surgical Site Infections (SSI) after Colon Surgeries Note from N.C. Division of Public Health: SSIs are not reportable at this facility type **Ventilator-Associated Events (VAE)** Note from N.C. Division of Public Health: VAEs are not reportable at this facility type after 2018Q3

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Rehabilitation North East, Concord, Cabarrus County

2018 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility

Admissions in 2018: 737
Patient Days in 2018: 10,120
Total Number of Beds: 40
FTE* Infection Preventionists: 0.08
Number of FTEs* per 100 beds: 0.19

[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, IRFs are no longer required to report LabID MRSA bacteremia to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	4.0	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Carolinas Rehabilitation North East, Concord, Cabarrus County

Central Line-Associated Bloodstream Infections (CLABSI)
Note from N.C. Division of Public Health: CLABSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Abdominal Hysterectomies
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Colon Surgeries
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Ventilator-Associated Events (VAE)
Note from N.C. Division of Public Health: VAEs are not reportable at this facility type after 2018Q3

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Specialty Hospital, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital

Admissions in 2018: 330
Patient Days in 2018: 8,495
Total Number of Beds: 40
FTE* Infection Preventionists: 0.75
Number of FTEs* per 100 beds: 1.88

[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, LTACs are no longer required to report LabID MRSA bacteremia and VAE to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICO and Ward Type, Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Reporting Wards	2	4.6	Same	
All reporting units	2	4.6	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	12	12	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carolinas Specialty Hospital, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Reporting Wards	3	2.8	Same	
All reporting units	3	2.8	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Carteret General Hospital, Morehead City, Carteret County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 6,822 Patient Days in 2018: 28.840 Total Number of Beds: 75 Number of ICU Beds: 0 FTF* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 2.67

[*FTE = Full-time equivalent]





No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

How Does This Facility Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped Wards Less than 1.0 No Conclusion No Conclusion Less than 1.0 All reporting units 1

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

Table 21 Hamber of Observed and Frederica History 21 cm Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	3	7.8	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Carteret General Hospital, Morehead City, Carteret County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

•	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	2	2.9	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Catawba Valley Medical Center, Hickory, Catawba County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 13,500 Patient Days in 2018: 54.670 Total Number of Beds: 90 Number of ICU Beds: 36 FTF* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 2.22

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 1 1.9 Same Adult/Ped Wards 2.4 Same 2 All reporting units 4.3 Same


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	1.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	7	21	Better			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Catawba Valley Medical Center, Hickory, Catawba County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	1.1	Same
Adult/Ped Wards	0	1.2	Same
Neonatal Units	3	Less than 1.0	No Conclusion
All reporting units	4	3.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
How Does This Fa				
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	1.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
				How Does This Facility
		Observed	Predicted	Compare to the National
	Unit Type	Infections	Infections	Experience?
	Facility-wide inpatient	0	2.4	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Central Carolina Hospital, Sanford, Lee County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 4,578 Patient Days in 2018: 16.013 Total Number of Beds: 79 Number of ICU Beds: 10 FTF* Infection Preventionists: 1.10 Number of FTEs* per 100 beds: 1.39

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards Less than 1.0 No Conclusion All reporting units 1.5 Same


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.


How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



able 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	2	6.2	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Central Carolina Hospital, Sanford, Lee County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	1.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Central Harnett Hospital, Lillington, Harnett County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 1,690 Patient Days in 2018: 7.221 Total Number of Beds: 34 Number of ICU Beds: 4 FTF* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 1.47

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards Less than 1.0 No Conclusion 0 All reporting units Less than 1.0 No Conclusion 0


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2: Namber of Observed and Fredicted Willow Events, July Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	2.3	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.


How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Central Harnett Hospital, Lillington, Harnett County

Central Line-Associated Bloodstream Infections (CLABSI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Central Regional Hospital, Butner, Granville County

2018 Hospital Survey Information

Hospital Type: Specialty Acute Care Hospital

Medical Affiliation: Graduate Admissions in 2018: 811 Patient Days in 2018: 132,802 Total Number of Beds: 405 Number of ICU Beds: 0 FTE* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 0.49

[*FTE = Full-time equivalent]



Commentary From Facility:

No comments provided.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: This facility did not have locations required to report CAUTI during this time period

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabiD events are based on positive laboratory results only; not all LabiD events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

- 10	Table 2. Number of Observed and Fredicted WKSA Events, Jan-Dec 2019					
				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Events	Events	Experience?		
	Facility-wide inpatient	0	2.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	23	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Central Regional Hospital, Butner, Granville County

	Central Line-	Associated Blood	dstream Inf	ections (CLABSI
--	---------------	------------------	-------------	-----------	--------

Note from N.C. Division of Public Health: This facility did not have locations required to report CLABSI during this time period

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Cherokee Indian Hospital, Cherokee, Swain County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 837 Patient Days in 2018: 4.627 Total Number of Beds: 18 Number of ICU Beds: 0 FTE* Infection Preventionists: 1.50 Number of FTEs* per 100 beds: 8.33

[*FTE = Full-time equivalent]





No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Tabl	Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Adult/Ped Wards	0	Less than 1.0	No Conclusion	
	All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

_	Table 21 Hamber of Observed and Frederica History san Dec 2025						
ĺ				How Does This Facility			
		Observed	Predicted	Compare to the National			
	Unit Type	Events	Events	Experience?			
	Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Cherokee Indian Hospital, Cherokee, Swain County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Cherry Hospital, Goldsboro, Wayne County

2018 Hospital Survey Information

Hospital Type: Specialty Acute Care Hospital

Medical Affiliation: No Admissions in 2018: 818 Patient Days in 2018: 82.067 Total Number of Beds: 253 Number of ICU Beds: 0 FTE* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 0.79

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided.

Note from N.C. Division of Public Health: This facility did not have locations required to report CAUTI during this time period

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabiD events are based on positive laboratory results only; not all LabiD events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

- 4	Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015					
				How Does This Facility		
ı		Observed	Predicted	Compare to the National		
ı	Unit Type	Events	Events	Experience?		
	Facility-wide inpatient	0	1.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	14	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Cherry Hospital, Goldsboro, Wayne County

Central Line	-Associated	Bloodstream I	nfections (C	CLABSI
--------------	-------------	---------------	--------------	--------

Note from N.C. Division of Public Health: This facility did not have locations required to report CLABSI during this time period

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Chs Pineville Rehabilitation, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility

Admissions in 2018: 697 Patient Days in 2018: 9,443 Total Number of Beds: 40 0.08 FTE* Infection Preventionists: Number of FTEs* per 100 beds: 0.19

[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, IRFs are no longer required to report LabID MRSA bacteremia to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections **Experience?** All reporting units Less than 1.0 No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	2	3.3	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Chs Pineville Rehabilitation, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)
Note from N.C. Division of Public Health: CLABSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Abdominal Hysterectomies
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Surgical Site Infections (SSI) after Colon Surgeries
Note from N.C. Division of Public Health: SSIs are not reportable at this facility type
Ventilator-Associated Events (VAE)
Note from N.C. Division of Public Health: VAEs are not reportable at this facility type after 2018Q3

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Columbus Regional Healthcare System, Whiteville, Columbus County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 4,404 Patient Days in 2018: 18.177 Total Number of Beds: 70 Number of ICU Beds: 9 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.43

[*FTE = Full-time equivalent]



Commentary From Facility:

The prevention and reduction of healthcare associated infections is a top priority at Columbus Regional Healthcare System. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped ICUs No Conclusion Less than 1.0 Adult/Ped Wards Less than 1.0 No Conclusion 0 All reporting units Less than 1.0 No Conclusion 0

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

nfidence intervals I lan. Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	2	1.1	Same

 ${\bf Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted}.$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	5	12	Better			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Columbus Regional Healthcare System, Whiteville, Columbus County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	1	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	1	1.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	0	1.3	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Davis Regional Medical Center, Statesville, Iredell County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 3,965 Patient Days in 2018: 18.999 Total Number of Beds: 141 Number of ICU Beds: 8 FTF* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 0.35

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards No Conclusion O Less than 1.0 All reporting units Less than 1.0 No Conclusion 0


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


Table 21 Hamber of Observed and Fredeted Hillori Events Juli Dec 2023					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	1	5.4	Better			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Davis Regional Medical Center, Statesville, Iredell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	1	Less than 1.0	No Conclusion	
All reporting units	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.

How Does This Facility
Observed Predicted Compare to the National
Unit Type Infections Infections Experience?
Facility-wide inpatient 0 Less than 1.0 No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Dlp - Harris Regional Hospital, Sylva, Jackson County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 4,180 Patient Days in 2018: 14.313 Total Number of Beds: 68 Number of ICU Beds: 9 FTF* Infection Preventionists: 0.80 Number of FTEs* per 100 beds: 1.18

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards O Less than 1.0 No Conclusion All reporting units 0 1.4 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

able 2. Number of Observed and Fredicted WRSA Events, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicte			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	5	5.0	Same

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Dlp - Harris Regional Hospital, Sylva, Jackson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	1.3	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **Duke Raleigh Hospital, Raleigh, Wake County**

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 15,547 Patient Days in 2018: 52.162 Total Number of Beds: 187 Number of ICU Beds: 15 FTE* Infection Preventionists: 2 00 Number of FTEs* per 100 beds: 1.07

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Table 1. Number of Observed and Freder		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	2.4	Same
Adult/Ped Wards	7	2.9	Worse
All reporting units	8	5.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.


Table 2. Number of Observed and Predicte	ed MRSA Events, Jan-De	c 2019	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide innatient	2	2.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predict	ed CDIs, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	6	29	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 **Duke Raleigh Hospital, Raleigh, Wake County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	2	1.6	Same	
Adult/Ped Wards	5	4.5	Same	
All reporting units	7	6.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? **Facility-wide inpatient** 0 Less than 1.0 No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	2	3.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **Duke Regional Hospital, Durham, Durham County**

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 24,397 Patient Days in 2018: 89.005 Total Number of Beds: 222 Number of ICU Beds: 28 FTF* Infection Preventionists: 2 25 Number of FTEs* per 100 beds: 1.01

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 3 4.2 Same Adult/Ped Wards 3 4.1 Same All reporting units 8.3 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

and in turning or or observed and reconsted interest in the reconstruction of the recons				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	4	5.4	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 5. Nulliber of Observed and Fredicted CDIs, Jan-Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	37	48	Same	
Facility-wide inpatient	5	4.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 **Duke Regional Hospital, Durham, Durham County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	1	3.3	Same	
Adult/Ped Wards	3	5.6	Same	
All reporting units	4	8.9	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	1.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	2	3.4	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **Duke University Hospital, Durham, Durham County**

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 108,307 Patient Days in 2018: 454,653 Total Number of Beds: 952 Number of ICU Beds: 252 FTE* Infection Preventionists: 8.00 Number of FTEs* per 100 beds: 0.84

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Table 1. Number of Observed and Predicted Infections by ICO and Ward Type, Jan-Dec 2019.			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	25	44	Better
Adult/Ped Wards	16	18	Same
All reporting units	41	62	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Fredited History Events/san Dec 2025					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	19	26	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	243	252	Same		


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Duke University Hospital, Durham, Durham County

Central Line-Associated Bloodstream Infections (CLABSI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	49	38	Same
Adult/Ped Wards	26	30	Same
Neonatal Units	1	13	Better
All reporting units	76	82	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

1	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
				How Does This Facility		
1		Observed	Predicted	Compare to the National		
1	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	3	4.7	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	16	27	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

FirstHealth Moore Regional Hospital, Pinehurst, Moore County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 24,034 Patient Days in 2018: 102.425 Total Number of Beds: 362 Number of ICU Beds: 57 FTF* Infection Preventionists: 2 50 Number of FTEs* per 100 beds: 0.69

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 5 3.9 Same Adult/Ped Wards 3.7 2 Same All reporting units 7.7 Same


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Harriber of observed and Frederica Hillory 2 terrory sail Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	5	5.7	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 5. Number of Observed and Fredicted CDIs, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	40	67	Better		
Facility-wide inpatient	1	1.7	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 FirstHealth Moore Regional Hospital, Pinehurst, Moore County

riisthealtii Moore Regional Hospital, Pillenurst, Moore Count

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	4	3.6	Same	
Adult/Ped Wards	2	4.7	Same	
Neonatal Units	0	Less than 1.0	No Conclusion	
All reporting units	6	8.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	2.0	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
				How Does This Facility
		Observed	Predicted	Compare to the National
	Unit Type	Infections	Infections	Experience?
	Facility-wide inpatient	7	4.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Firsthealth Moore Regional Hospital - Hoke Campus, Raeford, Hoke County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 760 1.805 Patient Days in 2018: Total Number of Beds: 8 Number of ICU Beds: 0 FTF* Infection Preventionists: 0.10 Number of FTEs* per 100 beds: 1.25

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped Wards Less than 1.0 No Conclusion No Conclusion 0 Less than 1.0 All reporting units


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	1	1.3	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Firsthealth Moore Regional Hospital - Hoke Campus, Raeford, Hoke County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicte	d CLABSI Infections by I	CO and Ward Type, Jan-	How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Firsthealth Moore Regional Hospital - Richmond Campus, Rockingham, Richmond County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 2,994 Patient Days in 2018: 8.880 Total Number of Beds: 79 Number of ICU Beds: 12 FTF* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 0.63

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards No Conclusion Less than 1.0 0 All reporting units Less than 1.0 No Conclusion 0

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicte	ed CDIs, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	5.6	Better

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Firsthealth Moore Regional Hospital - Richmond Campus, Rockingham, Richmond County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison





Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



1	Table 6. Number of Observed and Predict	ed SSI Infections (colon s	urgeries), Jan-Dec 2019.	
				How Does This Facility
		Observed	Predicted	Compare to the National
	Unit Type	Infections	Infections	Experience?
	Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Frye Regional Medical Center, Hickory, Catawba County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 8,065 Patient Days in 2018: 40.295 Total Number of Beds: 190 Number of ICU Beds: 30 FTF* Infection Preventionists: 1.50 Number of FTEs* per 100 beds: 0.79

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 3 4.9 Same Adult/Ped Wards O 1.8 Same All reporting units 3 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	4	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predicte	ed CDIS, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	21	34	Better
Facility-wide inpatient	2	1.2	Same


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Frye Regional Medical Center, Hickory, Catawba County

Central Line-Associated Bloodstream Infections (CLABSI)



İ	able 4. Number of Observed and Predicte		, ,	How Does This Facility
-		Observed	Predicted	Compare to the National
	Unit Type	Infections	Infections	Experience?
	Adult/Ped ICUs	3	2.0	Same
	Adult/Ped Wards	0	1.1	Same
	All reporting units	3	3.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Ta	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	1.9	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **Gaston Memorial Hospital, Gastonia, Gaston County**

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 24,678 Patient Days in 2018: 113,779 Total Number of Beds: 435 Number of ICU Beds: 43 FTF* Infection Preventionists: 4 00 Number of FTEs* per 100 beds: 0.92

[*FTE = Full-time equivalent]





No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections Experience? **Unit Type** Infections Adult/Ped ICUs Better 1 Adult/Ped Wards 5.4 Better All reporting units Better 15

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.


Table 2. Halliber of Observed and Fredeted Wilder Events, July Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	3	7.8	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	14	79	Better		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Gaston Memorial Hospital, Gastonia, Gaston County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Adult/Ped ICUs	0	5.9	Better		
Adult/Ped Wards	0	3.6	Better		
Neonatal Units	0	Less than 1.0	No Conclusion		
All reporting units	0	9.7	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	3	1.7	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	3	5.0	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Granville Medical Center, Oxford, Granville County

2018 Hospital Survey Information Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 3,868 Patient Days in 2018: 7.600 Total Number of Beds: 62 Number of ICU Beds: 6 FTE* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 0.81

[*FTE = Full-time equivalent]





No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted WittsA Events, Jani-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabiD events are based on positive laboratory results only - not all LabiD events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	4.4	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 **Granville Medical Center, Oxford, Granville County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Halifax Regional Medical Center, Roanoke Rapids, Halifax County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 5,971 Patient Days in 2018: 26.482 Total Number of Beds: 90 Number of ICU Beds: 8 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.11

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards 1.7 Same 2 All reporting units Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predict	7.		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	9	13	Same

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Halifax Regional Medical Center, Roanoke Rapids, Halifax County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	2	Less than 1.0	No Conclusion
All reporting units	3	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicte	ed SSI Infections (colon :	surgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Haywood Regional Medical Center, Clyde, Haywood County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 6,166 Patient Days in 2018: 25.423 Total Number of Beds: 94 Number of ICU Beds: 10 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.06

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 1 Adult/Ped Wards O 1.2 Same All reporting units 1 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	6	13	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Haywood Regional Medical Center, Clyde, Haywood County

Central Line-Associated Bloodstream Infections (CLABSI)



Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	1.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
How Does This Facility					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
	How Does This Facility			
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	1.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 High Point Regional Health System, High Point, Guilford County

2018 Hospital Survey Information


Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 17,551 Patient Days in 2018: 78.182 Total Number of Beds: 300 Number of ICU Beds: 28 FTE* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 0.67

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided



	Observed	Predicted	How Does This Facility Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	3	4.5	Same
Adult/Ped Wards	6	4.7	Same
All reporting units	9	9.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

Table 21 Trainiber of Observed and Treatered Innoversellary sail Dec 2025					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	4	5.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 5. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	15	39	Better		
Facility-wide inpatient	1	1.7	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 High Point Regional Health System, High Point, Guilford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
	Observed	Predicted	How Does This Facility Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	3	3.2	Same	
Adult/Ped Wards	4	5.2	Same	
All reporting units	7	8.4	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
How Does This Fac				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	2	1.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	3	3.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Highsmith-Rainey Specialty Hospital, Fayetteville, Cumberland County

2018 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital

Admissions in 2018: 342 Patient Days in 2018: 20,669 Total Number of Beds: 66 FTE* Infection Preventionists: 0.63 Number of FTEs* per 100 beds: 0.95

[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, LTACs are no longer required to report LabID MRSA bacteremia and VAE to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.					
	Observed	Predicted	How Does This Facility Compare to the National		
Unit Type	Infections	Infections	Experience?		
Reporting ICUs	0	1.2	Same		
Reporting Wards	2	7.6	Better		
All reporting units	2	8.8	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predict	ed CDIs, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	1	21	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Highsmith-Rainey Specialty Hospital, Fayetteville, Cumberland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicte	Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Reporting ICUs	1	4.0	Same
Reporting Wards	4	14	Better
All reporting units	5	18	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 **Hugh Chatham Memorial Hospital, Elkin, Surry County**

2018 Hospital Survey Information


Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 4,353 Patient Days in 2018: 13.146 Total Number of Beds: 81 Number of ICU Beds: 8 FTF* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 0.62

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided



How Does This Facility Compare to the National Experience?

Note: Red line represents the NHSN baseline experience, 2015.

= Same: About the same number of infections as predicted by the national baseline experience

SIR 0.75 0.70 0.00 Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

able 2. Halliber of Observed and Fredeted Willow Events, sail Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	7	6.0	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 **Hugh Chatham Memorial Hospital, Elkin, Surry County**

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Ta	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predict	ed SSI Infections (colon s	urgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Iredell Memorial Hospital, Statesville, Iredell County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 9,584 Patient Days in 2018: 36.175 Total Number of Beds: 199 Number of ICU Beds: 16 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.50

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 0 2.0 Same Adult/Ped Wards 1.3 Same All reporting units Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	1.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	35	29	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Iredell Memorial Hospital, Statesville, Iredell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicte	Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019		
	Ohaamaad	Dundinted	How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	1.4	Same
Adult/Ped Wards	1	1.4	Same
All reporting units	2	2.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	6	2.6	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Johnston Health, Smithfield, Johnston County

2018 Hospital Survey Information


Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 7,910 Patient Days in 2018: 30.470 Total Number of Beds: 172 Number of ICU Beds: 16 FTF* Infection Preventionists: 1.25 Number of FTEs* per 100 beds: 0.73

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided



How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

SIR 1.06 0.75 Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.


able 2. Humber of Observed and Fredeted Milosa Events, July Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	1.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes





Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	12	20	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Johnston Health, Smithfield, Johnston County

Central Line-Associated Bloodstream Infections (CLABSI)



1	Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility		
- 1		Observed	Predicted	Compare to the National	
- 1	Unit Type	Infections	Infections	Experience?	
	Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
	Adult/Ped Wards	4	1.9	Same	
ſ	All reporting units	4	2.4	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
	How Does This Facility				
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




	Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
How Does This				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Facility-wide inpatient	0	1.3	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Johnston Health Clayton, Clayton, Johnston County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 4,083 Patient Days in 2018: 10.425 Total Number of Beds: 34 Number of ICU Beds: 0 FTF* Infection Preventionists: 0.25 Number of FTEs* per 100 beds: 0.74

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped Wards Less than 1.0 No Conclusion No Conclusion Less than 1.0 All reporting units 1


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	4	4.2	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Johnston Health Clayton, Clayton, Johnston County

Central Line-Associated Bloodstream Infections (CLABSI)



Ta	Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Adult/Ped Wards	0	Less than 1.0	No Conclusion	
	All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Kindred Hospital-Greensboro, Greensboro, Guilford County

2018 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital

Admissions in 2018: 479 Patient Days in 2018: 14,871 Total Number of Beds: 101 FTE* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.99


[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, LTACs are no longer required to report LabID MRSA bacteremia and VAE to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI



_]	Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Reporting Wards	4	8.5	Same	
	All reporting units	4	8.5	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes





Table 3. Number of Observed and Predict	ted CDIs, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	15	14	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Kindred Hospital-Greensboro, Greensboro, Guilford County



Tale to the territory	Bloodstream	
199001010CU	DIOUGSH CAIL	

Table 4. Number of Observed and Predicted CLABSI infections by ICO and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Reporting Wards	8	8.8	Same
All reporting units	8	8.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Kings Mountain Hospital, Kings Mountain, Cleveland County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 3,721 Patient Days in 2018: 13.223 Total Number of Beds: 72 Number of ICU Beds: 6 FTF* Infection Preventionists: 0.20 Number of FTEs* per 100 beds: 0.28

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. Facility Grp. Facility NC ACHs 5 3 SIR 0.75 0.70

How Does This Facility Observed **Predicted** Compare to the National **Unit Type** Infections Infections **Experience?** Adult/Ped Wards Less than 1.0 No Conclusion Adult/Ped Wards Less than 1.0 No Conclusion 0 All reporting units 0 Less than 1.0 No Conclusion All reporting units No Conclusion 0 Less than 1.0

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabiD events are based on positive laboratory results only; not all LabiD events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

able 2. Halliber of Observed and Fredeted Wilder Events, July Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	2.4	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Kings Mountain Hospital, Kings Mountain, Cleveland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatie	ent 0	Less than 1.0	No Conclusion
Facility-wide inpation	ent 0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Lake Norman Regional Medical Center, Mooresville, Iredell County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 4,701 Patient Days in 2018: 13.996 Total Number of Beds: 123 Number of ICU Beds: 12 FTF* Infection Preventionists: 1 25 Number of FTEs* per 100 beds: 1.02

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 1 Adult/Ped Wards 1.0 Same All reporting units 1.9 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	6	8.5	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Lake Norman Regional Medical Center, Mooresville, Iredell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predic	ted CLABSI Infections by i	CO and ward Type, Jan-	How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	1	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Lenoir Memorial Hospital, Kinston, Lenoir County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 5,748 Patient Days in 2018: 29.315 Total Number of Beds: 167 Number of ICU Beds: 14 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.60

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards 1.2 Same 3 All reporting units 3 Same


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Fredited History Events/san Dec 2025					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	1.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	14	16	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Lenoir Memorial Hospital, Kinston, Lenoir County

Lenon Memorial Hospital, Kiriston, Lenon County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	1	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	1.4	Same	
All reporting units	1	1.8	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	2.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Lifecare Hospitals Of North Carolina, Rocky Mount, Nash County

2018 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital

Admissions in 2018: 495
Patient Days in 2018: 14,949
Total Number of Beds: 50
FTE* Infection Preventionists: 1.00
Number of FTEs* per 100 beds: 2.00

[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, LTACs are no longer required to report LabID MRSA bacteremia and VAE to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Reporting Wards	3	14	Better	
All reporting units	3	14	Better	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	6	16	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

 \bigstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Lifecare Hospitals Of North Carolina, Rocky Mount, Nash County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4.	Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Reporting Wards	7	9.6	Same	
	All reporting units	7	9.6	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Maria Parham Medical Center, Henderson, Vance County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 4,729 Patient Days in 2018: 19.882 Total Number of Beds: 99 Number of ICU Beds: 8 FTF* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 0.51


[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

Unit Type

No comments provided



Adult/Ped ICUs 1.2 Same Adult/Ped Wards No Conclusion Less than 1.0 0 All reporting units 0 Same

Predicted

Infections

Observed

Infections

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpa	tient 1	Less than 1.0	No Conclusion		


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



How Does This Facility

Compare to the National

Experience?

Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	9	9.3	Same			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Maria Parham Medical Center, Henderson, Vance County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	1.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	1.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Martin General Hospital, Williamston, Martin County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 1,117 3,760 Patient Days in 2018: Total Number of Beds: 49 Number of ICU Beds: 6 FTF* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 1.02

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards No Conclusion Less than 1.0 0 All reporting units Less than 1.0 No Conclusion 0


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted Winsa Events, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	1.6	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Martin General Hospital, Williamston, Martin County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
How Does This				
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	3	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 McDowell Hospital, Marion, McDowell County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 3,375 Patient Days in 2018: 9.309 Total Number of Beds: 30 Number of ICU Beds: 6 FTE* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 1.67


[*FTE = Full-time equivalent]



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to

Catheter-Associated Urinary Tract Infections (CAUTI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

Table 21 Transport of Constituting Tealers (Transport 200 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	2	4.0	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 McDowell Hospital, Marion, McDowell County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
How Does This F				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
How Does This				
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	4	1.4	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Mission Hospital, Asheville, Buncombe County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 54,545 Patient Days in 2018: 231.572 Total Number of Beds: 741 Number of ICU Beds: 131 FTF* Infection Preventionists: 7 80 Number of FTEs* per 100 beds: 1.05


[*FTE = Full-time equivalent]



Commentary From Facility:

Mission Health strives to improve the quality and safety of the care we give our patients each and every day. The prevention of infections is one of our highest priorities. By continuously and thoughtfully reviewing processes, procedures and events, we identify opportunities for improvement and address them immediately and appropriately, and share that knowledge internally to avert further issues.

Catheter-Associated Urinary Tract Infections (CAUTI)



How Does This Facility Observed **Predicted** Compare to the National Experience? **Unit Type** Infections Infections Adult/Ped ICUs 15 Better Adult/Ped Wards 6 Same 11 All reporting units 37 Better 21

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.


Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	9	20	Better	

 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted}.$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.


Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	141	160	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Mission Hospital, Asheville, Buncombe County

Central Line-Associated Bloodstream Infections (CLABSI)



Observed Predicted			How Does This Facility Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	14	13	Same
Adult/Ped Wards	7	11	Same
Neonatal Units	4	3.3	Same
All reporting units	25	28	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	2	5.9	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
How Does This Facility					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	18	14	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Moses Cone Hospital, Greensboro, Guilford County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 24,729 Patient Days in 2018: 124,335 Total Number of Beds: 368 Number of ICU Beds: 64 FTE* Infection Preventionists: 2.50 Number of FTEs* per 100 beds: 0.68

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.						
How		How Does This Facility				
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Adult/Ped ICUs	17	19	Same			
Adult/Ped Wards	3	3.5	Same			
All reporting units	20	22	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	3	7.3	Same			

 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted}.$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience





Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses. Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	15	60	Better
Facility-wide inpatient	2	Less than 1.0	No Conclusion
Facility-wide inpatient	1	Less than 1.0	No Conclusion
Facility-wide inpatient	1	4.2	Same


 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \tt\#Observed/\#Predicted.}$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Moses Cone Hospital, Greensboro, Guilford County



Accordated	Bloodstream	Intections	CHARSII
associated	Dioousti carri	IIIIECLIOIIS	CLADSII

Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Adult/Ped ICUs	10	9.2	Same		
Adult/Ped Wards	1	3.9	Same		
All reporting units	11	13	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

•	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
				How Does This Facility			
		Observed	Predicted	Compare to the National			
	Unit Type	Infections	Infections	Experience?			
	Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




	Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	8	3.0	Worse		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Nash Health Care Systems, Rocky Mount, Nash County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 10,323 Patient Days in 2018: 46.175 Total Number of Beds: 173 Number of ICU Beds: 18 FTF* Infection Preventionists: 2 25 Number of FTEs* per 100 beds: 1.30

[*FTE = Full-time equivalent]



Commentary From Facility:

NHCS is actively implementing plans to review and improve processes in the prevention of MRSA bacteremia. NHCS has a Lean project and action plan to further develop on-going strategies to reduce the risks of C. diff transmission

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.						
How D		How Does This Facility				
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Adult/Ped ICUs	1	1.5	Same			
Adult/Ped Wards	4	1.8	Same			
All reporting units	5	3.3	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	1.6	Same

 ${\bf Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted}.$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.


Table 3. Number of Observed and Predicte	able 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility				
	Observed	Predicted	Compare to the National				
Unit Type	Events	Events	Experience?				
Facility-wide inpatient	16	14	Same				

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Nash Health Care Systems, Rocky Mount, Nash County

Central Line-Associated Bloodstream Infections (CLABSI)



able 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	3	1.1	Same	
Adult/Ped Wards	2	1.7	Same	
Neonatal Units	0	Less than 1.0	No Conclusion	
All reporting units	5	2.9	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	1.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

New Hanover Regional Medical Center, Wilmington, New Hanover County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 40,009 Patient Days in 2018: 211.564 Total Number of Beds: 711 Number of ICU Beds: 105 FTF* Infection Preventionists: 4 00 Number of FTEs* per 100 beds: 0.56


[*FTE = Full-time equivalent]




Commentary From Facility:

At New Hanover Regional Medical Center we take patient safety and quality care extremely seriously. We implement the latest science-based protocols to prevent hospital-acquired infection. We study and adopt best practices, evidence-based medicine and recommendations from national agencies to deliver the best possible outcomes for our patients. We encourage patients and their families to take an active role in helping prevent infections. Our team of infection preventionists works with all staff to ensure they are focused on delivering the highest quality of care possible. We are proud of our success and our ongoing quest to keep preventable infections to an absolute minimum


Catheter-Associated Urinary Tract Infections (CAUTI)





Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience? = Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness. f Observed and Predicted MRSA Events. Jan-Dec 2019


able 2. Hamber of Observed and Fredeted Witton Events, July Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	13	19	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 5. Nulliber of Observed and Fredicted CDIs, Jan-Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	137	144	Same	
Facility-wide inpatient	6	6.6	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 New Hanover Regional Medical Center, Wilmington, New Hanover County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	12	10	Same
Adult/Ped Wards	7	12	Same
Neonatal Units	2	3.7	Same
All reporting units	21	26	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	4	6.3	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	6	13	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Ventilator-Associated Events (VAE)


North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 North Carolina Specialty Hospital, Durham, Durham County

2018 Hospital Survey Information


Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 1,992 3,508 Patient Days in 2018: Total Number of Beds: 18 Number of ICU Beds: 0 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 5.56

[*FTE = Full-time equivalent]





No comments provided



Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

3 SIR 0.75 0.70 Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 North Carolina Specialty Hospital, Durham, Durham County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: This facility did not have locations required to report SSI during this time period

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Northern Regional Hospital, Mount Airy, Surry County

2018 Hospital Survey Information


Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 4,525 14,298 Patient Days in 2018: Total Number of Beds: 100 Number of ICU Beds: 10 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 1.00

[*FTE = Full-time equivalent]





No comments provided




Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	9	15	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Northern Regional Hospital, Mount Airy, Surry County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	2	1.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

Novant Health Brunswick Medical Center, Bolivia, Brunswick County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 7,542 Patient Days in 2018: 20.209 Total Number of Beds: 74 Number of ICU Beds: 5 FTE* Infection Preventionists: 1.25 Number of FTEs* per 100 beds: 1.69


[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

Catheter-Associated Urinary Tract Infections (CAUTI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Nulliber of Observed and Fredicted Wik3A Events, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	0	Less than 1.0	No Conclusion			

 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted.}$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Events	Events	Experience?		
	Facility-wide inpatient	4	11	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

 \bigstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Brunswick Medical Center, Bolivia, Brunswick County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
	How Does This Facility				
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	2.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

Novant Health Charlotte Orthopedic Hospital, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Medical Affiliation: Admissions in 2018: 3,476 Patient Days in 2018: 7.279 Total Number of Beds: 48 Number of ICU Beds: 0 FTE* Infection Preventionists: 0.65 Number of FTEs* per 100 beds: 1.35

[*FTE = Full-time equivalent]

Specialty Acute Care Hospital Hospital Type: Graduate



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)


Note: LabiD events are based on positive laboratory results only; not all LabiD events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

	Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015					
				How Does This Facility		
ı		Observed	Predicted	Compare to the National		
ı	Unit Type	Events	Events	Experience?		
	Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Events	Events	Experience?	
	Facility-wide inpatient	2	1.4	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Charlotte Orthopedic Hospital, Charlotte, Mecklenburg County

Central Line-A	Associated Bloodstream Infections (CLABSI)
	Note from N.C. Division of Public Health: Data are unavailable for this time period.
	Note from N.C. Division of Public Health. Data are unavailable for this time period.
Surgical Site Info	ections (SSI) after Abdominal Hysterectomies
Note from N.C. Division of Dublic Health: Data are unavailable for	this time navied
Note from N.C. Division of Public Health: Data are unavailable for	uns une period.
Surgical Si	ite Infections (SSI) after Colon Surgeries
	ne inicensis (901) area esisti surgeries
₋	
o6	Note from N.C. Division of Public Health: Data are unavailable for this time period.
6	
B	
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.
Ve	Note from N.C. Division of Public Health: Data are unavailable for this time period.

Novant Health Clemmons Medical Center, Clemmons, Forsyth County

2018 Hospital Survey Information Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 2,638 Patient Days in 2018: 5.053 Total Number of Beds: 36 Number of ICU Beds: 0 FTF* Infection Preventionists: 0.33 Number of FTEs* per 100 beds: 0.90

[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility**

Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped Wards Less than 1.0 No Conclusion No Conclusion 0 Less than 1.0 All reporting units

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


able 21 Harriber of Observed and Fredrice Hillory Events/sail Dec 2023					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	1.7	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Clemmons Medical Center, Clemmons, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Forsyth Medical Center, Winston Salem, Forsyth County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 50,819 Patient Days in 2018: 251.458 Total Number of Beds: 859 Number of ICU Beds: 148 FTE* Infection Preventionists: 7.50 Number of FTEs* per 100 beds: 0.87


[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

Catheter-Associated Urinary Tract Infections (CAUTI)



	Observed	Predicted	How Does This Facility Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	17	16	Same
Adult/Ped Wards	5	4.1	Same
All reporting units	22	20	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


Table 21 Trainiber of Observed and Treatered Innoversellary sail Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	18	18	Same	

 ${\bf Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted.}$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	63	192	Better	


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

 \bigstar Better: Fewer infections than predicted by the national baseline experience

Novant Health Forsyth Medical Center, Winston Salem, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)



	Observed	Predicted	How Does This Facility Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	10	15	Same
Adult/Ped Wards	6	5.6	Same
Neonatal Units	1	2.7	Same
All reporting units	17	23	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	4.2	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
How Does This Facility					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	8	9.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

Novant Health Huntersville Medical Center, Huntersville, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 13,953 Patient Days in 2018: 34.886 Total Number of Beds: 91 Number of ICU Beds: 8 FTE* Infection Preventionists: 1.05 Number of FTEs* per 100 beds: 1.15


[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

Catheter-Associated Urinary Tract Infections (CAUTI)



	i i		How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	1.3	Same
All reporting units	0	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness. of Observed and Predicted MRSA Events. Jan-Dac 2019

Table 2: Namber of Observed and Fredicted Wildow Events, July Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	1.7	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	3	19	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

 \bigstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Huntersville Medical Center, Huntersville, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	1	Less than 1.0	No Conclusion	
Adult/Ped Wards	1	1.7	Same	
Neonatal Units	0	Less than 1.0	No Conclusion	
All reporting units	2	2.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	1.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	4.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

Novant Health Kernersville Medical Center, Kernersville, Forsyth County

No comments provided

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 4,644 Patient Days in 2018: 13.383 Total Number of Beds: 50 Number of ICU Beds: 4 FTF* Infection Preventionists: 0.65 Number of FTEs* per 100 beds: 1.30

[*FTE = Full-time equivalent]








Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Experience? **Unit Type** Infections Infections Adult/Ped Wards Less than 1.0 No Conclusion No Conclusion 0 Less than 1.0 All reporting units

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

	able 21 Hamber of Observed and Frederica Hillor (2 Ferrit) san Dec 2025					
ĺ				How Does This Facility		
l		Observed	Predicted	Compare to the National		
l	Unit Type	Events	Events	Experience?		
l	Facility-wide inpatient	2	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	2	4.8	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

Novant Health Kernersville Medical Center, Kernersville, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	1	Less than 1.0	No Conclusion	
All reporting units	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries




 Table 6. Number of Observed and Fredicted 351 infections (colon surgeries), Jan-Dec 2015.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

Novant Health Matthews Medical Center, Matthews, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 14,547 50,458 Patient Days in 2018: Total Number of Beds: 157 Number of ICU Beds: 18 FTF* Infection Preventionists: 1.25 Number of FTEs* per 100 beds: 0.80


[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

Catheter-Associated Urinary Tract Infections (CAUTI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	2	1.3	Same
All reporting units	2	2.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

Table 21 Transport of Conserved and Treated Times (2 consequent 2 con 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	1.8	Same	

 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted.}$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	7	30	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

 \bigstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Matthews Medical Center, Matthews, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	1.2	Same
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	0	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

1	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
				How Does This Facility	
1		Observed	Predicted	Compare to the National	
1	Unit Type	Infections	Infections	Experience?	
	Facility-wide inpatient	2	1.7	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	8	6.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Medical Park Hospital, Winston Salem, Forsyth County

2018 Hospital Survey Information Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 2,601 Patient Days in 2018: 4.691 Total Number of Beds: 22 Number of ICU Beds: 0 FTF* Infection Preventionists: 0.30

1.36

[*FTE = Full-time equivalent]

Number of FTEs* per 100 beds:



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

1




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped Wards Less than 1.0 No Conclusion

Less than 1.0

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

All reporting units

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness. f Observed and Predicted MRSA Events. Jan-Dec 2019


Table 2. Halliber of Observed and Fredeted Wilder Events, July Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



No Conclusion

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	1.0	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Medical Park Hospital, Winston Salem, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	4	8.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Novant Health Mint Hill Medical Center, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 224 1,583 Patient Days in 2018: Total Number of Beds: 36 Number of ICU Beds: 4 FTE* Infection Preventionists: 0.53 Number of FTEs* per 100 beds: 1.46

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Halliber of Observed and Fredeted Wilder Events, July Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	2	3.4	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Mint Hill Medical Center, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicte	ed SSI Infections (colon :	surgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

Novant Health Presbyterian Medical Center, Charlotte, Mecklenburg County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 45,507 Patient Days in 2018: 177,678 Total Number of Beds: 602 Number of ICU Beds: 93 FTE* Infection Preventionists: 6.00 Number of FTEs* per 100 beds: 1.00


[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

Catheter-Associated Urinary Tract Infections (CAUTI)



Tuble 1. Number of Observed and Fredrick	, , , , , , , , , , , , , , , , , , , ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	How Does This Facility
	01	Donadian a	,
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	9	8.6	Same
Adult/Ped Wards	0	2.6	Same
All reporting units	9	11	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide innationt	7	11	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	26	101	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Presbyterian Medical Center, Charlotte, Mecklenburg County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	5	5.8	Same	
Adult/Ped Wards	1	2.7	Same	
Neonatal Units	8	5.2	Same	
All reporting units	14	14	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

able 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	5	6.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicte	ed SSI Infections (colon s	urgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	5	7.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Rowan Medical Center, Salisbury, Rowan County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 15,352 Patient Days in 2018: 54.922 Total Number of Beds: 268 Number of ICU Beds: 20 2.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.75

[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

Catheter-Associated Urinary Tract Infections (CAUTI)




Table 1. Number of Observed and Fredri		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Adult/Ped Wards	1	1.0	Same
All reporting units	2	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

and I realiser or observed and recalcted rintor Events, sair Dev 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	3	2.0	Same	

 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted}.$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Predicted

Events

27

1.4

How Does This Facility

Compare to the National

Experience?

Better

Same

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Unit Type

Facility-wide inpatient

Facility-wide inpatient

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019



Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.	

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

igstar Better: Fewer infections than predicted by the national baseline experience

Observed

Events

0

0

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Rowan Medical Center, Salisbury, Rowan County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	1.3	Same	
All reporting units	0	2.2	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	1	2.5	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

Novant Health Thomasville Medical Center, Thomasville, Davidson County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 6,601 Patient Days in 2018: 28.601 Total Number of Beds: 146 Number of ICU Beds: 13 1.05 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.72


[*FTE = Full-time equivalent]



Commentary From Facility:

At Novant Health, the safety of our patients comes first and we support transparency in reporting. Our goal is to have zero healthcare associated infections and we continually monitor our infection prevention processes for improvement opportunities.

Catheter-Associated Urinary Tract Infections (CAUTI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


and in turnout of observed and received trinor interior and in the interior				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

 ${\tt Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted.}$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	9.4	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

 \bigstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Novant Health Thomasville Medical Center, Thomasville, Davidson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	1	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

Onslow Memorial Hospital, Jacksonville, Onslow County

No comments provided

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 7,880 Patient Days in 2018: 32.491 Total Number of Beds: 162 Number of ICU Beds: 30 FTF* Infection Preventionists: 1.50 Number of FTEs* per 100 beds: 0.93

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped ICUs 1.6 Same All reporting units Δ Same 1.6


Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	2	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	20	15	Same

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Onslow Memorial Hospital, Jacksonville, Onslow County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	Less than 1.0	No Conclusion
Neonatal Units	0	Less than 1.0	No Conclusion
All reporting units	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Ta	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
				How Does This Facility	
		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	3	2.2	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

Pardee Hospital, Hendersonville, Henderson County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 8,170 Patient Days in 2018: 33.213 Total Number of Beds: 142 Number of ICU Beds: 12 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.70

[*FTE = Full-time equivalent]

5

3

SIR


Facility

1.10



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided



Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

1.06

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

Table 21 Hamber of Observed and Fredrick Millor Events, san Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	1	1.3	Same	

0.75

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	12	18	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Pardee Hospital, Hendersonville, Henderson County




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019

				How Does This Facility
1		Observed	Predicted	Compare to the National
1	Unit Type	Infections	Infections	Experience?
	Adult/Ped ICUs	1	Less than 1.0	No Conclusion
	Adult/Ped Wards	2	1.4	Same
ľ	All reporting units	3	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	1	3.0	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Person Memorial Hospital, Roxboro, Person County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 1,124 3,797 Patient Days in 2018: Total Number of Beds: 38 Number of ICU Beds: 6 FTF* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 1.32

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards No Conclusion O Less than 1.0 All reporting units Less than 1.0 No Conclusion 0

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicte	e 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	2	1.5	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Person Memorial Hospital, Roxboro, Person County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	1	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Randolph Hospital Dba Randolph Health, Asheboro, Randolph County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 7,653 18.999 Patient Days in 2018: Total Number of Beds: 85 Number of ICU Beds: 10 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.18

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards No Conclusion Less than 1.0 All reporting units Less than 1.0 No Conclusion


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2: Number of Observed and Fredicted Willow Events, July Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	3	1.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	6	11	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Randolph Hospital Dba Randolph Health, Asheboro, Randolph County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	2	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	2	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	1.3	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Rex Healthcare, Raleigh, Wake County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 32,874 Patient Days in 2018: 146.189 Total Number of Beds: 665 Number of ICU Beds: 83 FTF* Infection Preventionists: 4 50 Number of FTEs* per 100 beds: 0.68

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 13 Same Adult/Ped Wards 20 14 Same All reporting units 27 38 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	7	12	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	120	127	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Rex Healthcare, Raleigh, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predic	erved and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	10	9.1	Same
Adult/Ped Wards	3	11	Better
Neonatal Units	1	Less than 1.0	No Conclusion
All reporting units	14	21	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	1	5.0	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience



Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	18	17	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Rutherford Regional Medical Center, Rutherfordton, Rutherford County

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 3,986 Patient Days in 2018: 17.181 Total Number of Beds: 125 Number of ICU Beds: 10 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.80

2018 Hospital Survey Information

[*FTE = Full-time equivalent]

5

3

SIR





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. Facility Grp. **Facility** NC ACHs **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards No Conclusion Less than 1.0 3 All reporting units 1.3 Same 3 Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. 2.33

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

1.06

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

0.75

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	7	6.8	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Rutherford Regional Medical Center, Rutherfordton, Rutherford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	1	Less than 1.0	No Conclusion	
All reporting units	1	1.0	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	2	1.4	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Sampson Regional Medical Center, Clinton, Sampson County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 4,268 Patient Days in 2018: 11.920 Total Number of Beds: 116 Number of ICU Beds: 8 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.86

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)


No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. Facility Grp. **Facility** NC ACHs **How Does This Facility** Observed **Predicted** Compare to the National 5 Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards Less than 1.0 No Conclusion All reporting units 1.4 Same Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: SIR not calculated if <50 catheter days or <1 predicted infection.

How Does This Facility Compare to the National Experience?

Note: Red line represents the NHSN baseline experience, 2015.

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)


Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Halliber of Observed and Fredeted Willow Events, Juli Dec 2015						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.


How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes Table 3 Number of Observed and Predicted CDIs Jan-Dec 2019



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	3	2.5	Same
Facility-wide inpatient	1	Less than 1.0	No Conclusion
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Sampson Regional Medical Center, Clinton, Sampson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Adult/Ped ICUs	0	Less than 1.0	No Conclusion		
Adult/Ped Wards	0	Less than 1.0	No Conclusion		
All reporting units	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
	How Does This Facility				
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Scotland Memorial Hospital, Laurinburg, Scotland County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 6,462 23.941 Patient Days in 2018: Total Number of Beds: 96 Number of ICU Beds: 12 FTE* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.04

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Table 1. Number of Observed and Fredicted infections by ICO and Ward Type, Jan-Dec 2015.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Harriber of observed and Frederica Hillory 2 terrory sail Dec 2025					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	1.0	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	4	15	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Scotland Memorial Hospital, Laurinburg, Scotland County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	1	Less than 1.0	No Conclusion	
All reporting units	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
	How Does This Facility				
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicte	ed SSI Infections (colon s	surgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	0	1.3	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Select Specialty Hospital-Durham, Durham, Durham County

2018 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital

Admissions in 2018: 293 Patient Days in 2018: 9,429 Total Number of Beds: 30 FTE* Infection Preventionists: 0.50 Number of FTEs* per 100 beds: 1.67


[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, LTACs are no longer required to report LabID MRSA bacteremia and VAE to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)



1	Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.				
				How Does This Facility	
- 1		Observed	Predicted	Compare to the National	
- 1	Unit Type	Infections	Infections	Experience?	
	Reporting Wards	8	2.7	Worse	
	All reporting units	8	2.7	Worse	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	5	9.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Select Specialty Hospital-Durham, Durham, Durham County

Central Line-Associated Bloodstream Infections (CLABSI)




	Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
				How Does This Facility	
- 1		Observed	Predicted	Compare to the National	
	Unit Type	Infections	Infections	Experience?	
	Reporting Wards	4	3.8	Same	
	All reporting units	4	3.8	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Select Specialty Hospital-Greensboro, Greensboro, Guilford County

2018 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital

Admissions in 2018: 330
Patient Days in 2018: 9,665
Total Number of Beds: 30
FTE* Infection Preventionists: 0.40
Number of FTEs* per 100 beds: 1.33


[*FTE = Full-time equivalent]



Commentary From Facility:

Starting with Q4 2018, LTACs are no longer required to report LabID MRSA bacteremia and VAE to CMS. Data presented in this report are accurate as of the date data were downloaded.

Catheter-Associated Urinary Tract Infections (CAUTI)



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Reporting Wards	4	5.6	Same
All reporting units	4	5.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Note from N.C. Division of Public Health: MRSA is not reportable at this facility type after 2018Q3

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	8.9	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

 \bigstar Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Select Specialty Hospital-Greensboro, Greensboro, Guilford County

Solder Specially Frespital Greenssore, Greenssore, Gamera Goa

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Reporting Wards	0	3.6	Better	
All reporting units	0	3.6	Better	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: SSIs are not reportable at this facility type

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Sentara Albemarle Medical Center, Elizabeth City, Pasquotank County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 5,272 Patient Days in 2018: 20.303 Total Number of Beds: 97 Number of ICU Beds: 10 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.03

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections Experience? **Unit Type** Infections Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards O Less than 1.0 No Conclusion All reporting units Same 0 1.0


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)


Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted Witton Events, Jani-Dec 2015				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpa	tient 1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	10	12	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Sentara Albemarle Medical Center, Elizabeth City, Pasquotank County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

-1							
	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
				How Does This Facility			
		Observed	Predicted	Compare to the National			
	Unit Type	Infections	Infections	Experience?			
	Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Southeastern Regional Medical Center, Lumberton, Robeson County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 13,090 Patient Days in 2018: 62.570 Total Number of Beds: 246 Number of ICU Beds: 32 FTF* Infection Preventionists: 2.50 Number of FTEs* per 100 beds: 1.02

[*FTE = Full-time equivalent]

5

Facility



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 3 2.4 Same Adult/Ped Wards 4.0 Same All reporting units 4 Same


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Facility Grp.

NC ACHs

Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

				How Does This Facility
ш				•
П		Observed	Predicted	Compare to the National
П	Unit Type	Events	Events	Experience?
Г	Facility-wide inpatient	1	2.8	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	14	43	Better			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Southeastern Regional Medical Center, Lumberton, Robeson County

Southeastern Regional Medical Center, Edinberton, Robeson Coul

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	4	1.5	Same	
Adult/Ped Wards	3	2.2	Same	
All reporting units	7	3.7	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	3	2.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **UNC Health Care, Chapel Hill, Orange County**

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 44,215 Patient Days in 2018: 300.258 Total Number of Beds: 914 Number of ICU Beds: 201 FTF* Infection Preventionists: 7.50 Number of FTEs* per 100 beds: 0.82

[*FTE = Full-time equivalent]



Commentary From Facility:

UNC Health Care is pleased that rates of all reported healthcare-associated infections are statistically similar or better than similarly-sized hospitals despite care in a tertiary referral hospital for highly vulnerable populations (e.g., organ transplant, HIV infected, cancer, severely burned, and very premature infants). NC residents should be aware that the reported information is NOT entirely adjusted for the severity of illness of the hospital's patients. UNC Health Care supports the need for the data presented in this report to be validated (i.e., demonstration by independent monitors that the submitted data is correct).

Catheter-Associated Urinary Tract Infections (CAUTI)

Adult/Ped Wards

All reporting units




Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections **Experience?** Adult/Ped ICUs 21 38 Better

12

Same

Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

13

34

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID) Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	10	29	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 5. Nulliber of Observed and Fredicted CDIS, Jan-Dec 2015						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	131	206	Better			
Facility-wide inpatient	0	5.9	Better			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 UNC Health Care, Chapel Hill, Orange County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019 How Does This Facility			
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	40	35	Same
Adult/Ped Wards	23	24	Same
Neonatal Units	8	5.8	Same
All reporting units	71	65	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

ı							
	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
				How Does This Facility			
		Observed	Predicted	Compare to the National			
	Unit Type	Infections	Infections	Experience?			
	Facility-wide inpatient	8	6.6	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
	How Does This Facility			
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	32	21	Worse	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 **UNC Rockingham Health, Eden, Rockingham County**

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 5,721 Patient Days in 2018: 13.806 Total Number of Beds: 108 Number of ICU Beds: 8 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.93

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards O Less than 1.0 No Conclusion All reporting units 0 1.5 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

ĺ				How Does This Facility
ı		Observed	Predicted	Compare to the National
ı	Unit Type	Events	Events	Experience?
	Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	6.1	Better		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 UNC Rockingham Health, Eden, Rockingham County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
How Does This Fa					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Vidant Beaufort Hospital, Washington, Beaufort County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 12,259 Patient Days in 2018: 55.188 Total Number of Beds: 70 Number of ICU Beds: 6 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.43

[*FTE = Full-time equivalent]





No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards No Conclusion O Less than 1.0 All reporting units Less than 1.0 No Conclusion 0


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

	Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015					
Γ				How Does This Facility		
ı		Observed	Predicted	Compare to the National		
ı	Unit Type	Events	Events	Experience?		
	Facility-wide inpatient	0	1.5	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	2	14	Better			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Vidant Beaufort Hospital, Washington, Beaufort County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	0	Less than 1.0	No Conclusion
Adult/Ped Wards	0	Less than 1.0	No Conclusion
All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Ta	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
				How Does This Facility			
		Observed	Predicted	Compare to the National			
	Unit Type	Infections	Infections	Experience?			
	Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
How Does This Fa					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Vidant Duplin Hospital, Kenansville, Duplin County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 3,854 Patient Days in 2018: 19.035 Total Number of Beds: 80 Number of ICU Beds: 9 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 1.25

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)


No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. Facility Grp. **Facility** NC ACHs **How Does This Facility** Observed **Predicted** Compare to the National 5 Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards No Conclusion O Less than 1.0 All reporting units Less than 1.0 No Conclusion 0 Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: SIR not calculated if <50 catheter days or <1 predicted infection.

How Does This Facility Compare to the National Experience?

Note: Red line represents the NHSN baseline experience, 2015.

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted WKSA Events, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	5	4.8	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Vidant Duplin Hospital, Kenansville, Duplin County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	1	Less than 1.0	No Conclusion	
All reporting units	1	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
How Does This Facilit					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Vidant Edgecombe Hospital, Tarboro, Edgecombe County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 3,713 Patient Days in 2018: 17.107 Total Number of Beds: 117 Number of ICU Beds: 8 FTF* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.85

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Facility Grp. **Facility** NC ACHs 5 3 SIR 1.83 1.06 0.75 Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion Adult/Ped Wards Less than 1.0 No Conclusion All reporting units 3 1.6 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


able 21 Hamber of Observed and Fredrices (Milos Erents) san Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	3	6.8	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Vidant Edgecombe Hospital, Tarboro, Edgecombe County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	1.1	Same	
Adult/Ped Wards	0	1.4	Same	
All reporting units	0	2.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
		How Does This Facility		
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison



Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
		How Does This Facility		
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Vidant Medical Center, Greenville, Pitt County

2018 Hospital Survey Information


Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 55,779 Patient Days in 2018: 343,239 Total Number of Beds: 974 Number of ICU Beds: 180 FTE* Infection Preventionists: 8.00 Number of FTEs* per 100 beds: 0.82

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided



			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	39	29	Same
Adult/Ped Wards	18	8.7	Worse
All reporting units	57	37	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Hamber of Observed and Fredrices (Milos Erents) san Dec 2025				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	21	28	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predicte	ed CDIS, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	75	193	Better
Facility-wide inpatient	5	9.6	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Vidant Medical Center, Greenville, Pitt County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicte	u CLABSI IIIIections by I	co and ward Type, Jan-	How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	23	25	Same
Adult/Ped Wards	12	16	Same
Neonatal Units	2	3.3	Same
All reporting units	37	45	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	6	2.9	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predic	ted SSI Infections (colon s	surgeries), Jan-Dec 2019.	
		How Does This Facility	
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	18	11	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Vidant Roanoke Chowan Hospital, Ahoskie, Hertford County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 4,401 Patient Days in 2018: 20.097 Total Number of Beds: 114 Number of ICU Beds: 10 1.00 FTF* Infection Preventionists: Number of FTEs* per 100 beds: 0.88

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards Less than 1.0 No Conclusion 2 All reporting units 1.2 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019							
			How Does This Facility				
	Observed	Predicted	Compare to the National				
Unit Type	Events	Events	Experience?				
Facility-wide inpatient	0	7.3	Better				

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Vidant Roanoke Chowan Hospital, Ahoskie, Hertford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

-1							
	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
				How Does This Facility			
		Observed	Predicted	Compare to the National			
	Unit Type	Infections	Infections	Experience?			
	Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predict	ed SSI Infections (colon s	surgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

No comments provided

Wake Forest Baptist Health-Davie Medical Center, Bermuda Run, Davie County

2018 Hospital Surve	ey Information
Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Admissions in 2018:	1,815
Patient Days in 2018:	3,295
Total Number of Beds:	26
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.20
Number of FTEs* per 100 beds:	0.77

[*FTE = Full-time equivalent]








Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National **Unit Type** Infections Infections Experience? Adult/Ped Wards Less than 1.0 No Conclusion No Conclusion 0 Less than 1.0 All reporting units

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	1.3	Same		

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wake Forest Baptist Health-Davie Medical Center, Bermuda Run, Davie County




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
				How Does This Facility
		Observed	Predicted	Compare to the National
	Unit Type	Infections	Infections	Experience?
	Adult/Ped Wards	0	Less than 1.0	No Conclusion
	All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

No comments provided

Wake Forest Baptist Health-Lexington Medical Center, Lexington, Davidson County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 4,399 Patient Days in 2018: 11.404 Total Number of Beds: 82 Number of ICU Beds: 10 FTF* Infection Preventionists: 0.80 Number of FTEs* per 100 beds: 0.98

[*FTE = Full-time equivalent]

5

3

SIR



Catheter-Associated Urinary Tract Infections (CAUTI)


Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. Facility Grp. **Facility** NC ACHs **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 1 Adult/Ped Wards Less than 1.0 No Conclusion O All reporting units Same 1 1.4 Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

ĺ				How Does This Facility
ı		Observed	Predicted	Compare to the National
ı	Unit Type	Events	Events	Experience?
	Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	5	5.9	Same			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Wake Forest Baptist Health-Lexington Medical Center, Lexington, Davidson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Adult/Ped ICUs	1	Less than 1.0	No Conclusion			
Adult/Ped Wards	0	Less than 1.0	No Conclusion			
All reporting units	1	1.1	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicte	ble 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.							
			How Does This Facility					
	Observed	Predicted	Compare to the National					
Unit Type	Infections	Infections	Experience?					
Facility-wide inpatient	0	Less than 1.0	No Conclusion					

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries



Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.							
			How Does This Facility				
	Observed	Predicted	Compare to the National				
Unit Type	Infections	Infections	Experience?				
Facility-wide inpatient	0	Less than 1.0	No Conclusion				

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Wake Forest Baptist Health Wilkes Medical Center, North Wilkesboro, Wilkes County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 3,382 Patient Days in 2018: 11.817 Total Number of Beds: 130 Number of ICU Beds: 8 FTF* Infection Preventionists: 0.70 Number of FTEs* per 100 beds: 0.54

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections Experience? Adult/Ped ICUs Less than 1.0 No Conclusion 0 Adult/Ped Wards No Conclusion Less than 1.0 All reporting units 1.3 Same


Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

able 21 Harriber of Observed and Fredrice Hillory 2 cents/ sail Dec 2025					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide inpatient	3	5.6	Same			

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Wake Forest Baptist Health Wilkes Medical Center, North Wilkesboro, Wilkes County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	0	Less than 1.0	No Conclusion	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	1.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019. **How Does This Facility** Observed Predicted **Compare to the National** Unit Type Infections Infections Experience? **Facility-wide inpatient** 0 Less than 1.0 No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	0	Less than 1.0	No Conclusion			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019

Wake Forest University Baptist Medical Center, Winston-Salem, Forsyth County

2018 Hospital Survey Information Acute Care Hospital

Hospital Type: Medical Affiliation: Major Admissions in 2018: 42,895 Patient Days in 2018: 272.311 Total Number of Beds: 885 Number of ICU Beds: 176 FTF* Infection Preventionists: 8 nn Number of FTEs* per 100 beds: 0.90


[*FTE = Full-time equivalent]



Commentary From Facility:

Wake Forest Baptist Health continuously strives to provide a safe environment for patients, their families and our community. We have launched targeted programs to reduce the risk of acquiring Central Line Associated Bloodstream Infection and Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia events and are reinforcing appropriate infection

Catheter-Associated Urinary Tract Infections (CAUTI)



How Does This Facility Observed **Predicted** Compare to the National

Infections Experience? **Unit Type** Infections Adult/Ped ICUs 10 36 Better Adult/Ped Wards 9 Same 13 All reporting units 19 49 Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID) Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	47	26	Worse

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 5. Number of Observed and Predicted CDIS, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	60	122	Better
Facility-wide inpatient	2	2.1	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wake Forest University Baptist Medical Center, Winston-Salem, Forsyth County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	25	15	Worse	
Adult/Ped Wards	13	14	Same	
Neonatal Units	11	6.4	Same	
All reporting units	49	35	Worse	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	2.6	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
How Does Ti					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	10	12	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 WakeMed, Raleigh, Wake County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Major Admissions in 2018: 44,836 Patient Days in 2018: 208.763 Total Number of Beds: 800 Number of ICU Beds: 134 FTF* Infection Preventionists: 8 NN Number of FTEs* per 100 beds: 1.00

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided

Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. **How Does This Facility** Observed **Predicted** Compare to the National Infections **Unit Type** Infections **Experience?** Adult/Ped ICUs 11 Same Adult/Ped Wards 7.6 10 Same All reporting units 21 26 Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	13	16	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 5. Number of Observed and Predicte	d CDIS, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	54	121	Better
Facility-wide inpatient	4	14	Better

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 WakeMed, Raleigh, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	20	9.7	Worse
Adult/Ped Wards	1	5.9	Better
Neonatal Units	4	4.0	Same
All reporting units	25	20	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	1.3	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	14	7.8	Worse		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 WakeMed Cary Hospital, Cary, Wake County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 16,154 Patient Days in 2018: 53.275 Total Number of Beds: 180 Number of ICU Beds: 12 1.00 FTE* Infection Preventionists: Number of FTEs* per 100 beds: 0.56

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Table 1. Number of Observed and Predicted Infections by ICO and Ward Type, Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	2	1.2	Same	
Adult/Ped Wards	3	2.3	Same	
All reporting units	5	3.5	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019


			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	1.9	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes



Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	12	27	Better		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 WakeMed Cary Hospital, Cary, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	2	Less than 1.0	No Conclusion	
Adult/Ped Wards	4	1.4	Same	
All reporting units	6	2.2	Worse	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.						
			How Does This Facility			
	Observed	Predicted	Compare to the National			
Unit Type	Infections	Infections	Experience?			
Facility-wide inpatient	2	1.1	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience



Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	2	5.6	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Comed North Family Health & Women's Health Deleigh Wake (

Wakemed North Family Health & Women's Hospital, Raleigh, Wake County

2018 Hospital Survey Information Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 4,162 Patient Days in 2018: 9.039 Total Number of Beds: 44 Number of ICU Beds: 0 FTE* Infection Preventionists: 0.25 Number of FTEs* per 100 beds: 0.57





[*FTE = Full-time equivalent]

Facility Facility Grp. NC ACHs 5 4 2 1 0.70 0.75 Figure 1: SIRs and 95% confidence intervals, Jan-Dec 2019.

Catheter-Associated Urinary Tract Infections (CAUTI) Table 1. Number of Observed and Predicted Infections by ICU and Ward Type, Jan-Dec 2019. How Does This

ı				How Does This Facility
ı		Observed	Predicted	Compare to the National
ı	Unit Type	Infections	Infections	Experience?
	Adult/Ped Wards	0	Less than 1.0	No Conclusion
	All reporting units	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	1	1.9	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019

Wakemed North Family Health & Women's Hospital, Raleigh, Wake County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	0	Less than 1.0	No Conclusion	
All reporting units	0	Less than 1.0	No Conclusion	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019. **How Does This Facility** Observed **Predicted Compare to the National** Unit Type Infections Infections Experience? **Facility-wide inpatient** 1.3 Same 2

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wayne Memorial Hospital, Goldsboro, Wayne County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Graduate Admissions in 2018: 12,104 Patient Days in 2018: 54.087 Total Number of Beds: 261 Number of ICU Beds: 15 FTE* Infection Preventionists: 2.00 Number of FTEs* per 100 beds: 0.77

[*FTE = Full-time equivalent]





No comments provided




Table 1. Number of Observed and Fredic	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	1	3.5	Same
Adult/Ped Wards	4	4.2	Same
All reporting units	5	7.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019						
		How Does This Facility				
	Observed	Predicted	Compare to the National			
Unit Type	Events	Events	Experience?			
Facility-wide innationt	5	3 1	Same			

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	26	33	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wayne Memorial Hospital, Goldsboro, Wayne County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	4	3.2	Same	
Adult/Ped Wards	3	2.9	Same	
All reporting units	7	6.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
How Does This Fac					
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	1.0	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	4	2.1	Same		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wesley Long Hospital, Greensboro, Guilford County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital Medical Affiliation: Undergraduate Admissions in 2018: 9,514 Patient Days in 2018: 33.643 Total Number of Beds: 150 Number of ICU Beds: 20 FTE* Infection Preventionists: 1.00 Number of FTEs* per 100 beds: 0.67


[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)



	i i		How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Adult/Ped ICUs	2	1.2	Same
Adult/Ped Wards	1	Less than 1.0	No Conclusion
All reporting units	3	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

able 2. Number of Observed and Fredicted Wilds Events, Jan-Dec 2015					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	2	1.5	Same		

 ${\bf Note: SIR=Standardized\ Infection\ Ratio.\ SIR\ is\ calculated\ by\ \#Observed/\#Predicted.}$

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnesses.




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Events	Events	Experience?		
Facility-wide inpatient	5	21	Better		
Facility-wide inpatient	3	Less than 1.0	No Conclusion		
Facility-wide inpatient	2	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wesley Long Hospital, Greensboro, Guilford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped ICUs	2	Less than 1.0	No Conclusion	
Adult/Ped Wards	1	Less than 1.0	No Conclusion	
All reporting units	3	1.9	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

	Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
Ho				How Does This Facility		
		Observed	Predicted	Compare to the National		
	Unit Type	Infections	Infections	Experience?		
	Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predicted SSI Infections (colon surgeries), Jan-Dec 2019.				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Facility-wide inpatient	8	5.0	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wilson Medical Center, Wilson, Wilson County

2018 Hospital Survey Information


Hospital Type: Acute Care Hospital Medical Affiliation: No Admissions in 2018: 7,492 Patient Days in 2018: 28.173 Total Number of Beds: 145 Number of ICU Beds: 0 FTF* Infection Preventionists: 1.63 Number of FTEs* per 100 beds: 1.12

[*FTE = Full-time equivalent]



Catheter-Associated Urinary Tract Infections (CAUTI)

No comments provided




Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 catheter days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

X Worse: More infections than predicted by the national baseline experience



Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabID events are based on positive laboratory results only; not all LabID events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Predicted MRSA Events, Jan-Dec 2019

			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	1	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illnes




Table 3. Number of Observed and Predicted CDIs, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Events	Events	Experience?	
Facility-wide inpatient	9	7.3	Same	

Note: SIR=Standardized Infection Ratio, SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Wilson Medical Center, Wilson, Wilson County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Adult/Ped Wards	1	1.1	Same	
All reporting units	1	1.1	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	0	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predict	ed SSI Infections (colon s	surgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	0	1.7	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Ventilator-Associated Events (VAE)

North Carolina Healthcare-Associated Infections Report Data from January 1 – December 31, 2019 Women's Hospital, Greensboro, Guilford County

2018 Hospital Survey Information

Hospital Type: Acute Care Hospital - Women's

Medical Affiliation: Major
Admissions in 2018: 7,262
Patient Days in 2018: 51,995
Total Number of Beds: 134
Number of ICU Beds: 40
FTE* Infection Preventionists: 0.50
Number of FTEs* per 100 beds: 0.37

[*FTE = Full-time equivalent]



Commentary From Facility:

Cone Health is committed to preventing harm from Healthcare Associated Infections across our community. We have dedicated multi-disciplinary teams focused on process improvements to ensure improved outcomes for our patients. If you would like further information, please contact Cone Health Infection Prevention Department. Thank you.

Catheter-Associated Urinary Tract Infections (CAUTI)

Note from N.C. Division of Public Health: Data are unavailable for this time period.

Methicillin-Resistant Staphylococcus aureus Laboratory-Identified Bacteremia (MRSA LabID)

Note: LabiD events are based on positive laboratory results only; not all LabiD events represent true illnesses. Events reported here may be higher than events based on clinically-defined illness.

Table 2. Number of Observed and Fredicted WiksA Events, Jan-Dec 2015			
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	2	1.5	Same

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.
Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience




Figure 2: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Clostridioides difficile Laboratory-Identified Infections (CDI LabID)

Note: LabID events are based on positive laboratory results only - not all LabID events represent true illnesses. Rates reported here may be higher than rates based on clinically-defined illness




Figure 3: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Table 3. Number of Observed and Predict	ed CDIs, Jan-Dec 2019		
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Events	Events	Experience?
Facility-wide inpatient	0	8.1	Better
Facility-wide inpatient	0	Less than 1.0	No Conclusion
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted. Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

★ Better: Fewer infections than predicted by the national baseline experience

North Carolina Healthcare-Associated Infections Report Data from January 1 - December 31, 2019 Women's Hospital, Greensboro, Guilford County

Central Line-Associated Bloodstream Infections (CLABSI)




Table 4. Number of Observed and Predicted CLABSI Infections by ICU and Ward Type, Jan-Dec 2019				
			How Does This Facility	
	Observed	Predicted	Compare to the National	
Unit Type	Infections	Infections	Experience?	
Neonatal Units	4	2.0	Same	
All reporting units	4	2.0	Same	

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: SIR not calculated if <50 central line days or <1 predicted infection.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

= Same: About the same number of infections as predicted by the national baseline experience

Surgical Site Infections (SSI) after Abdominal Hysterectomies

Table 5. Number of Observed and Predicted SSI Infections (abdominal hysterectomies), Jan-Dec 2019.					
			How Does This Facility		
	Observed	Predicted	Compare to the National		
Unit Type	Infections	Infections	Experience?		
Facility-wide inpatient	1	Less than 1.0	No Conclusion		

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison




Figure 5: SIRs and 95% Confidence Intervals, Jan-Dec 2019.

Surgical Site Infections (SSI) after Colon Surgeries




Table 6. Number of Observed and Predict	ed SSI Infections (colon s	surgeries), Jan-Dec 2019.	
			How Does This Facility
	Observed	Predicted	Compare to the National
Unit Type	Infections	Infections	Experience?
Facility-wide inpatient	0	Less than 1.0	No Conclusion

Note: SIR=Standardized Infection Ratio. SIR is calculated by #Observed/#Predicted.

Note: Infections from deep incisional and/or organ space.

Note: Red line represents the NHSN baseline experience, 2015.

How Does This Facility Compare to the National Experience?

No Conclusion: Data were reported, but there was not enough information to make a reliable comparison

Ventilator-Associated Events (VAE)

APPENDICES

APPENDIX A. Definitions

<u>Term</u>	<u>Definition</u>
Aggregate data	Sum or total data. For example, aggregate N.C. HAI data refers to the sum, or total, of HAI data for all hospitals in N.C.
ASA Class	Anesthesiologist's pre-operative assessment of the patient's physical condition, using the American Society of Anesthesiologists' (ASA) Classification of Physical Status. 1. Normally healthy patient 2. Patient with mild systemic disease 3. Patient with severe systemic disease that is not incapacitating 4. Patient with an incapacitating systemic disease, constant threat to life 5. Patient not expected to survive for 24 hours with or without the operation
Beds	The number of staffed beds in a facility or patient care location. This may be different from the number of licensed beds.
Catheter days	A daily count of the number of patients with an indwelling urinary catheter. For example, one patient with an indwelling catheter in place for two days or two patients with indwelling catheters in place for one day each would both result in two catheter days. This number is used when presenting rates of catheter-associated urinary tract infections.
Catheter-associated urinary tract infection	Urinary tract infection (UTI) that occurs in a patient who had an indwelling urinary catheter in place for at least two calendar days that was in place on the day of or the day before the onset of the UTI.
Central line	A catheter (tube) that doctors place in a large vein in the neck, chest, or groin ending in a large vein near the heart. It is used to give medication or fluids or to collect blood for medical tests. Also known as a central venous catheter.
Central line-associated bloodstream infection	A bloodstream infection (BSI) that occurs in a patient who had a central line in place for at least two calendar days that was in place on the day of or the day before the onset of the BSI and is not related to an infection at another site.
Central line days	A daily count of the number of patients with a central line. For example, one patient with a central line in place for two days or two patients with central lines in place for one day each would both result in two central line days. This number is used when presenting rates of central line-associated bloodstream infections.
Device days	A daily count of the number of patients with a specific device (e.g., central line, umbilical catheter, or urinary catheter) in the patient care location. For example, one patient with a device in place for two days or two patients with devices in place for one day each would both result in two device days. This number is used when presenting rates of infections associated with the use of devices.
Full-time equivalent	The equivalent of one person working full time for one year: 8 hour per day at 5 days per week for 52 weeks per year = 2080 hours per year
Hand hygiene	A general term that applies to routine hand washing, antiseptic hand wash, antiseptic hand rub, or surgical hand antisepsis.
	<i>Routine hand washing</i> is the use of clean water and non-antimicrobial soap to remove germs, soil and other debris from the hands.
	Antiseptic hand washing is the use of water and antimicrobial soap to remove or kill germs on the hands.

<u>Term</u>	<u>Definition</u>
	<i>Antiseptic hand rub</i> is the use of alcohol-based hand rubs to remove or destroy germs from the hands. Antiseptic hand rubs are less effective when hands are visibly dirty.
	<i>Surgical hand antisepsis</i> is the use of water and antimicrobial soap to remove or kill germs and takes 2-6 minutes to complete as both hands and forearms are cleaned. Water and non-antimicrobial soap can also be used but must be followed with an alcohol-based surgical hand scrub.
Healthcare-associated infections	Healthcare-associated infections (HAI) are infections caused by a wide variety of common and unusual bacteria, fungi, and viruses during the course of receiving medical care.
Intensive care unit	A nursing care area that provides intensive observation, diagnosis, and therapeutic procedures for adults and/or children who are critically ill. Also referred to as critical care unit.
Medical affiliation	Affiliation with a medical school. There are four categories: Major teaching – Facility has a program for medical students and post-graduate medical training. Graduate – Facility has a program for post-graduate medical training (i.e., residency and/or fellowships). Undergraduate – Facility has a program for medical/nursing students only. No –Hospital is not a teaching hospital for physicians and/or physicians in training
Patient days	A daily count of the number of patients in the patient care location during a specified time period.
Rate	Describes the speed with which disease or events occur. The number of diseases or events per unit of time.
Standardized infection ratio	A ratio of observed to expected (or predicted) numbers of events that is adjusted for selected risk factors.
Surgical site infection	Infection that occurs after surgery, in the part of the body where the surgery took place.
Umbilical catheter	Long, thin plastic tubes that travel from the stump of a newborn baby's umbilical cord into the large vessels near the heart
Urinary catheter	A drainage tube that is inserted into the urinary bladder through the urethra, is left in place, and is connected to a closed collection system.
Validity (data)	The extent to which reported cases of a disease or event correspond accurately to cases of a disease event that actually occurred.

APPENDIX B. Acronyms

ACL Adult Care Licensure

APIC-NC Association for Professionals in Infection Control and Epidemiology, N.C. Chapter

ASA American Society of Anesthesiologists

BSI Bloodstream infection

CAUTI Catheter-associated urinary tract infection
CCME Carolinas Center for Medical Excellence

CCU Critical care unit

CDB Communicable Disease Branch

CDC Centers for Disease Control and Prevention

C. diff Clostridioides difficile

CDI *Clostridioides difficile* infection

CI Confidence interval

CMS Centers for Medicare and Medicaid Services
CLABSI Central line-associated bloodstream infections
CRE Carbapenem-resistant Enterobacteriaceae

DHHS Department of Health and Human Services

DHSR Division of Health Service Regulation

DPH Division of Public Health ED Emergency department

HAI Healthcare-associated Infections

ICU Intensive care unit

IPs Infection preventionists

MRSA Methicillin resistant *Staphylococcus aureus*NCHA North Carolina Healthcare Association

N.C. SPICE North Carolina Statewide Program for Infection Control and Epidemiology

NCQC North Carolina Quality Center

NHLC Nursing Home Licensure and Certification

NHSN National Healthcare Safety Network
NICU Neonatal intensive (critical) care unit
QIO Quality improvement organization

SIR Standardized infection ratio

SSI Surgical site infection

VAE Ventilator Associated Event

VRE Vancomycin-resistant Enterococcus

APPENDIX C. Healthcare-Associated Infections Prevention Tips. Appendix C1. Catheter (Central Line)-Associated Bloodstream Infections



about

"Catheter-Associated Bloodstream Infections"

(also known as "Central Line-Associated Bloodstream Infections")

What is a catheter-associated bloodstream infection?

A "central line" or "central catheter" is a tube that is placed into a patient's large vein, usually in the neck, chest, arm, or groin. The catheter is often used to draw blood, or give fluids or medications. It may be left in place for several weeks. A bloodstream infection can occur when bacteria or other germs travel down a "central line" and enter the blood. If you develop a catheter-associated bloodstream infection you may become ill with fevers and chills or the skin around the catheter may become sore and red.

Can a catheter-related bloodstream infection be treated?

A catheter-associated bloodstream infection is serious, but often can be successfully treated with antibiotics. The catheter might need to be removed if you develop an infection.

What are some of the things that hospitals are doing to prevent catheter-associated bloodstream infections?

To prevent catheter-associated bloodstream infections doctors and nurses will:

- Choose a vein where the catheter can be safely inserted and where the risk for infection is small.
- Clean their hands with soap and water or an alcohol-based hand rub before putting in the catheter.
- Wear a mask, cap, sterile gown, and sterile gloves when putting in the catheter to keep it sterile. The patient will be covered with a sterile sheet.
- Clean the patient's skin with an antiseptic cleanser before putting in the catheter.
- Clean their hands, wear gloves, and clean the catheter opening
 with an antiseptic solution before using the catheter to draw
 blood or give medications. Healthcare providers also clean their
 hands and wear gloves when changing the bandage that covers
 the area where the catheter enters the skin.
- Decide every day if the patient still needs to have the catheter. The catheter will be removed as soon as it is no longer needed.
- Carefully handle medications and fluids that are given through the catheter.

What can I do to help prevent a catheter-associated bloodstream infection?

Ask your doctors and nurses to explain why you need the catheter and how long you will have it.

- Ask your doctors and nurses if they will be using all of the prevention methods discussed above.
- Make sure that all doctors and nurses caring for you clean their hands with soap and water or an alcohol-based hand rub before and after caring for you.

If you do not see your providers clean their hands, please ask them to do so.

- If the bandage comes off or becomes wet or dirty, tell your nurse or doctor immediately.
- Inform your nurse or doctor if the area around your catheter is sore or red.
- Do not let family and friends who visit touch the catheter or the tubing.
- Make sure family and friends clean their hands with soap and water or an alcohol-based hand rub before and after visiting you.

What do I need to do when I go home from the hospital?

Some patients are sent home from the hospital with a catheter in order to continue their treatment. If you go home with a catheter, your doctors and nurses will explain everything you need to know about taking care of your catheter.

- Make sure you understand how to care for the catheter before leaving the hospital. For example, ask for instructions on showering or bathing with the catheter and how to change the catheter dressing.
- Make sure you know who to contact if you have questions or problems after you get home.
- Make sure you wash your hands with soap and water or an alcohol-based hand rub before handling your catheter.
- Watch for the signs and symptoms of catheter-associated bloodstream infection, such as soreness or redness at the catheter site or fever, and call your healthcare provider immediately if any occur.

If you have additional questions, please ask your doctor or nurse.













Appendix C2. Catheter-Associated Urinary Tract Infections



"Catheter-Associated Urinary Tract Infection"

What is "catheter-associated urinary tract infection"?

A urinary tract infection (also called "UTI") is an infection in the urinary system, which includes the bladder (which stores the urine) and the kidneys (which filter the blood to make urine). Germs (for example, bacteria or yeasts) do not normally live in these areas; but if germs are introduced, an infection can occur.

If you have a urinary catheter, germs can travel along the catheter and cause an infection in your bladder or your kidney; in that case it is called a catheter-associated urinary tract infection (or "CA-UTI").

What is a urinary catheter?

A urinary catheter is a thin tube placed in the bladder to drain urine. Urine drains through the tube into a bag that collects the urine. A urinary catheter may be used:

- If you are not able to urinate on your own
- To measure the amount of urine that you make, for example, during intensive care
- · During and after some types of surgery
- · During some tests of the kidneys and bladder

People with urinary catheters have a much higher chance of getting a urinary tract infection than people who don't have a catheter.

How do I get a catheter-associated urinary tract infection (CA-UTI)?

If germs enter the urinary tract, they may cause an infection. Many of the germs that cause a catheter-associated urinary tract infection are common germs found in your intestines that do not usually cause an infection there. Germs can enter the urinary tract when the catheter is being put in or while the catheter remains in the bladder.

What are the symptoms of a urinary tract infection?

Some of the common symptoms of a urinary tract infection are:

- Burning or pain in the lower abdomen (that is, below the stomach)
- Fever
- Bloody urine may be a sign of infection, but is also caused by other problems
- Burning during urination or an increase in the frequency of urination after the catheter is removed.

Sometimes people with catheter-associated urinary tract infections do not have these symptoms of infection.

Can catheter-associated urinary tract infections be treated?

Yes, most catheter-associated urinary tract infections can be treated with antibiotics and removal or change of the catheter. Your doctor will determine which antibiotic is best for you.

What are some of the things that hospitals are doing to prevent catheterassociated urinary tract infections?

To prevent urinary tract infections, doctors and nurses take the following actions.

Catheter insertion

- o Catheters are put in only when necessary and they are removed as soon as possible.
- Only properly trained persons insert catheters using sterile ("clean") technique.
- o The skin in the area where the catheter will be inserted is cleaned before inserting the catheter.
- o Other methods to drain the urine are sometimes used, such as
- External catheters in men (these look like condoms and are placed over the penis rather than into the penis)
- Putting a temporary catheter in to drain the urine and removing it right away. This is called intermittent urethral catheterization.

Catheter care

 Healthcare providers clean their hands by washing them with soap and water or using an alcohol-based hand rub before and after touching your catheter.

If you do not see your providers clean their hands, please ask them to do so.

- o Avoid disconnecting the catheter and drain tube. This helps to prevent germs from getting into the catheter tube.
- o The catheter is secured to the leg to prevent pulling on the catheter.
- o Avoid twisting or kinking the catheter.
- o Keep the bag lower than the bladder to prevent urine from backflowing to the bladder.
- Empty the bag regularly. The drainage spout should not touch anything while emptying the bag.

What can I do to help prevent catheter-associated urinary tract infections if I have a catheter?

- Always clean your hands before and after doing catheter care.
- Always keep your urine bag below the level of your bladder.
- . Do not tug or pull on the tubing.
- · Do not twist or kink the catheter tubing.
- Ask your healthcare provider each day if you still need the catheter.

What do I need to do when I go home from the hospital?

- If you will be going home with a catheter, your doctor or nurse should explain everything you need to know about taking care of the catheter. Make sure you understand how to care for it before you leave the hospital.
- If you develop any of the symptoms of a urinary tract infection, such as burning or pain in the lower abdomen, fever, or an increase in the frequency of urination, contact your doctor or nurse immediately.
- Before you go home, make sure you know who to contact if you have questions or problems after you get home.

If you have questions, please ask your doctor or nurse.















"Surgical Site Infections"

What is a Surgical Site Infection (SSI)?

A surgical site infection is an infection that occurs after surgery in the part of the body where the surgery took place. Most patients who have surgery do not develop an infection. However, infections develop in about 1 to 3 out of every 100 patients who have surgery.

Some of the common symptoms of a surgical site infection are:

- Redness and pain around the area where you had surgery
- · Drainage of cloudy fluid from your surgical wound
- Fever

Can SSIs be treated?

Yes. Most surgical site infections can be treated with antibiotics. The antibiotic given to you depends on the bacteria (germs) causing the infection. Sometimes patients with SSIs also need another surgery to treat the infection.

What are some of the things that hospitals are doing to prevent SSIs?

To prevent SSIs, doctors, nurses, and other healthcare providers:

- Clean their hands and arms up to their elbows with an antiseptic agent just before the surgery.
- Clean their hands with soap and water or an alcohol-based hand rub before and after caring for each patient.
- May remove some of your hair immediately before your surgery using electric clippers if the hair is in the same area where the procedure will occur. They should not shave you with a razor.
- Wear special hair covers, masks, gowns, and gloves during surgery to keep the surgery area clean.
- Give you antibiotics before your surgery starts. In most cases, you should get antibiotics within 60 minutes before the surgery starts and the antibiotics should be stopped within 24 hours after surgery.
- Clean the skin at the site of your surgery with a special soap that kills germs.

What can I do to help prevent SSIs?

Before your surgery:

Tell your doctor about other medical problems you may have.
 Health problems such as allergies, diabetes, and obesity could affect your surgery and your treatment.

- Quit smoking. Patients who smoke get more infections. Talk to your doctor about how you can quit before your surgery.
- Do not shave near where you will have surgery. Shaving with a razor can irritate your skin and make it easier to develop an infection.

At the time of your surgery:

- Speak up if someone tries to shave you with a razor before surgery.
 Ask why you need to be shaved and talk with your surgeon if you have any concerns.
- · Ask if you will get antibiotics before surgery.

After your surgery:

 Make sure that your healthcare providers clean their hands before examining you, either with soap and water or an alcohol-based hand rub.

If you do not see your providers clean their hands, please ask them to do so.

- Family and friends who visit you should not touch the surgical wound or dressings.
- Family and friends should clean their hands with soap and water or an alcohol-based hand rub before and after visiting you. If you do not see them clean their hands, ask them to clean their hands.

What do I need to do when I go home from the hospital?

- Before you go home, your doctor or nurse should explain everything you need to know about taking care of your wound. Make sure you understand how to care for your wound before you leave the hospital.
- Always clean your hands before and after caring for your wound.
- Before you go home, make sure you know who to contact if you have questions or problems after you get home.
- If you have any symptoms of an infection, such as redness and pain at the surgery site, drainage, or fever, call your doctor immediately.

If you have additional questions, please ask your doctor or nurse.













Appendix C4. Methicillin-Resistant Staphylococcus aureus LabID Events



"MRSA"

(Methicillin-Resistant Staphylococcus aureus)

What is MRSA?

Staphylococcus aureus (pronounced staff-ill-oh-KOK-us AW-ree-us), or "Staph" is a very common germ that about 1 out of every 3 people have on their skin or in their nose. This germ does not cause any problems for most people who have it on their skin. But sometimes it can cause serious infections such as skin or wound infections, pneumonia, or infections of the blood.

Antibiotics are given to kill Staph germs when they cause infections. Some *Staph* are resistant, meaning they cannot be killed by some antibiotics. *"Methicillin-resistant Staphylococcus aureus"* or "MRSA" is a type of *Staph* that is resistant to some of the antibiotics that are often used to treat *Staph* infections.

Who is most likely to get an MRSA infection?

In the hospital, people who are more likely to get an MRSA infection are people who:

- have other health conditions making them sick
- · have been in the hospital or a nursing home
- · have been treated with antibiotics.

People who are healthy and who have not been in the hospital or a nursing home can also get MRSA infections. These infections usually involve the skin. More information about this type of MRSA infection, known as "community-associated MRSA" infection, is available from the Centers for Disease Control and Prevention (CDC). http://www.cdc.gov/mrsa

How do I get an MRSA infection?

People who have MRSA germs on their skin or who are infected with MRSA may be able to spread the germ to other people. MRSA can be passed on to bed linens, bed rails, bathroom fixtures, and medical equipment. It can spread to other people on contaminated equipment and on the hands of doctors, nurses, other healthcare providers and visitors.

Can MRSA infections be treated?

Yes, there are antibiotics that can kill MRSA germs. Some patients with MRSA abscesses may need surgery to drain the infection. Your healthcare provider will determine which treatments are best for you.

What are some of the things that hospitals are doing to prevent MRSA infections?

To prevent MRSA infections, doctors, nurses, and other healthcare providers:

- Clean their hands with soap and water or an alcohol-based hand rub before and after caring for every patient.
- Carefully clean hospital rooms and medical equipment.
- Use **Contact Precautions** when caring for patients with MRSA. Contact Precautions mean:
 - o Whenever possible, patients with MRSA will have a single room or will share a room only with someone else who also has MRSA.
 - o Healthcare providers will put on gloves and wear a gown over their clothing while taking care of patients with MRSA.

- o Visitors may also be asked to wear a gown and gloves.
- o When leaving the room, hospital providers and visitors remove their gown and gloves and clean their hands.
- Patients on Contact Precautions are asked to stay in their hospital rooms as much as possible. They should not go to common areas, such as the gift shop or cafeteria. They may go to other areas of the hospital for treatments and tests.
- May test some patients to see if they have MRSA on their skin. This test involves rubbing a cotton-tipped swab in the patient's nostrils or on the skin.

What can I do to help prevent MRSA infections?

In the hospital

 Make sure that all doctors, nurses, and other healthcare providers clean their hands with soap and water or an alcohol-based hand rub before and after caring for you.

If you do not see your providers clean their hands, please ask them to do so.

When you go home

 If you have wounds or an intravascular device (such as a catheter or dialysis port) make sure that you know how to take care of them.

Can my friends and family get MRSA when they visit me?

The chance of getting MRSA while visiting a person who has MRSA is very low. To decrease the chance of getting MRSA your family and friends should:

- Clean their hands before they enter your room and when they leave.
- Ask a healthcare provider if they need to wear protective gowns and gloves when they visit you.

What do I need to do when I go home from the hospital?

To prevent another MRSA infection and to prevent spreading MRSA to others:

- Keep taking any antibiotics prescribed by your doctor. Don't take halfdoses or stop before you complete your prescribed course.
- Clean your hands often, especially before and after changing your wound dressing or bandage.
- People who live with you should clean their hands often as well.
- Keep any wounds clean and change bandages as instructed until healed.
- Avoid sharing personal items such as towels or razors.
- Wash and dry your clothes and bed linens in the warmest temperatures recommended on the labels.
- Tell your healthcare providers that you have MRSA. This includes home health nurses and aides, therapists, and personnel in doctors' offices.
- Your doctor may have more instructions for you.

If you have questions, please ask your doctor or nurse.















"Clostridium Difficile"

What is Clostridium difficile infection?

Clostridium difficile [pronounced Klo-STRID-ee-um dif-uh-SEEL], also known as "C. diff" [See-dif], is a germ that can cause diarrhea. Most cases of C. diff infection occur in patients taking antibiotics. The most common symptoms of a C. diff infection include:

Watery diarrhea Fever Loss of appetite Nausea Belly pain and tenderness

Who is most likely to get C. diff infection?

The elderly and people with certain medical problems have the greatest chance of getting *C. diff*. *C. diff* spores can live outside the human body for a very long time and may be found on things in the environment such as bed linens, bed rails, bathroom fixtures, and medical equipment. *C. diff* infection can spread from person-toperson on contaminated equipment and on the hands of doctors, nurses, other healthcare providers and visitors.

Can C. diff infection be treated?

Yes, there are antibiotics that can be used to treat *C. diff.* In some severe cases, a person might have to have surgery to remove the infected part of the intestines. This surgery is needed in only 1 or 2 out of every 100 persons with *C. diff.*

What are some of the things that hospitals are doing to prevent C. diff infections?

To prevent *C. diff.* infections, doctors, nurses, and other healthcare providers:

- Clean their hands with soap and water or an alcohol-based hand rub before and after caring for every patient. This can prevent C. diff and other germs from being passed from one patient to another on their hands.
- Carefully clean hospital rooms and medical equipment that have been used for patients with *C. diff*.
- Use Contact Precautions to prevent *C. diff* from spreading to other patients. Contact Precautions mean:
 - o Whenever possible, patients with *C. diff* will have a single room or share a room only with someone else who also has *C. diff*.
 - o Healthcare providers will put on gloves and wear a gown over their clothing while taking care of patients with *C. diff*.
 - o Visitors may also be asked to wear a gown and gloves.
 - o When leaving the room, hospital providers and visitors remove their gown and gloves and clean their hands.

- Patients on Contact Precautions are asked to stay in their hospital rooms as much as possible. They should not go to common areas, such as the gift shop or cafeteria. They can go to other areas of the hospital for treatments and tests.
- · Only give patients antibiotics when it is necessary.

What can I do to help prevent C. diff infections?

Make sure that all doctors, nurses, and other healthcare providers clean their hands with soap and water or an alcohol-based hand rub before and after caring for you.

If you do not see your providers clean their hands, please ask them to do so.

- Only take antibiotics as prescribed by your doctor.
- Be sure to clean your own hands often, especially after using the bathroom and before eating.

Can my friends and family get C. diff when they visit me?

C. diff infection usually does not occur in persons who are not taking antibiotics. Visitors are not likely to get *C. diff*. Still, to make it safer for visitors, they should:

- Clean their hands before they enter your room and as they leave your room
- Ask the nurse if they need to wear protective gowns and gloves when they visit you.

What do I need to do when I go home from the hospital?

Once you are back at home, you can return to your normal routine. Often, the diarrhea will be better or completely gone before you go home. This makes giving *C. diff* to other people much less likely. There are a few things you should do, however, to lower the chances of developing *C. diff* infection again or of spreading it to others.

- If you are given a prescription to treat C. diff, take the medicine exactly as prescribed by your doctor and pharmacist. Do not take half-doses or stop before you run out.
- Wash your hands often, especially after going to the bathroom and before preparing food.
- People who live with you should wash their hands often as well.
- If you develop more diarrhea after you get home, tell your doctor immediately.
- · Your doctor may give you additional instructions.

If you have questions, please ask your doctor or nurse.













Surveillance for Healthcare-Associated and Resistant Pathogens Patient Safety (SHARPPS) Program Advisory Board

Sheryl A. Bedno, MD, DrPH, FACPM, LTC, MC Chief, Preventive Medicine Womack Army Medical Center

Gerald Capraro, PhD, D(ABMM) Director, Clinical Microbiology Laboratory Carolinas HealthCare System

Savannah Carrico, MPH Epidemiologist, SHARPPS Program N.C. Division of Public Health

Kimberly Clement, MPH

Program Manager, Healthcare Preparedness Program Manager NC Office of Emergency Medical Services

Kathy Cochran, RN, CIC Infection Preventionist Vidant Health

Evelyn Cook, RN, CIC

Associate Director, N.C. Statewide Program in Infection Control Epidemiology (UNC School of Medicine)

Cindy Deporter, MSSW State Survey Agency Director (DHSR) Acting Assistant Section Chief Acute and Home Care

Jessica Dixon, MHA, BSN, RN, CIC, FAPIC Infection Prevention Specialist WakeMed Health & Hospitals

Deborah Dolan, BS Health Educator, SHARPPS Program N.C. Division of Public Health

Evelyn Foust, MPH, CPM Communicable Disease Branch Head N.C. Division of Public Health

Shermalyn Greene, PhD Molecular Diagnostics & Epidemiology Program Manager N.C. State Laboratory of Public Health

Representative Verla Insko (Orange County) N.C. House of Representatives

Shelby Lassiter, BSN, RN, CPHQ Director, Clinical Improvement N.C. Healthcare Association

Becky Smith, MD Duke University Health System Sarah Lewis, MD Duke Infection Control Outreach Network (DICON)

Rachel Long, MT, MAE, CIC, FAPIC, FEPI

Member at Large

Jennifer MacFarquhar, MPH, BSN, RN, CIC (Chair) Director, SHARPPS Program N.C. Division of Public Health

Jean-Marie Maillard, MD, MSc Head, Medical Consultation Unit N.C. Division of Public Health

Zack Moore, MD, MPH NC State Epidemiologist N.C. Division of Public Health

Katie Passaretti, MD Hospital Epidemiologist Atrium Healthcare

Sylvia I. Pegg, RN, BSN, CIC Infection Preventionist

Wake Forest Baptist Medical Center

Sally Penick Infection Preventionist Cherokee Indian Hospital

David Priest, MD, MPH Medical Director, Infection Prevention and Antimicrobial Stewardship, Novant Health

Brittany Richo, MS, HSA SHARPPS Program Manager N.C. Division of Public Health

William A. Rutala, PhD, MPH Director, N.C. Statewide Program in Infection Control and Epidemiology (UNC School of Medicine)

Emily Sickbert-Bennett, PhD, MS, CIC Director, Hospital Epidemiology UNC Hospitals

Philip Sloane, MD, MPH Department of Family Medicine University of North Carolina at Chapel Hill

Meg Sredl MPH HAI Epidemiologist N.C. Division of Public Health

Kristine Williamson, MSN, RN, CPHQ Task Lead, Antibiotic Stewardship Alliant Quality, QIN-QIO for Georgia and North Carolina

Appendix E. Healthcare Facility Groupings, 2019 National Healthcare Safety Network Annual Hospital Survey

Appendix E1 Healthcare Facility Group: Short-term Acute Care Hospitals

Hospital Group	Hospital Name	Number of Beds
1-99 beds	FirstHealth Moore Regional Hospital - Hoke Campus	8
	Carolinas Healthcare System Anson	15
	Cherokee Indian Hospital	18
	North Carolina Specialty Hospital	18
	Novant Health Medical Park Hospital	22
	Cape Fear Valley Hoke Hospital	29
	Murphy Medical Center	32
	McDowell Hospital	34
	Novant Health Clemmons Medical Center	36
	Person Memorial Hospital	38
	WakeMed North Family Health & Women's Hospital	44
	Novant Health Charlotte Orthopedic Hospital	48
	Martin General Hospital	49
	Wake Forest Baptist Health-Davie Medical Center	50
	Johnston Health Clayton	50
	Novant Health Kernersville Medical Center	50
	Central Harnett Hospital	50
	Annie Penn Hospital	53
	Granville Medical Center	62
	Columbus Regional Healthcare System	70
		70
	Carteret General Hospital	72
	Kings Mountain Hospital Novant Health Brunswick Medical Center	
		74
	FirstHealth Moore Regional Hospital - Richmond Campus	79
	Vidant Duplin Hospital	80
	Hugh Chatham Memorial Hospital	81
	Randolph Hospital DBA Randolph Health	85
	Caldwell Memorial Hospital	85
	Wake Forest Baptist Health-Lexington Medical Center	85
	DLP - Harris Regional Hospital	86
	Vidant Beaufort Hospital	88
	Halifax Regional Medical Center	90
	Novant Health Huntersville Medical Center	91
	Sentara Albemarle Medical Center	97
	Park Ridge Health	98
100-199 beds	Carolinas Medical Center- University	100
	Haywood Regional Medical Center	100
	Northern Hospital of Surry County	100
	Maria Parham Medical Center	101
	Carolinas HealthCare System Lincoln	101
	Betsy Johnson Hospital	101
	Scotland Memorial Hospital	104
	UNC Rockingham Health	108
	Stanly Regional Medical Center	109
	Vidant Roanoke Chowan Hospital	114
	Sampson Regional Medical Center	116
	Central Carolina Hospital	116
	ARHS-Watauga Medical Center	117
	Vidant Edgecombe Hospital	117
	Lake Norman Regional Medical Center	123
	Rutherford Regional Medical Center	125

Hospital Group	Hospital Name	Number of Beds
100-199 beds cont.	Women's Hospital	134
	Pardee Hospital	138
	Carolinas Healthcare System Blue Ridge	139
	Davis Regional Medical Center	144
	Wilson Medical Center	145
	Novant Health Matthews Medical Center	146
	Novant Health Thomasville Medical Center	149
	Wesley Long Hospital	150
	Nash Health Care Systems	155
	Onslow Memorial Hospital	162
	Lenoir Memorial Hospital, Inc	167
	Frye Regional Medical Center	170
	Johnston Health	172
	Duke Raleigh Hospital	177
	WakeMed Cary Hospital	180
	Carolinas Medical Center - Union	182
	Catawba Valley Medical Center	190
	Iredell Memorial Hospital	199
200-399 beds	Carolinas Medical Center- Pineville	206
200-377 beus	Carolinas Medical Center- Mercy	213
	Duke Regional Hospital	214
	Alamance Regional Medical Center	238
	Carolinas Healthcare System Cleveland	241
	Wayne Memorial Hospital	242
	Cherry Hospital	243
	Southeastern Regional Medical Center	246
	Novant Health Rowan Medical Center	268
	Broughton Hospital	297
	High Point Regional Health System	300
	CarolinaEast Medical Center	350
	FirstHealth Moore Regional Hospital	376
400+ beds	0	405
400+ beus		435
	Gaston Memorial Hospital	
	Moses Cone Hospital	443
	Carolinas Healthcare System - NorthEast	457
	Rex Healthcare	665
	Novant Health Presbyterian Medical Center	699
	New Hanover Regional Medical Center	711
	WakeMed	716
	Cape Fear Valley Health System	775
	Mission Hospital	791
	Novant Health Forsyth Medical Center	879
Primary Medical School Affiliation	Wake Forest University Baptist Medical Center	885
	Carolinas Medical Center	898
	Vidant Medical Center	909
	UNC Health Care	914
	Duke University Hospital	952

Appendix E2 Healthcare Facility Group: Long-term Acute Care Hospitals

Hospital Name

Select Specialty Hospital, Greensboro

Select Specialty Hospital, Durham

Carolinas Specialty Hospital

LifeCare Hospitals of North Carolina

Kindred Hospital Greensboro

Carolinas ContinueCARE Hospital at Kings Mountain

Highsmith Rainey Specialty Hospital

Asheville Specialty Hospital

Appendix E3 Healthcare Facility Group: Inpatient Rehabilitation Facilities

Facility Name

Bryant T. Aldridge Rehabililtation Center

Cape Fear Valley Rehabilitation Center

CarePartners Health Services

Carolinas Rehabilitation

Carolinas Rehabilitation North East

Carolinas Rehabillitation Mount Holly

CHS Pineville Rehabilitation