


North Carolina



2000 STD Surveillance Report

HIV/STD Prevention and Care Branch
Epidemiology and Special Studies Unit

North Carolina Department of Health and Human Services
Division of Public Health



This document was revised on June 15, 2001
An Affirmative Action / Equal Opportunity Employer



Preface

This report, *North Carolina 2000 STD Surveillance Report*, includes summary tables of surveillance reports and other information for the sexually transmitted diseases: syphilis, gonorrhea, chlamydia and HIV disease. In some instances total numbers of reports may not agree between separate cross-tabulations due to missing values for some variables. Tables presenting reports by year are intended to be reports by date of receipt in the Epidemiology and Special Studies Unit office rather than by date of diagnosis. References to regions reflect current regional assignments for HIV/STD Prevention & Care Branch activities (see regional map on page 19 for clarification). This publication along with other STD/HIV reports is available on the website, <http://www.schs.state.nc.us/epi/hiv/surveillance.html> .

The category “HIV disease” includes all new reports of HIV infected individuals by the date the report was received. Most of these reports are initially received as HIV infection reports, but in some instances infected individuals are reported with an AIDS diagnosis without first being reported with HIV. These AIDS reports are included in our HIV disease category since it is the first incidence of disease that we have received for that person. For example, if an individual was reported in 1995 with HIV and then reported in 1999 with an AIDS diagnosis, then this individual would *not* be counted as a new report in 1999 under HIV disease (it would be retained as a 1995 report). If another individual was reported with AIDS in 1999, but had never been reported to the health department with HIV, then this individual would be included as a new report under HIV disease (1999). Thus HIV disease includes all reports of HIV and AIDS. By contrast separate tables or reports that summarize AIDS cases (not in this report) generally include all AIDS cases *by the year of report for the AIDS diagnosis*. The numbers of HIV disease reports should not be added to AIDS case totals to estimate incidence, since AIDS reports are included in both tables and the year of report reference is different.

Rates presented in this publication were calculated using population estimates that were available at the end of 1999 from the US Census Bureau and the NC State Demographers Office. These rates do not include data from the new 2000 year census which was unavailable at press time. Rates in this publication are presented for several categories of race/ethnicity and age groups for each disease as well as for each county. In general, rates should be viewed with caution. This is especially true of rates that are based on small numbers of cases (generally fewer than 20) because these rates have large standard errors and confidence intervals that can be wider than the rates themselves. Thus, it is important to keep in mind that rates based on small numbers of cases should be considered unstable. For a more complete discussion of rates based on small numbers, please see the North Carolina Center for Health Informatics and Statistics’s publication, Statistical Primer No.12 “Problems With Rates Based on Small Numbers” by Paul Buescher. This publication is available at the website, <http://www.schs.state.nc.us/SCHS/>


Please direct any questions or comments about the *North Carolina 2000 STD Surveillance Report* to:

Epidemiology and Special Studies Unit
HIV/STD Prevention and Care Branch
Section of Human Ecology and Epidemiology
1902 Mail Service Center
Raleigh, North Carolina 27699-1902
(919) 733-7301.

Primary & Secondary Syphilis										
Category	Year of Report									
	1996		1997		1998		1999		2000	
	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^I
Age Group										
Missing age	5		8		11		12		0	
Under 5 years	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
05-12 years	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 years	90	12.9	50	7.1	55	7.6	40	5.5	33	4.4
20-29 years	365	34.2	211	19.9	218	20.7	134	12.9	156	15.1
30-39 years	371	31.0	271	22.7	255	21.3	164	13.6	162	13.5
40-49 years	156	14.5	124	11.3	138	12.3	74	6.5	94	8.0
50 years and over	65	3.4	57	2.9	46	2.2	40	1.9	38	1.7
Total	1052	14.4	721	9.7	723	9.6	464	6.1	483	6.2
Race/Ethnicity										
Missing race	1		0		1		1		0	
White*	102	1.9	80	1.5	105	1.9	81	1.4	95	1.7
African Am. or Black*	922	57.5	608	37.4	562	34.1	346	20.7	344	20.3
Am. Indian/AI. Native*	6	6.6	19	20.5	23	24.3	19	19.7	19	19.4
Asian/Pacific Islander*	0	0.0	0	0.0	1	1.1	1	1.0	0	0.0
Hispanic	21	15.8	14	9.5	31	19.2	16	9.1	25	13.1
Total	1052	14.4	721	9.7	723	9.6	464	6.1	483	6.2
* Not Hispanic										
Sex										
Male	571	16.1	369	10.2	376	10.3	262	7.1	249	6.6
Female	481	12.8	352	9.2	347	8.9	202	5.1	234	5.8
Total	1052	14.4	721	9.7	723	9.6	464	6.1	483	6.2

H per 100,000 population based on estimates available from the U.S. Census


I per 100,000 population based on projection (simple linear) using 1996-99 U.S. Census estimates



Early Syphilis (Primary, Secondary & Early Latent)										
Category	Year of Report									
	1996		1997		1998		1999		2000	
	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^I
Age Group										
Missing age	9		17		35		43		0	
Under 5 years	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0
05-12 years	1	0.1	0	0.0	0	0.0	1	0.1	2	0.2
13-19 years	207	29.7	134	18.9	129	17.9	91	12.4	76	10.2
20-29 years	757	71.0	509	48.0	527	50.1	393	37.8	335	32.5
30-39 years	724	60.5	552	46.2	517	43.2	386	32.1	389	32.3
40-49 years	291	27.0	280	25.6	264	23.5	205	17.9	216	18.5
50 years and over	132	6.8	129	6.5	96	4.7	85	4.0	83	3.8
Total	2121	29.0	1621	21.8	1569	20.8	1204	15.7	1101	14.2
Race/Ethnicity										
Missing race	3		1		3		2		1	
White*	196	3.6	163	3.0	213	3.8	196	3.5	189	3.3
African Am. or Black*	1859	115.9	1367	84.0	1221	74.0	894	53.5	783	46.2
Am. Indian/Al. Native*	15	16.5	36	38.8	53	56.1	49	50.9	50	51.0
Asian/Pacific Islander*	0	0.0	2	2.3	1	1.1	4	4.0	2	1.9
Hispanic	48	36.1	52	35.3	78	48.2	59	33.6	76	40.0
Total	2121	29.0	1621	21.8	1569	20.8	1204	15.7	1101	14.2
* Not Hispanic										
Sex										
Male	1044	29.5	799	22.2	789	21.6	623	16.8	551	14.6
Female	1077	28.6	822	21.5	780	20.1	581	14.7	550	13.7
Total	2121	29.0	1621	21.8	1569	20.8	1204	15.7	1101	14.2

H per 100,000 population based on estimates available from the U.S. Census


I per 100,000 population based on projection (simple linear) using 1996-99 U.S. Census estimates



Congenital Syphilis										
Category	Year of Birth									
	1996		1997		1998		1999		2000 ¹	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Race/Ethnicity										
White ^H	5	16.1	1	5.6	5	20.8	7	33.3	0	0.0
Black ^H	25	80.6	14	77.8	17	70.8	12	57.1	12	70.6
Other*	1	3.2	3	16.7	2	8.3	2	9.5	5	29.4
Total	31	100	18	100	24	100	21	100	17	100

^H Not Hispanic * includes Am. Indian/Alaska Native, Asian/Pacific Islander, Hispanic

¹ Special note: 2000 data are preliminary as of January 19, 2001. Some case information is currently under review.




*includes Am. Indian/Alaska Native, Asian/Pacific Islander, Hispanic

Gonorrhea										
Category	Year of Report									
	1996		1997		1998		1999		2000	
	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^H	Cases	Rate ^I
Age Group										
Missing age	402		351		436		1281		2	
Under 5 years	16	3.1	9	1.7	20	3.8	11	2.1	31	5.7
05-12 years	35	4.3	17	2.0	32	3.7	25	2.8	36	4.0
13-19 years	5587	801.7	5041	711.4	5534	766.7	5170	704.8	4810	644.7
20-29 years	8249	773.7	7683	724.7	9006	855.8	8809	847.7	9069	878.5
30-39 years	2812	235.1	2661	222.6	2909	242.9	2709	225.2	2724	226.2
40-49 years	894	82.9	870	79.4	988	88.1	1074	93.6	962	82.3
50 years and over	234	12.1	256	12.8	296	14.4	349	16.5	362	16.7
Total	18229	249.5	16888	227.3	19221	254.7	19428	253.9	17996	231.6
Race/Ethnicity										
Missing race	17		26		21		41		29	
White*	1983	36.7	1979	36.2	2461	44.4	2666	47.5	2432	42.8
African Am. or Black*	15741	981.8	14307	879.1	16100	975.5	16040	960.3	14763	871.5
Am. Indian/Al. Native*	190	209.3	206	221.9	200	211.7	217	225.5	225	229.4
Asian/Pacific Islander*	25	30.3	30	33.9	46	48.4	49	48.5	50	46.5
Hispanic	273	205.2	340	230.9	393	242.8	415	236.2	497	261.4
Total	18229	249.5	16888	227.3	19221	254.7	19428	253.9	17996	231.6
* Not Hispanic										
Sex										
Male	9747	275.0	9044	251.0	10095	275.9	10339	278.7	9454	250.9
Female	8482	225.4	7844	205.1	9126	234.8	9089	230.6	8541	213.4
Total	18229	249.5	16888	227.3	19221	254.7	19428	253.9	17996 ^x	231.6

H per 100,000 population based on estimates available from the U.S. Census

I per 100,000 population based on projection (simple linear) using 1995-98 U.S. Census estimates

x total includes a report with missing information




Chlamydia										
Category	Year of Report									
	1996		1997		1998		1999		2000	
	Cases	Rate^H	Cases	Rate^H	Cases	Rate^H	Cases	Rate^H	Cases	Rate^I
Age Group										
Missing age	444		416		468		892		1	
Under 5 years	23	4.5	17	3.3	21	4.0	17	3.2	62	11.5
05-12 years	27	3.3	24	2.8	44	5.1	21	2.4	44	4.9
13-19 years	6738	966.9	7485	1056.4	9859	1365.9	9162	1249.0	9105	1220.5
20-29 years	6724	630.7	7822	737.8	10095	959.3	10069	968.9	11033	1068.8
30-39 years	931	77.9	1088	91.0	1415	118.2	1353	112.5	1571	130.5
40-49 years	144	13.4	208	19.0	234	20.9	237	20.7	271	23.2
50 years and over	47	2.4	48	2.4	61	3.0	61	2.9	89	4.1
Total	15078	206.3	17108	230.3	22197	294.2	21812	285.1	22176	285.4
Race/Ethnicity										
Missing race	29		28		51		55		13	
White*	3885	72.0	4461	81.5	5911	106.6	5600	99.9	5580	98.2
African Am. or Black*	10324	643.9	11531	708.5	14728	892.4	14529	869.8	14609	862.4
Am. Indian/Al. Native*	222	244.6	248	267.2	315	333.5	307	319.0	401	408.8
Asian/Pacific Islander*	100	121.2	118	133.4	153	161.1	165	163.2	174	162.1
Hispanic	518	389.4	722	490.4	1039	641.9	1156	657.9	1399	735.8
Total	15078	206.3	17108	230.3	22197	294.2	21812	285.1	22176	285.4
* Not Hispanic										
Sex										
Male	2006	56.6	2555	70.9	3551	97.0	3396	91.5	3381	89.7
Female	13072	347.3	14553	380.4	18646	479.8	18416	467.3	18794	469.6
Total	15078	206.3	17108	230.3	22197	294.2	21812	285.1	22176^x	285.4

H per 100,000 population based on estimates available from the U.S. Census

I per 100,000 population based on projection (simple linear) of 1999 data using 1995-98 U.S. Census estimates

x total includes a report with missing information




HIV Disease (HIV & AIDS)#										
Category	Year of Report									
	1996		1997		1998		1999		2000	
	Cases	Rate^H	Cases	Rate^H	Cases	Rate^H	Cases	Rate^H	Cases	Rate^I
Age Group										
Missing age										
Under 5 years	27	5.2	14	2.7	16	3.0	3	0.6	5	0.9
05-12 years	8	1.0	3	0.4	2	0.2	1	0.1	4	0.4
13-19 years	38	5.5	50	7.1	52	7.2	40	5.5	42	5.6
20-29 years	424	39.8	390	36.8	360	34.2	313	30.1	322	31.2
30-39 years	643	53.8	664	55.6	560	46.8	628	52.2	539	44.8
40-49 years	396	36.7	390	35.6	365	32.6	413	36.0	382	32.7
50 years and over	115	5.9	153	7.7	133	6.5	159	7.5	183	8.4
Total	1651	22.6	1664	22.4	1488	19.7	1557	20.4	1477	19.0
Race/Ethnicity										
Missing race	15		7		3		17		20	
White*	385	7.1	400	7.3	363	6.5	378	6.7	328	5.8
African Am. or Black*	1197	74.7	1203	73.9	1074	65.1	1096	65.6	1065	62.9
Am. Indian/AI. Native*	10	11.0	13	14.0	10	10.6	17	17.7	12	12.2
Asian/Pacific Islander*	8	9.7	2	2.3	4	4.2	6	5.9	4	3.7
Hispanic	36	27.1	39	26.5	34	21.0	43	24.5	48	25.2
Total	1651	22.6	1664	22.4	1488	19.7	1557	20.4	1477	19.0
* Not Hispanic										
Sex										
Male	1099	31.0	1151	31.9	987	27.0	1051	28.3	968	25.7
Female	551	14.6	513	13.4	501	12.9	506	12.8	508	12.7
Total	1651^x	22.6	1664	22.4	1488	19.7	1557	20.4	1477^x	19.0

includes both HIV and AIDS cases by year of first report of individual

H per 100,000 population based on estimates available from the U.S. Census

I per 100,000 population based on projection (simple linear) using 1995-98 U.S. Census estimates

x total includes a report with missing information



COUNTY	Region		Chlamydia					Gonorrhea					Early Syphilis (P.S.&E.L)					HIV Disease (HIV& AIDS)				
			Year					Year					Year					Year				
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
ALAMANCE	3	cases	218	255	194	338	294	236	280	247	356	276	9	34	44	39	11	11	16	7	23	19
		rate*	185.4	212.8	159.3	272.7	235.6	200.7	233.6	202.8	287.2	221.2	7.7	28.4	36.1	31.5	8.8	9.4	13.4	5.7	18.6	15.2
ALEXANDER	2	cases	22	21	20	25	20	9	8	7	11	12	0	0	0	1	1	0	1	2	2	1
		rate*	72.2	67.6	62.7	77.0	61.6	29.5	25.8	22.0	33.9	37.0	0.0	0.0	0.0	3.1	3.1	0.0	3.2	6.3	6.2	3.1
ALLEGHANY	3	cases	1	2	0	9	5	0	1	0	2	1	0	0	0	0	0	0	0	0	0	0
		rate*	10.4	20.6	0.0	90.6	51.5	0.0	10.3	0.0	20.1	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ANSON	5	cases	123	117	136	120	122	106	107	138	121	79	24	7	7	2	3	13	6	8	4	2
		rate*	519.0	491.1	565.9	502.9	510.3	447.3	449.1	574.2	507.1	330.5	101.3	29.4	29.1	8.4	12.5	54.9	25.2	33.3	16.8	8.4
ASHE	3	cases	11	7	9	5	11	8	0	0	0	0	0	0	0	0	0	0	0	1	1	0
		rate*	47.0	29.8	38.0	20.9	45.5	34.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	4.2	0.0
AVERY	1	cases	2	5	4	5	4	1	0	1	0	1	0	0	0	0	0	1	0	1	4	0
		rate*	13.2	32.3	26.1	31.3	25.4	6.6	0.0	6.5	0.0	6.4	0.0	0.0	0.0	0.0	0.0	6.6	0.0	6.5	25.0	0.0
BEAUFORT	6	cases	64	92	142	161	126	131	118	109	196	109	21	7	4	6	4	11	7	6	6	13
		rate*	148.3	211.9	326.3	365.0	288.1	303.6	271.8	250.5	444.3	249.3	48.7	16.1	9.2	13.6	9.1	25.5	16.1	13.8	13.6	29.7
BERTIE	6	cases	41	63	80	65	70	49	60	70	41	44	3	3	0	1	0	7	12	6	10	6
		rate*	200.2	310.3	399.5	326.9	349.5	239.3	295.5	349.5	206.2	219.7	14.6	14.8	0.0	5.0	0.0	34.2	59.1	30.0	50.3	30.0
BLADEN	5	cases	46	115	102	76	109	68	110	99	80	100	1	7	7	6	7	6	13	2	3	3
		rate*	153.5	379.1	331.2	245.8	353.1	226.9	362.6	321.4	258.8	324.0	3.3	23.1	22.7	19.4	22.7	20.0	42.9	6.5	9.7	9.7
BRUNSWICK	7	cases	49	64	84	112	121	93	107	91	136	103	2	1	13	33	26	9	13	6	6	7
		rate*	78.2	98.2	124.8	161.1	170.0	148.3	164.3	135.2	195.7	144.7	3.2	1.5	19.3	47.5	36.5	14.4	20.0	8.9	8.6	9.8
BUNCOMBE	1	cases	310	305	243	317	402	221	262	303	357	277	6	2	6	1	2	49	57	34	39	38
		rate*	163.2	160.1	126.0	163.2	204.7	116.3	137.5	157.1	183.8	141.0	3.2	1.0	3.1	0.5	1.0	25.8	29.9	17.6	20.1	19.3
BURKE	1	cases	52	64	82	86	72	72	78	76	75	42	0	5	47	2	4	6	6	4	6	2
		rate*	63.3	77.1	97.6	101.8	83.9	87.6	93.9	90.4	88.8	48.9	0.0	6.0	55.9	2.4	4.7	7.3	7.2	4.8	7.1	2.3
CABARRUS	2	cases	60	156	232	262	264	115	172	206	234	192	12	7	3	4	3	18	14	15	9	9
		rate*	52.9	133.8	192.1	209.8	213.1	101.4	147.5	170.6	187.3	155.0	10.6	6.0	2.5	3.2	2.4	15.9	12.0	12.4	7.2	7.3
CALDWELL	1	cases	70	59	107	101	42	112	58	65	71	49	0	0	10	1	1	7	5	0	2	1
		rate*	94.5	79.0	142.0	133.0	55.1	151.2	77.7	86.3	93.5	64.3	0.0	0.0	13.3	1.3	1.3	9.4	6.7	0.0	2.6	1.3
CAMDEN	6	cases	0	2	7	5	6	4	11	4	3	5	1	1	0	0	0	2	2	1	0	3
		rate*	0.0	30.4	104.4	74.3	93.6	61.9	167.3	59.6	44.6	78.0	15.5	15.2	0.0	0.0	0.0	30.9	30.4	14.9	0.0	46.8
CARTERET	7	cases	52	39	55	62	67	54	57	48	50	63	3	2	1	1	1	4	3	4	1	2
		rate*	89.6	66.4	93.0	104.9	108.8	93.1	97.1	81.1	84.6	102.3	5.2	3.4	1.7	1.7	1.6	6.9	5.1	6.8	1.7	3.2

COUNTY	Region		Chlamydia					Gonorrhea					Early Syphilis (P.S.&E.L)					HIV Disease (HIV& AIDS)				
			Year					Year					Year					Year				
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
CASWELL	3	cases	63	37	66	65	56	50	24	40	41	27	1	1	4	6	16	4	1	1	0	3
		rate*	295.1	168.0	295.2	289.2	246.6	234.2	109.0	178.9	182.4	118.9	4.7	4.5	17.9	26.7	70.5	18.7	4.5	4.5	0.0	13.2
CATAWBA	2	cases	170	262	292	231	229	162	162	144	105	139	11	32	22	19	10	15	14	11	6	23
		rate*	133.1	202.3	222.1	172.3	170.5	126.9	125.1	109.5	78.3	103.5	8.6	24.7	16.7	14.2	7.4	11.7	10.8	8.4	4.5	17.1
CHATHAM	4	cases	60	70	54	82	56	65	84	65	48	48	4	5	14	26	26	3	3	5	4	3
		rate*	134.8	154.2	116.9	173.7	117.3	146.0	185.0	140.7	101.7	100.6	9.0	11.0	30.3	55.1	54.5	6.7	6.6	10.8	8.5	6.3
CHEROKEE	1	cases	3	4	9	11	10	2	2	2	7	0	2	0	1	0	0	2	0	0	2	0
		rate*	13.6	17.8	39.5	47.6	43.0	9.1	8.9	8.8	30.3	0.0	9.1	0.0	4.4	0.0	0.0	9.1	0.0	0.0	8.7	0.0
CHOWAN	6	cases	5	7	19	32	31	22	23	62	40	48	1	0	0	0	1	4	3	2	2	2
		rate*	35.6	50.1	135.3	227.8	214.0	156.9	164.5	441.5	284.8	331.4	7.1	0.0	0.0	0.0	6.9	28.5	21.5	14.2	14.2	13.8
CLAY	1	cases	0	0	1	0	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		rate*	0.0	0.0	12.1	0.0	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CLEVELAND	2	cases	109	125	294	210	239	255	250	324	307	359	96	7	13	4	8	18	16	6	21	10
		rate*	120.7	137.4	319.4	226.7	257.7	282.5	274.9	352.0	331.5	387.1	106.3	7.7	14.1	4.3	8.6	19.9	17.6	6.5	22.7	10.8
COLUMBUS	7	cases	103	111	148	150	173	161	135	122	133	145	2	12	15	12	6	19	15	11	14	10
		rate*	199.3	214.0	283.7	285.9	328.5	311.5	260.2	233.9	253.5	275.3	3.9	23.1	28.8	22.9	11.4	36.8	28.9	21.1	26.7	19.0
CRAVEN	6	cases	112	154	437	342	262	196	223	309	260	227	8	4	3	7	9	9	10	9	23	18
		rate*	128.4	173.8	489.8	381.8	286.9	224.7	251.6	346.3	290.3	248.6	9.2	4.5	3.4	7.8	9.9	10.3	11.3	10.1	25.7	19.7
CUMBERLAND	5	cases	959	1138	1456	1331	1391	812	1036	1041	963	1177	141	123	80	50	58	67	89	55	65	64
		rate*	326.8	385.7	497.9	456.1	463.2	276.7	351.2	356.0	330.0	392.0	48.0	41.7	27.4	17.1	19.3	22.8	30.2	18.8	22.3	21.3
CURRITUCK	6	cases	13	14	28	17	16	6	9	11	13	10	0	1	3	0	0	0	0	2	1	1
		rate*	79.7	84.2	163.9	97.6	90.6	36.8	54.1	64.4	74.6	56.6	0.0	6.0	17.6	0.0	0.0	0.0	0.0	11.7	5.7	5.7
DARE	6	cases	16	18	18	19	20	3	5	7	6	6	0	0	0	0	0	0	0	7	6	2
		rate*	60.3	65.6	64.1	65.8	67.3	11.3	18.2	24.9	20.8	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.9	20.8	6.7
DAVIDSON	3	cases	210	175	346	218	247	168	142	152	138	89	9	9	14	5	1	10	17	14	14	13
		rate*	151.7	124.6	244.9	152.7	169.3	121.4	101.1	107.6	96.7	61.0	6.5	6.4	9.9	3.5	0.7	7.2	12.1	9.9	9.8	8.9
DAVIE	3	cases	56	43	47	33	63	6	16	27	25	27	1	0	2	3	0	2	1	3	2	3
		rate*	183.4	138.1	146.2	100.2	192.4	19.6	51.4	84.0	75.9	82.5	3.3	0.0	6.2	9.1	0.0	6.5	3.2	9.3	6.1	9.2
DUPLIN	7	cases	82	68	91	112	129	139	145	122	55	126	7	4	7	4	0	11	16	12	16	6
		rate*	189.3	155.0	205.2	251.6	283.5	320.9	330.6	275.0	123.6	276.9	16.2	9.1	15.8	9.0	0.0	25.4	36.5	27.1	35.9	13.2
DURHAM	4	cases	853	923	811	1162	1048	1333	921	825	960	1016	48	44	83	31	44	100	91	96	73	88
		rate*	438.8	466.8	404.1	571.8	511.6	685.7	465.8	411.1	472.4	496.0	24.7	22.3	41.4	15.3	21.5	51.4	46.0	47.8	35.9	43.0

COUNTY	Region		Chlamydia					Gonorrhea					Early Syphilis (P.S.&E.L)					HIV Disease (HIV& AIDS)				
			Year					Year					Year					Year				
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
EDGECOMBE	6	cases	237	236	394	410	348	558	447	608	581	484	81	36	21	9	7	29	15	15	28	16
		rate*	423.6	425.2	721.4	756.7	637.7	997.3	805.3	1113.2	1072.4	886.9	144.8	64.9	38.4	16.6	12.8	51.8	27.0	27.5	51.7	29.3
FORSYTH	3	cases	1103	1170	1444	1569	1221	1012	903	998	1408	998	240	156	85	73	50	71	99	56	124	95
		rate*	389.1	407.6	498.6	538.2	411.6	357.0	314.6	344.6	483.0	336.4	84.7	54.3	29.4	25.0	16.9	25.0	34.5	19.3	42.5	32.0
FRANKLIN	4	cases	70	90	118	76	99	91	72	99	95	112	3	1	8	1	3	4	8	5	9	3
		rate*	164.2	206.6	265.6	167.6	214.2	213.5	165.3	222.9	209.4	242.3	7.0	2.3	18.0	2.2	6.5	9.4	18.4	11.3	19.8	6.5
GASTON	2	cases	445	440	597	435	461	445	312	419	468	425	36	34	17	22	22	43	39	25	40	42
		rate*	249.5	245.1	330.5	239.7	252.7	249.5	173.8	231.9	257.9	233.0	20.2	18.9	9.4	12.1	12.1	24.1	21.7	13.8	22.0	23.0
GATES	6	cases	8	8	20	15	7	14	10	12	6	7	4	4	0	4	1	1	0	1	0	0
		rate*	81.3	81.0	199.7	148.5	69.1	142.3	101.3	119.8	59.4	69.1	40.7	40.5	0.0	39.6	9.9	10.2	0.0	10.0	0.0	0.0
GRAHAM	1	cases	1	7	2	3	3	1	0	2	0	1	0	0	0	0	0	2	0	0	0	0
		rate*	13.3	93.5	26.9	39.7	39.4	13.3	0.0	26.9	0.0	13.1	0.0	0.0	0.0	0.0	0.0	26.6	0.0	0.0	0.0	0.0
GRANVILLE	4	cases	105	74	134	115	120	154	144	204	107	123	4	1	9	24	13	14	11	12	11	10
		rate*	250.9	172.9	300.8	253.3	267.9	368.1	336.6	457.9	235.7	274.6	9.6	2.3	20.2	52.9	29.0	33.5	25.7	26.9	24.2	22.3
GREENE	6	cases	68	82	115	80	80	65	42	38	48	55	2	4	4	5	1	7	11	12	2	3
		rate*	397.2	464.3	627.0	437.5	431.7	379.7	237.8	207.2	262.5	296.8	11.7	22.6	21.8	27.3	5.4	40.9	62.3	65.4	10.9	16.2
GUILFORD	3	cases	1403	1543	1763	1708	1930	1279	1319	1341	1461	1400	241	260	180	98	113	131	101	151	135	126
		rate*	372.2	402.5	454.3	434.1	485.4	339.3	344.1	345.6	371.3	352.1	63.9	67.8	46.4	24.9	28.4	34.8	26.3	38.9	34.3	31.7
HALIFAX	6	cases	209	199	318	293	272	193	212	289	253	250	23	12	6	4	4	13	25	16	15	9
		rate*	370.8	356.5	573.8	534.7	493.6	342.4	379.7	521.5	461.7	453.7	40.8	21.5	10.8	7.3	7.3	23.1	44.8	28.9	27.4	16.3
HARNETT	5	cases	65	107	94	106	121	153	145	110	148	74	44	36	9	12	4	17	10	10	10	7
		rate*	82.1	131.6	112.4	124.2	139.3	193.2	178.3	131.6	173.4	85.2	55.6	44.3	10.8	14.1	4.6	21.5	12.3	12.0	11.7	8.1
HAYWOOD	1	cases	19	43	37	46	26	9	13	9	12	6	2	0	2	0	0	3	7	3	2	2
		rate*	37.6	84.0	71.6	88.5	49.2	17.8	25.4	17.4	23.1	11.4	4.0	0.0	3.9	0.0	0.0	5.9	13.7	5.8	3.8	3.8
HENDERSON	1	cases	69	78	138	105	93	38	42	61	36	46	0	0	0	1	0	9	15	8	5	6
		rate*	88.7	97.7	169.6	127.4	112.0	48.8	52.6	75.0	43.7	55.4	0.0	0.0	0.0	1.2	0.0	11.6	18.8	9.8	6.1	7.2
HERTFORD	6	cases	24	23	16	44	75	40	26	16	30	65	7	0	2	2	0	5	6	6	4	11
		rate*	109.1	106.5	74.9	207.0	348.6	181.9	120.4	74.9	141.2	302.1	31.8	0.0	9.4	9.4	0.0	22.7	27.8	28.1	18.8	51.1
HOKE	5	cases	61	74	108	145	132	115	66	113	108	98	13	7	9	4	4	18	7	7	8	5
		rate*	216.7	256.8	359.9	466.2	423.3	408.6	229.0	376.5	347.2	314.3	46.2	24.3	30.0	12.9	12.8	63.9	24.3	23.3	25.7	16.0
HYDE	6	cases	5	6	5	10	9	6	2	3	1	4	0	12	0	0	0	1	1	1	0	0
		rate*	96.6	113.3	87.9	177.5	171.6	115.9	37.8	52.8	17.8	76.3	0.0	226.7	0.0	0.0	0.0	19.3	18.9	17.6	0.0	0.0

COUNTY	Region		Chlamydia					Gonorrhea					Early Syphilis (P.S.&E.L)					HIV Disease (HIV& AIDS)				
			Year					Year					Year					Year				
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
IREDELL	2	cases	124	178	198	159	154	166	125	170	167	143	18	38	45	16	10	9	9	5	7	3
		rate*	116.8	162.6	174.5	135.1	133.2	156.3	114.2	149.8	141.9	123.7	16.9	34.7	39.7	13.6	8.6	8.5	8.2	4.4	5.9	2.6
JACKSON	1	cases	15	21	28	38	29	8	5	8	6	2	1	0	2	0	0	3	3	1	0	1
		rate*	51.5	71.9	94.8	127.3	97.1	27.5	17.1	27.1	20.1	6.7	3.4	0.0	6.8	0.0	0.0	10.3	10.3	3.4	0.0	3.3
JOHNSTON	4	cases	104	141	150	134	108	185	159	204	192	110	25	15	5	9	16	27	24	13	13	20
		rate*	104.9	136.6	139.3	119.5	96.1	186.7	154.0	189.4	171.2	97.9	25.2	14.5	4.6	8.0	14.2	27.2	23.2	12.1	11.6	17.8
JONES	6	cases	6	6	13	16	23	8	11	16	20	30	1	0	1	0	0	2	2	1	1	0
		rate*	65.0	65.4	141.0	171.1	265.5	86.6	119.9	173.5	213.9	346.3	10.8	0.0	10.8	0.0	0.0	21.7	21.8	10.8	10.7	0.0
LEE	4	cases	71	78	144	142	131	106	130	90	165	103	7	18	6	4	3	10	7	13	15	14
		rate*	150.4	161.8	295.6	288.4	255.9	224.6	269.6	184.8	335.2	201.2	14.8	37.3	12.3	8.1	5.9	21.2	14.5	26.7	30.5	27.4
LENOIR	6	cases	248	238	296	298	310	229	270	201	197	144	19	10	13	9	4	25	31	22	22	26
		rate*	419.7	405.1	505.9	511.8	523.3	387.5	459.5	343.5	338.4	243.1	32.2	17.0	22.2	15.5	6.8	42.3	52.8	37.6	37.8	43.9
LINCOLN	2	cases	54	63	105	90	94	39	43	48	57	61	0	0	6	2	0	6	5	4	6	3
		rate*	95.2	108.9	177.8	149.8	153.7	68.8	74.3	81.3	94.9	99.8	0.0	0.0	10.2	3.3	0.0	10.6	8.6	6.8	10.0	4.9
MACON	1	cases	6	7	14	14	11	4	3	6	5	4	2	1	0	0	0	2	0	6	1	2
		rate*	22.2	25.2	49.7	48.8	37.5	14.8	10.8	21.3	17.4	13.6	7.4	3.6	0.0	0.0	0.0	7.4	0.0	21.3	3.5	6.8
MADISON	1	cases	3	12	12	29	14	4	3	3	5	0	0	0	0	0	0	5	2	2	0	1
		rate*	16.5	65.5	64.0	153.1	74.0	22.0	16.4	16.0	26.4	0.0	0.0	0.0	0.0	0.0	0.0	27.5	10.9	10.7	0.0	5.3
MARTIN	6	cases	86	90	100	120	116	119	82	61	102	74	8	3	2	1	3	9	11	1	6	7
		rate*	335.0	351.0	390.4	467.3	453.9	463.6	319.8	238.1	397.2	289.6	31.2	11.7	7.8	3.9	11.7	35.1	42.9	3.9	23.4	27.4
MCDOWELL	1	cases	20	26	36	34	30	14	33	21	15	6	2	2	0	0	0	3	3	4	2	1
		rate*	52.3	66.0	89.8	83.7	72.5	36.6	83.7	52.4	36.9	14.5	5.2	5.1	0.0	0.0	0.0	7.8	7.6	10.0	4.9	2.4
MECKLENBURG	2	cases	1394	1466	1730	1710	1928	1857	1744	1952	1951	1787	280	141	172	157	108	260	215	265	246	219
		rate*	235.5	240.8	277.0	266.4	296.0	313.7	286.5	312.6	304.0	274.4	47.3	23.2	27.5	24.5	16.6	43.9	35.3	42.4	38.3	33.6
MITCHELL	1	cases	5	5	8	8	8	0	0	0	1	0	0	0	0	0	0	1	2	2	0	0
		rate*	34.0	34.1	54.7	54.2	54.2	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.0	0.0	0.0	6.8	13.6	13.7	0.0	0.0
MONTGOMERY	5	cases	50	43	82	68	87	31	44	72	45	56	2	4	3	8	52	8	3	2	2	8
		rate*	206.4	176.6	331.6	272.1	348.7	128.0	180.8	291.1	180.1	224.4	8.3	16.4	12.1	32.0	208.4	33.0	12.3	8.1	8.0	32.1
MOORE	5	cases	95	102	133	141	170	68	70	141	124	132	8	8	6	12	24	10	4	12	8	11
		rate*	139.7	147.1	187.8	195.4	231.5	100.0	100.9	199.1	171.8	179.7	11.8	11.5	8.5	16.6	32.7	14.7	5.8	16.9	11.1	15.0
NASH	6	cases	205	270	361	354	308	240	304	432	377	346	57	28	11	10	12	20	16	21	24	21
		rate*	239.1	310.8	409.9	398.3	338.0	279.9	350.0	490.5	424.2	379.7	66.5	32.2	12.5	11.3	13.2	23.3	18.4	23.8	27.0	23.0

COUNTY	Region		Chlamydia					Gonorrhea					Early Syphilis (P.S.&E.L)					HIV Disease (HIV& AIDS)				
			Year					Year					Year					Year				
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
NEW HANOVER	7	cases	264	313	373	418	437	350	391	363	420	403	2	4	21	40	35	22	55	32	43	42
		rate*	184.3	214.1	251.5	281.1	279.7	244.3	267.4	244.8	282.4	258.0	1.4	2.7	14.2	26.9	22.4	15.4	37.6	21.6	28.9	26.9
NORTHAMPTON	6	cases	71	54	104	136	83	116	61	125	91	107	4	4	3	0	0	4	12	2	1	4
		rate*	338.3	256.7	497.3	649.7	399.3	552.7	290.0	597.7	434.7	514.8	19.1	19.0	14.3	0.0	0.0	19.1	57.0	9.6	4.8	19.2
ONslow	7	cases	368	523	1109	977	912	307	318	421	416	412	6	4	8	11	3	18	15	21	10	14
		rate*	246.9	354.6	744.6	659.2	603.8	206.0	215.6	282.7	280.7	272.8	4.0	2.7	5.4	7.4	2.0	12.1	10.2	14.1	6.7	9.3
ORANGE	4	cases	174	202	237	239	187	116	98	81	119	108	4	17	39	14	3	18	13	17	11	17
		rate*	164.9	188.8	217.2	218.1	166.3	109.9	91.6	74.2	108.6	96.1	3.8	15.9	35.7	12.8	2.7	17.1	12.2	15.6	10.0	15.1
PAMLICO	6	cases	11	17	20	19	14	18	13	7	32	17	0	1	0	1	0	1	2	3	0	2
		rate*	91.7	142.0	165.3	150.6	114.8	150.0	108.6	57.9	253.6	139.4	0.0	8.4	0.0	7.9	0.0	8.3	16.7	24.8	0.0	16.4
PASQUOTANK	6	cases	63	72	69	63	92	76	52	105	114	74	8	14	14	3	3	6	12	3	3	10
		rate*	186.6	209.2	198.5	182.0	256.0	225.1	151.1	302.1	329.3	205.9	23.7	40.7	40.3	8.7	8.3	17.8	34.9	8.6	8.7	27.8
PENDER	7	cases	18	51	55	60	93	27	40	52	35	42	0	1	0	3	2	2	6	0	5	0
		rate*	50.2	137.1	144.4	154.0	229.4	75.2	107.6	136.5	89.8	103.6	0.0	2.7	0.0	7.7	4.9	5.6	16.1	0.0	12.8	0.0
PERQUIMANS	6	cases	9	11	14	21	12	7	14	16	14	18	3	0	2	0	0	3	2	7	3	2
		rate*	83.7	101.2	128.1	192.7	107.3	65.1	128.7	146.4	128.5	160.9	27.9	0.0	18.3	0.0	0.0	27.9	18.4	64.1	27.5	17.9
PERSON	4	cases	49	53	81	69	74	85	50	39	72	46	1	0	1	0	1	6	5	6	3	2
		rate*	151.1	161.0	243.4	205.0	217.7	262.1	151.9	117.2	214.0	135.3	3.1	0.0	3.0	0.0	2.9	18.5	15.2	18.0	8.9	5.9
PITT	6	cases	533	543	749	751	785	692	583	571	725	670	29	8	12	21	19	61	43	42	34	27
		rate*	438.7	437.2	591.4	587.2	597.5	569.5	469.4	450.9	566.9	509.9	23.9	6.4	9.5	16.4	14.5	50.2	34.6	33.2	26.6	20.5
POLK	1	cases	3	9	16	12	19	3	3	6	5	10	0	0	0	0	0	3	2	3	2	2
		rate*	18.5	54.3	95.7	70.9	110.9	18.5	18.1	35.9	29.5	58.3	0.0	0.0	0.0	0.0	0.0	18.5	12.1	17.9	11.8	11.7
RANDOLPH	3	cases	100	118	183	146	206	133	190	162	133	157	16	5	13	31	17	8	5	6	8	8
		rate*	84.4	97.2	147.4	115.7	160.3	112.3	156.5	130.5	105.4	122.1	13.5	4.1	10.5	24.6	13.2	6.8	4.1	4.8	6.3	6.2
RICHMOND	5	cases	103	117	179	127	187	117	181	287	190	184	40	14	11	3	15	14	12	14	6	7
		rate*	225.7	257.3	393.8	280.7	406.6	256.4	398.0	631.4	420.0	400.1	87.7	30.8	24.2	6.6	32.6	30.7	26.4	30.8	13.3	15.2
ROBESON	5	cases	420	424	540	449	781	512	441	541	456	556	65	81	105	109	133	23	36	27	29	17
		rate*	375.9	376.1	472.0	389.7	676.5	458.2	391.2	472.9	395.8	481.6	58.2	71.9	91.8	94.6	115.2	20.6	31.9	23.6	25.2	14.7
ROCKINGHAM	3	cases	93	107	132	104	130	175	127	135	74	128	12	8	9	10	19	13	9	8	15	8
		rate*	104.6	120.3	147.3	115.9	143.9	196.8	142.7	150.6	82.4	141.7	13.5	9.0	10.0	11.1	21.0	14.6	10.1	8.9	16.7	8.9
ROWAN	2	cases	162	271	301	254	329	204	253	308	254	239	14	7	6	6	4	17	13	18	14	12
		rate*	134.1	220.7	241.3	201.8	257.2	168.8	206.1	246.9	201.8	186.9	11.6	5.7	4.8	4.8	3.1	14.1	10.6	14.4	11.1	9.4

COUNTY	Region		Chlamydia					Gonorrhea					Early Syphilis (P.S.&E.L)					HIV Disease (HIV& AIDS)				
			Year					Year					Year					Year				
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
RUTHERFORD	1	cases	87	75	92	104	144	123	48	84	119	68	5	3	3	2	2	8	7	7	0	9
		rate*	146.7	126.0	153.0	172.0	239.2	207.3	80.6	139.7	196.8	113.0	8.4	5.0	5.0	3.3	3.3	13.5	11.8	11.6	0.0	15.0
SAMPSON	5	cases	50	47	117	143	169	158	103	131	105	159	18	17	11	1	2	15	18	11	7	4
		rate*	97.2	89.4	219.6	264.0	308.8	307.2	196.0	245.9	193.9	290.5	35.0	32.4	20.7	1.8	3.7	29.2	34.3	20.7	12.9	7.3
SCOTLAND	5	cases	244	167	218	197	197	269	179	167	138	133	40	15	9	3	6	16	13	12	6	9
		rate*	697.1	477.2	620.2	564.0	555.4	768.5	511.5	475.1	395.1	374.9	114.3	42.9	25.6	8.6	16.9	45.7	37.1	34.1	17.2	25.4
STANLY	2	cases	27	36	69	85	86	54	46	38	62	53	23	26	13	19	6	6	5	7	7	7
		rate*	49.6	65.4	124.3	151.3	152.0	99.2	83.5	68.4	110.3	93.7	42.3	47.2	23.4	33.8	10.6	11.0	9.1	12.6	12.5	12.4
STOKES	3	cases	41	41	57	55	64	15	30	22	16	17	2	0	1	2	2	2	3	0	0	2
		rate*	97.4	95.8	131.9	125.8	141.9	35.6	70.1	50.9	36.6	37.7	4.8	0.0	2.3	4.6	4.4	4.8	7.0	0.0	0.0	4.4
SURRY	3	cases	50	59	108	85	87	33	41	72	46	52	2	0	0	0	0	3	2	2	4	1
		rate*	76.1	88.3	158.9	123.7	126.4	50.2	61.4	105.9	67.0	75.5	3.0	0.0	0.0	0.0	0.0	4.6	3.0	2.9	5.8	1.5
SWAIN	1	cases	13	18	14	23	29	3	6	4	5	0	1	0	0	0	0	0	2	2	1	1
		rate*	110.2	149.8	115.1	186.3	233.9	25.4	49.9	32.9	40.5	0.0	8.5	0.0	0.0	0.0	0.0	0.0	16.6	16.4	8.1	8.1
TRANSYLVANIA	1	cases	16	17	27	33	38	13	18	10	11	5	0	1	0	0	0	3	5	1	0	5
		rate*	58.1	61.1	95.5	116.6	132.2	47.2	64.7	35.4	38.9	17.4	0.0	3.6	0.0	0.0	0.0	10.9	18.0	3.5	0.0	17.4
TYRRELL	6	cases	12	2	7	10	16	7	0	1	1	2	0	0	0	0	0	0	1	0	0	2
		rate*	327.0	54.5	179.7	247.3	449.1	190.7	0.0	25.7	24.7	56.1	0.0	0.0	0.0	0.0	0.0	0.0	27.2	0.0	0.0	56.1
UNION	2	cases	97	115	182	175	203	176	123	171	200	110	28	12	11	10	4	10	20	8	7	7
		rate*	95.2	108.6	165.2	151.8	175.4	172.7	116.1	155.2	173.5	95.1	27.5	11.3	10.0	8.7	3.5	9.8	18.9	7.3	6.1	6.0
VANCE	4	cases	103	93	141	163	212	236	185	269	234	210	7	12	14	16	9	16	13	21	10	5
		rate*	254.2	226.4	338.3	385.2	504.4	582.4	450.3	645.4	553.0	499.6	17.3	29.2	33.6	37.8	21.4	39.5	31.6	50.4	23.6	11.9
WAKE	4	cases	998	1370	1600	1618	1407	1370	1040	1615	1378	1310	72	100	86	105	87	112	148	111	156	157
		rate*	185.5	246.1	278.2	273.4	230.5	254.7	186.8	280.8	232.8	214.7	13.4	18.0	15.0	17.7	14.3	20.8	26.6	19.3	26.4	25.7
WARREN	4	cases	23	48	76	63	77	53	70	82	73	89	7	6	31	2	5	1	4	4	1	2
		rate*	127.0	265.3	401.7	332.9	419.0	292.6	386.8	433.4	385.8	484.3	38.6	33.2	163.8	10.6	27.2	5.5	22.1	21.1	5.3	10.9
WASHINGTON	6	cases	29	37	60	34	28	19	22	16	24	20	4	2	0	6	1	7	4	8	4	3
		rate*	215.2	277.3	458.6	264.0	217.8	141.0	164.9	122.3	186.3	155.6	29.7	15.0	0.0	46.6	7.8	51.9	30.0	61.2	31.1	23.3
WATAUGA	3	cases	28	29	34	26	38	5	7	12	7	5	1	0	0	0	0	1	0	0	1	1
		rate*	69.4	71.0	83.2	63.8	90.4	12.4	17.1	29.3	17.2	11.9	2.5	0.0	0.0	0.0	0.0	2.5	0.0	0.0	2.5	2.4
WAYNE	6	cases	130	222	346	345	346	273	240	184	150	180	35	55	75	10	12	17	21	22	27	29
		rate*	115.8	196.2	305.5	305.4	297.7	243.3	212.1	162.5	132.8	154.9	31.2	48.6	66.2	8.9	10.3	15.1	18.6	19.4	23.9	24.9

COUNTY	Region		Chlamydia					Gonorrhea					Early Syphilis (P.S.&E.L)					HIV Disease (HIV& AIDS)				
			Year					Year					Year					Year				
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
WILKES	3	cases	52	42	62	42	45	35	17	39	18	12	0	0	1	1	2	1	2	2	1	4
		rate*	83.0	66.7	98.1	65.9	69.8	55.9	27.0	61.7	28.3	18.6	0.0	0.0	1.6	1.6	3.1	1.6	3.2	3.2	1.6	6.2
WILSON	4	cases	290	327	437	422	350	518	484	600	635	439	127	53	42	22	11	28	26	20	21	27
		rate*	424.7	476.0	630.3	605.0	501.5	758.5	704.6	865.4	910.4	629.0	186.0	77.2	60.6	31.5	15.8	41.0	37.8	28.8	30.1	38.7
YADKIN	3	cases	26	24	44	47	60	17	25	14	22	17	2	2	0	1	1	1	2	2	2	2
		rate*	75.1	68.3	123.5	130.1	162.2	49.1	71.1	39.3	60.9	46.0	5.8	5.7	0.0	2.8	2.7	2.9	5.7	5.6	5.5	5.4
YANCEY	1	cases	6	12	7	16	14	3	1	2	3	1	0	0	0	0	1	2	2	0	1	0
		rate*	37.0	73.1	42.2	95.1	83.9	18.5	6.1	12.1	17.8	6.0	0.0	0.0	0.0	0.0	6.0	12.3	12.2	0.0	5.9	0.0
UNKNOWN			2	1	10	2	0	1	1	5	6	0	0	0	1	0	7	1	6	3	2	
REGION 1	1	cases	700	767	877	985	990	631	575	663	733	518	21	14	72	7	10	109	118	78	67	71
rate*		89.1	96.5	109.1	121.3	120.9	80.3	72.4	82.5	90.3	63.3	2.7	1.8	9.0	0.9	1.2	13.9	14.9	9.7	8.3	8.7	
REGION 2	2	cases	2664	3133	4020	3636	4007	3482	3238	3787	3816	3520	518	304	308	260	176	402	351	366	365	336
rate*		169.4	194.9	244.5	216.1	236.5	221.5	201.4	230.3	226.8	207.8	32.9	18.9	18.7	15.5	10.4	25.6	21.8	22.3	21.7	19.8	
REGION 3	3	cases	3455	3652	4489	4450	4457	3172	3122	3261	3747	3206	536	475	353	269	232	258	258	253	330	285
rate*		237.6	247.4	300.6	294.7	291.2	218.2	211.5	218.3	248.2	209.5	36.9	32.2	23.6	17.8	15.2	17.7	17.5	16.9	21.9	18.6	
REGION 4	4	cases	2900	3469	3983	4285	3869	4312	3437	4173	4078	3714	309	272	338	254	221	339	353	323	327	348
rate*		227.9	265.7	297.3	313.1	277.5	338.9	263.3	311.5	298.0	266.4	24.3	20.8	25.2	18.6	15.9	26.6	27.0	24.1	23.9	25.0	
REGION 5	5	cases	2216	2451	3165	2903	3466	2409	2482	2840	2478	2748	396	319	257	210	308	207	211	160	148	137
rate*		280.3	306.8	393.3	358.5	421.1	304.7	310.7	352.9	306.0	333.8	50.1	39.9	31.9	25.9	37.4	26.2	26.4	19.9	18.3	16.6	
REGION 6	6	cases	2205	2466	3738	3660	3455	3091	2840	3273	3325	2996	319	209	176	99	81	244	249	216	222	217
rate*		248.1	275.3	414.8	404.9	376.7	347.8	317.0	363.2	367.9	326.7	35.9	23.3	19.5	11.0	8.8	27.5	27.8	24.0	24.6	23.7	
REGION 7	7	cases	936	1169	1915	1891	1932	1131	1193	1219	1245	1294	22	28	65	104	73	85	123	86	95	81
rate*		172.1	212.4	343.0	336.8	333.8	208.0	216.7	218.3	221.7	223.4	4.0	5.1	11.6	18.5	12.6	15.6	22.3	15.4	16.9	14.0	
TOTAL		cases	15078	17108	22197	21812	22176	18229	16888	19221	19428	17996	2121	1621	1569	1204	1101	1651	1664	1488	1557	1477
		rate*	206.3	230.3	294.2	285.2	285.9	249.5	227.3	254.7	254.0	232.0	29.0	21.8	20.8	15.7	14.2	22.6	22.4	19.7	20.4	19.0

* per 100,000 population based on estimates and projections from the NC Office of State Planning (Demographics Unit)

Syphilis												
COUNTY	Region		Primary & Secondary					Early Latent				
			Year of Report									
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
ALAMANCE	3	cases	5	23	30	19	5	4	11	14	20	6
		rate*	4.3	19.2	24.6	15.3	4.0	3.4	9.2	11.5	16.1	4.8
ALEXANDER	2	cases	0	0	0	0	0	0	0	0	1	1
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.1
ALLEGHANY	3	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ANSON	5	cases	11	2	2	1	2	13	5	5	1	1
		rate*	46.4	8.4	8.3	4.2	8.4	54.9	21.0	20.8	4.2	4.2
ASHE	3	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AVERY	1	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BEAUFORT	6	cases	13	1	3	1	0	8	6	1	5	4
		rate*	30.1	2.3	6.9	2.3	0.0	18.5	13.8	2.3	11.3	9.1
BERTIE	6	cases	1	1	0	0	0	2	2	0	1	0
		rate*	4.9	4.9	0.0	0.0	0.0	9.8	9.8	0.0	5.0	0.0
BLADEN	5	cases	0	2	2	3	1	1	5	5	3	6
		rate*	0.0	6.6	6.5	9.7	3.2	3.3	16.5	16.2	9.7	19.4
BRUNSWICK	7	cases	1	0	5	14	10	1	1	8	19	16
		rate*	1.6	0.0	7.4	20.1	14.0	1.6	1.5	11.9	27.3	22.5
BUNCOMBE	1	cases	3	0	4	0	1	3	2	2	1	1
		rate*	1.6	0.0	2.1	0.0	0.5	1.6	1.0	1.0	0.5	0.5
BURKE	1	cases	0	3	29	1	0	0	2	18	1	4
		rate*	0.0	3.6	34.5	1.2	0.0	0.0	2.4	21.4	1.2	4.7
CABARRUS	2	cases	4	3	1	0	0	8	4	2	4	3
		rate*	3.5	2.6	0.8	0.0	0.0	7.1	3.4	1.7	3.2	2.4
CALDWELL	1	cases	0	0	4	0	1	0	0	6	1	0
		rate*	0.0	0.0	5.3	0.0	1.3	0.0	0.0	8.0	1.3	0.0
CAMDEN	6	cases	0	0	0	0	0	1	1	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	15.5	15.2	0.0	0.0	0.0
CARTERET	7	cases	2	0	0	0	1	1	2	1	1	0
		rate*	3.4	0.0	0.0	0.0	1.6	1.7	3.4	1.7	1.7	0.0
CASWELL	3	cases	0	0	2	4	8	1	1	2	2	8
		rate*	0.0	0.0	8.9	17.8	35.2	4.7	4.5	8.9	8.9	35.2
CATAWBA	2	cases	7	17	7	8	1	4	15	15	11	9
		rate*	5.5	13.1	5.3	6.0	0.7	3.1	11.6	11.4	8.2	6.7
CHATHAM	4	cases	3	1	4	10	4	1	4	10	16	22
		rate*	6.7	2.2	8.7	21.2	8.4	2.2	8.8	21.6	33.9	46.1
CHEROKEE	1	cases	1	0	1	0	0	1	0	0	0	0
		rate*	4.5	0.0	4.4	0.0	0.0	4.5	0.0	0.0	0.0	0.0

Syphilis												
COUNTY	Region		Primary & Secondary					Early Latent				
			Year of Report									
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
CHOWAN	6	cases	1	0	0	0	0	0	0	0	0	1
		rate*	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9
CLAY	1	cases	0	0	1	0	0	0	0	0	0	0
		rate*	0.0	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CLEVELAND	2	cases	61	4	5	1	0	35	3	8	3	8
		rate*	67.6	4.4	5.4	1.1	0.0	38.8	3.3	8.7	3.2	8.6
COLUMBUS	7	cases	2	4	6	4	2	0	8	9	8	4
		rate*	3.9	7.7	11.5	7.6	3.8	0.0	15.4	17.3	15.3	7.6
CRAVEN	6	cases	2	1	1	2	2	6	3	2	5	7
		rate*	2.3	1.1	1.1	2.2	2.2	6.9	3.4	2.2	5.6	7.7
CUMBERLAND	5	cases	82	59	34	17	29	59	64	46	33	29
		rate*	27.9	20.0	11.6	5.8	9.7	20.1	21.7	15.7	11.3	9.7
CURRITUCK	6	cases	0	1	2	0	0	0	0	1	0	0
		rate*	0.0	6.0	11.7	0.0	0.0	0.0	0.0	5.9	0.0	0.0
DARE	6	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DAVIDSON	3	cases	5	6	4	1	1	4	3	10	4	0
		rate*	3.6	4.3	2.8	0.7	0.7	2.9	2.1	7.1	2.8	0.0
DAVIE	3	cases	1	0	0	1	0	0	0	2	2	0
		rate*	3.3	0.0	0.0	3.0	0.0	0.0	0.0	6.2	6.1	0.0
DUPLIN	7	cases	5	1	3	0	0	2	3	4	4	0
		rate*	11.5	2.3	6.8	0.0	0.0	4.6	6.8	9.0	9.0	0.0
DURHAM	4	cases	24	22	42	8	18	24	22	41	23	26
		rate*	12.3	11.1	20.9	3.9	8.8	12.3	11.1	20.4	11.3	12.7
EDGECOMBE	6	cases	28	13	10	1	3	53	23	11	8	4
		rate*	50.0	23.4	18.3	1.8	5.5	94.7	41.4	20.1	14.8	7.3
FORSYTH	3	cases	151	79	54	42	24	89	77	31	31	26
		rate*	53.3	27.5	18.6	14.4	8.1	31.4	26.8	10.7	10.6	8.8
FRANKLIN	4	cases	1	1	4	0	0	2	0	4	1	3
		rate*	2.3	2.3	9.0	0.0	0.0	4.7	0.0	9.0	2.2	6.5
GASTON	2	cases	11	13	6	8	9	25	21	11	14	13
		rate*	6.2	7.2	3.3	4.4	4.9	14.0	11.7	6.1	7.7	7.1
GATES	6	cases	1	0	0	1	1	3	4	0	3	0
		rate*	10.2	0.0	0.0	9.9	9.9	30.5	40.5	0.0	29.7	0.0
GRAHAM	1	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GRANVILLE	4	cases	1	0	6	8	6	3	1	3	16	7
		rate*	2.4	0.0	13.5	17.6	13.4	7.2	2.3	6.7	35.2	15.6
GREENE	6	cases	2	1	1	2	1	0	3	3	3	0
		rate*	11.7	5.7	5.5	10.9	5.4	0.0	17.0	16.4	16.4	0.0

Syphilis												
COUNTY	Region		Primary & Secondary					Early Latent				
			Year of Report									
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
GUILFORD	3	cases	160	149	98	53	70	81	111	82	45	43
		rate*	42.4	38.9	25.3	13.5	17.6	21.5	29.0	21.1	11.4	10.8
HALIFAX	6	cases	8	1	1	1	2	15	11	5	3	2
		rate*	14.2	1.8	1.8	1.8	3.6	26.6	19.7	9.0	5.5	3.6
HARNETT	5	cases	12	15	6	4	1	32	21	3	8	3
		rate*	15.2	18.4	7.2	4.7	1.2	40.4	25.8	3.6	9.4	3.5
HAYWOOD	1	cases	0	0	2	0	0	2	0	0	0	0
		rate*	0.0	0.0	3.9	0.0	0.0	4.0	0.0	0.0	0.0	0.0
HENDERSON	1	cases	0	0	0	0	0	0	0	0	1	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0
HERTFORD	6	cases	2	0	1	0	0	5	0	1	2	0
		rate*	9.1	0.0	4.7	0.0	0.0	22.7	0.0	4.7	9.4	0.0
HOKE	5	cases	4	2	6	0	1	9	5	3	4	3
		rate*	14.2	6.9	20.0	0.0	3.2	32.0	17.3	10.0	12.9	9.6
HYDE	6	cases	0	5	0	0	0	0	7	0	0	0
		rate*	0.0	94.4	0.0	0.0	0.0	0.0	132.2	0.0	0.0	0.0
IREDELL	2	cases	7	22	23	2	1	11	16	22	14	9
		rate*	6.6	20.1	20.3	1.7	0.9	10.4	14.6	19.4	11.9	7.8
JACKSON	1	cases	1	0	1	0	0	0	0	1	0	0
		rate*	3.4	0.0	3.4	0.0	0.0	0.0	0.0	3.4	0.0	0.0
JOHNSTON	4	cases	4	3	1	5	6	21	12	4	4	10
		rate*	4.0	2.9	0.9	4.5	5.3	21.2	11.6	3.7	3.6	8.9
JONES	6	cases	0	0	1	0	0	1	0	0	0	0
		rate*	0.0	0.0	10.8	0.0	0.0	10.8	0.0	0.0	0.0	0.0
LEE	4	cases	4	8	0	1	2	3	10	6	3	1
		rate*	8.5	16.6	0.0	2.0	3.9	6.4	20.7	12.3	6.1	2.0
LENOIR	6	cases	4	8	3	1	2	15	2	10	8	2
		rate*	6.8	13.6	5.1	1.7	3.4	25.4	3.4	17.1	13.7	3.4
LINCOLN	2	cases	0	0	0	1	0	0	0	6	1	0
		rate*	0.0	0.0	0.0	1.7	0.0	0.0	0.0	10.2	1.7	0.0
MACON	1	cases	1	1	0	0	0	1	0	0	0	0
		rate*	3.7	3.6	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0
MADISON	1	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MARTIN	6	cases	4	0	0	1	1	4	3	2	0	2
		rate*	15.6	0.0	0.0	3.9	3.9	15.6	11.7	7.8	0.0	7.8
MCDOWELL	1	cases	1	1	0	0	0	1	1	0	0	0
		rate*	2.6	2.5	0.0	0.0	0.0	2.6	2.5	0.0	0.0	0.0
MECKLENBURG	2	cases	135	49	73	55	45	145	92	99	102	63
		rate*	22.8	8.0	11.7	8.6	6.9	24.5	15.1	15.9	15.9	9.7


Syphilis												
COUNTY	Region		Primary & Secondary					Early Latent				
			Year of Report									
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
MITCHELL	1	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MONTGOMERY	5	cases	2	2	0	6	33	0	2	3	2	19
		rate*	8.3	8.2	0.0	24.0	132.2	0.0	8.2	12.1	8.0	76.1
MOORE	5	cases	4	1	1	3	14	4	7	5	9	10
		rate*	5.9	1.4	1.4	4.2	19.1	5.9	10.1	7.1	12.5	13.6
NASH	6	cases	27	12	5	4	8	30	16	6	6	4
		rate*	31.5	13.8	5.7	4.5	8.8	35.0	18.4	6.8	6.8	4.4
NEW HANOVER	7	cases	0	0	16	24	20	2	4	5	16	15
		rate*	0.0	0.0	10.8	16.1	12.8	1.4	2.7	3.4	10.8	9.6
NORTHAMPTON	6	cases	1	1	1	0	0	3	3	2	0	0
		rate*	4.8	4.8	4.8	0.0	0.0	14.3	14.3	9.6	0.0	0.0
ONSLow	7	cases	1	0	4	2	1	5	4	4	9	2
		rate*	0.7	0.0	2.7	1.3	0.7	3.4	2.7	2.7	6.1	1.3
ORANGE	4	cases	2	12	27	8	1	2	5	12	6	2
		rate*	1.9	11.2	24.7	7.3	0.9	1.9	4.7	11.0	5.5	1.8
PAMLICO	6	cases	0	0	0	1	0	0	1	0	0	0
		rate*	0.0	0.0	0.0	7.9	0.0	0.0	8.4	0.0	0.0	0.0
PASQUOTANK	6	cases	5	5	1	1	0	3	9	13	2	3
		rate*	14.8	14.5	2.9	2.9	0.0	8.9	26.1	37.4	5.8	8.3
PENDER	7	cases	0	0	0	0	0	0	1	0	3	2
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	7.7	4.9
PERQUIMANS	6	cases	1	0	2	0	0	2	0	0	0	0
		rate*	9.3	0.0	18.3	0.0	0.0	18.6	0.0	0.0	0.0	0.0
PERSON	4	cases	0	0	0	0	0	1	0	1	0	1
		rate*	0.0	0.0	0.0	0.0	0.0	3.1	0.0	3.0	0.0	2.9
PITT	6	cases	4	3	3	8	6	25	5	9	13	13
		rate*	3.3	2.4	2.4	6.3	4.6	20.6	4.0	7.1	10.2	9.9
POLK	1	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RANDOLPH	3	cases	11	3	3	12	8	5	2	10	19	9
		rate*	9.3	2.5	2.4	9.5	6.2	4.2	1.6	8.1	15.1	7.0
RICHMOND	5	cases	8	0	1	0	11	32	14	10	3	4
		rate*	17.5	0.0	2.2	0.0	23.9	70.1	30.8	22.0	6.6	8.7
ROBESON	5	cases	26	34	46	43	58	39	47	59	66	75
		rate*	23.3	30.2	40.2	37.3	50.2	34.9	41.7	51.6	57.3	65.0
ROCKINGHAM	3	cases	7	4	5	3	11	5	4	4	7	8
		rate*	7.9	4.5	5.6	3.3	12.2	5.6	4.5	4.5	7.8	8.9
ROWAN	2	cases	6	3	2	2	1	8	4	4	4	3
		rate*	5.0	2.4	1.6	1.6	0.8	6.6	3.3	3.2	3.2	2.3

Syphilis												
COUNTY	Region		Primary & Secondary					Early Latent				
			Year of Report									
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
RUTHERFORD	1	cases	0	1	0	0	0	5	2	3	2	2
		rate*	0.0	1.7	0.0	0.0	0.0	8.4	3.4	5.0	3.3	3.3
SAMPSON	5	cases	8	3	6	0	0	10	14	5	1	2
		rate*	15.6	5.7	11.3	0.0	0.0	19.4	26.6	9.4	1.8	3.7
SCOTLAND	5	cases	12	2	2	0	3	28	13	7	3	3
		rate*	34.3	5.7	5.7	0.0	8.5	80.0	37.1	19.9	8.6	8.5
STANLY	2	cases	10	11	4	6	1	13	15	9	13	5
		rate*	18.4	20.0	7.2	10.7	1.8	23.9	27.2	16.2	23.1	8.8
STOKES	3	cases	1	0	0	1	1	1	0	1	1	1
		rate*	2.4	0.0	0.0	2.3	2.2	2.4	0.0	2.3	2.3	2.2
SURRY	3	cases	1	0	0	0	0	1	0	0	0	0
		rate*	1.5	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0
SWAIN	1	cases	0	0	0	0	0	1	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	8.5	0.0	0.0	0.0	0.0
TRANSYLVANIA	1	cases	0	0	0	0	0	0	1	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0
TYRRELL	6	cases	0	0	0	0	0	0	0	0	0	0
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNION	2	cases	12	5	2	2	2	16	7	9	8	2
		rate*	11.8	4.7	1.8	1.7	1.7	15.7	6.6	8.2	6.9	1.7
VANCE	4	cases	1	3	3	6	1	6	9	11	10	8
		rate*	2.5	7.3	7.2	14.2	2.4	14.8	21.9	26.4	23.6	19.0
WAKE	4	cases	37	40	48	41	31	35	60	38	64	56
		rate*	6.9	7.2	8.3	6.9	5.1	6.5	10.8	6.6	10.8	9.2
WARREN	4	cases	2	2	15	0	0	5	4	16	2	5
		rate*	11.0	11.1	79.3	0.0	0.0	27.6	22.1	84.6	10.6	27.2
WASHINGTON	6	cases	0	1	0	3	1	4	1	0	3	0
		rate*	0.0	7.5	0.0	23.3	7.8	29.7	7.5	0.0	23.3	0.0
WATAUGA	3	cases	1	0	0	0	0	0	0	0	0	0
		rate*	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WAYNE	6	cases	13	26	22	4	4	22	29	53	6	8
		rate*	11.6	23.0	19.4	3.5	3.4	19.6	25.6	46.8	5.3	6.9
WILKES	3	cases	0	0	1	1	0	0	0	0	0	2
		rate*	0.0	0.0	1.6	1.6	0.0	0.0	0.0	0.0	0.0	3.1
WILSON	4	cases	71	25	14	2	5	56	28	28	20	6
		rate*	104.0	36.4	20.2	2.9	7.2	82.0	40.8	40.4	28.7	8.6
YADKIN	3	cases	2	0	0	0	1	0	2	0	1	0
		rate*	5.8	0.0	0.0	0.0	2.7	0.0	5.7	0.0	2.8	0.0
YANCEY	1	cases	0	0	0	0	0	0	0	0	0	1
		rate*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0

Syphilis												
COUNTY	Region		Primary & Secondary					Early Latent				
			Year of Report									
			1996	1997	1998	1999	2000	1996	1997	1998	1999	2000
UNKNOWN			0	0	0	0	0	0	0	0	1	0
Region 1	1	cases	7.0	6.0	42.0	1.0	2.0	14.0	8.0	30.0	6.0	8.0
		rate*	0.9	0.8	5.2	0.1	0.2	1.8	1.0	3.7	0.7	1.0
Region 2	2	cases	253.0	127.0	123.0	85.0	60.0	265.0	177.0	185.0	175.0	116.0
		rate*	16.1	7.9	7.5	5.1	3.5	16.9	11.0	11.3	10.4	6.8
Region 3	3	cases	345.0	264.0	197.0	137.0	129.0	191.0	211.0	156.0	132.0	103.0
		rate*	23.7	17.9	13.2	9.1	8.4	13.1	14.3	10.4	8.7	6.7
Region 4	4	cases	150.0	117.0	164.0	89.0	74.0	159.0	155.0	174.0	165.0	147.0
		rate*	11.8	9.0	12.2	6.5	5.3	12.5	11.9	13.0	12.1	10.5
Region 5	5	cases	169.0	122.0	106.0	77.0	153.0	227.0	197.0	151.0	133.0	155.0
		rate*	21.4	15.3	13.2	9.5	18.6	28.7	24.7	18.8	16.4	18.8
Region 6	6	cases	117.0	80.0	57.0	31.0	31.0	202.0	129.0	119.0	68.0	50.0
		rate*	13.2	8.9	6.3	3.4	3.4	22.7	14.4	13.2	7.5	5.5
Region 7	7	cases	11.0	5.0	34.0	44.0	34.0	11.0	23.0	31.0	60.0	39.0
		rate*	2.0	0.9	6.1	7.8	5.9	2.0	4.2	5.6	10.7	6.7
TOTAL		cases	1052	721	723	464	483	1069	900	846	740	618
		rate*	14.4	9.7	9.6	6.1	6.2	14.6	12.1	11.2	9.7	8.0

* per 100,000 population based on estimates and projections from the NC Office of State Planning (Demographics Unit)


Regional Offices HIV/STD Prevention & Care Branch




NC Center for Health Informatics & Statistics

North Carolina 2000 STD Rates


HIV Disease




Gonorrhea



Early Syphilis




Chlamydia



Caution: Some rates presented are based on small numbers and should be interpreted with caution. See additional notes in the Preface.

NC Center for Health Informatics & Statistics


North Carolina HIV Disease Rates



Caution: Some rates presented are based on small numbers and should be interpreted with caution. See additional notes in the Preface.

NC Center for Health Informatics & Statistics

North Carolina Early Syphilis Rates




Caution: Some rates presented are based on small numbers and should be interpreted with caution. See additional notes in the Preface.


NC Center for Health Informatics & Statistics

North Carolina Gonorrhea Rates


1996




1997




1998




Rates per 100,000



1999



2000




Caution: Some rates presented are based on small numbers and should be interpreted with caution. See additional notes in the Preface.


NC Center for Health Informatics & Statistics

North Carolina Chlamydia Rates


1996




1997





1998



1999



2000



Caution: Some rates presented are based on small numbers and should be interpreted with caution. See additional notes in the Preface.

NC Center for Health Informatics & Statistics